

Belden Inventory

BELDEN #	DESCRIPTION	QTY	BWC PART
1007A	20-16C(1) PVPV SHLD(MAF) 300V JX TCPL	1,100	17-3208-X
1013A	20-16C(1) PVPV SHLD(MAF) 300V KX TCPL	940	17-4208-X
1027A	20-16C PVPV MAF TCPL	380	17-2208-
1030A	16-2C(7B) SHLD PVC-MAF-PVC CMG 300V	1,370	7-552-
1031A	16-3C (7B) PVC/PVC MAF 300V SAC	3,680	7-553-
1032A	18-2C (7B) SHLD (MAF) PVC/PVC 300V SAC	72	7-532-
1033R	20-2/C OAS XLP PLTC	215	7-522-
1034R	16-3C(7B) PVPV N/S UCC	1,500	7-8403-
1039A	16-4PR(7B) NYPV MAF SPOS	1,286	7-3704-
1039C	16-4PR(7B) XLPV SHLD(MAF) SPOS	360	7-3754-
1041A	16-8PR(7B) NYPV MAF SPOS	390	7-3708-
1042A	16-12PR(7B) NYPV MAF SPOS	55	7-3712-
1045A	16-24P NYPV MAF SPOS	136	7-3724-
1046A	16-36PR(7B) NYPV MAF SPOS	145	7-3736-
1047A	16-50P NYPV MAF SPOS	719	7-3750-
1049C	18-4PR(7B) XLPV SHLD	980	7-3604-
1050B	18-8PR SP-OS MAF 600V TC	228	7-3608-
1051A	18-12PR P-OS 600V TC	1,240	7-3612-
1052A	18-16P(7B) SPOS NYPV SHLD MAF	178	7-3616-
1053A	18-24PR SPOS NY-PV 600V TC	1,100	7-3624-
1055A	16-2P NYPV MAF 150V SPOS	290	7-3702-
1055C	16-2PR(7B) XLPV MAF SPOS	265	7-3702-
1055R	16-2P(7B) NYPV SHLD	220	7-3702-
1057A	20-8P(7B) POS PVPV SHLD MAF	100	7-2208-
1058A	20-12PR(7B) PVPV MAF POS	640	7-2212-
1063A	18-2PR(7B) NYPV MAF	260	7-2302-
1064A	18-4P(7B) POS NYPV SHLD MAF	120	7-2304-
1066A	18-12PR(7B) NYPV MAF POS	300	7-2312-
1069A	16-2PR(7B) POS PVNY-MAF-PV TC/NPLF	11,239	7-2402-
1070A	16-4P NYPV MAF POS	860	7-2404-
1072A	16-12PR O.A.MAF NY-PV TC 600V	324	7-2412-
1074RE	16-24PPR(7B) POS NPLF TFN SHLD MAF	520	7-2424-
1080A	20-24PR SP-OS MAF	460	7-3524-
1081A	20-36P(7B) SPOS PVPV SHLD MAF	936	7-3536-

BELDEN #	DESCRIPTION	QTY	BWC PART
1082A	20-50PR SP-OS MAF 300V 105C	355	7-3550-
1084A	20-24C (7B) PVPV SHLD MAF 300V	8,355	7-2761-8
1087A	18-36PR(7B) NYPV MAF POS	505	7-2336-
1098A	16-24C NYPV MAF STOS	188	7-2781-8
1116A	16-2C TETE MAF KX	230	17-464-SH
1119A	16-3C (7B) NYPV BLK MAF 600V	3,834	6-2003-SH
1119B	16-3C MAF NYPV TC	390	6-2003-SH
1120A	18-2/C OAS VNTC	28,615	7-532-
1121A	18-3/C OAS VNTC	52,950	7-533-
1162A	20-2C(7MX) POPV DBL SHLD TWAX	460	10-600-
11700A	24-4PR(1B) PVPV 300V IC	630	14-3664-5E
11700A	24-4PR(1B) PVPV 300V IC	1,190	14-2404-5E
1175A	22-2 (1T) PVPV MAF SAC	1,120	7-512-1
1189A	6-1C(1CW) FOPV DBL SHLD RG/U	920	10-6-
1215A	26-2P(7B) SPOS FOPV DBL SHLD	900	7-3502-26
1223A	6-1C(1CW) FOPV DBL SHLD RG/U	490	10-6-
1227A1	24-2PR(1B) PVPV N/S PLNM	3,090	7-2002-
1229AI	24-4PR(1B) POPV N/S IC	1,800	14-2404-
1319SB	23-4P(1B) POLS	1,000	14-3664-C6
13205B	18-2C (1B) FAC	1,000	7-712-1
1320SB	18-2 (1B) SHLD RED	1,000	7-712-1
1334A	18-2C (7T) DBL SHLD PVPV SAC BLUE	2,620	7-532-
1348A	20-3C PVPV SAC	550	7-523-
1352A	23-4P(1B) PVPV	3,350	14-3664-P6
1361A	16-2PR(7T) MAF POPV SPOS	192	7-3702-
1418B	26-5C(7B) FOPV BRD SHLD	500	10-502-5
1423A	6PR-24 (7T) POPV GRY	2,000	7-2006-
1457A	24-4PR(1B) N/S PLNM	2,450	14-2404-
1458A	24-4PR(1B) PVPV SHLD(MAF) PLNM	1,000	14-2404-SH
1466A	18-4P (7B) SHLD (MAF) PVC/PVC 300V POS	1,415	7-2304-
1467A	18-8P (7B) SHLD (MAF) PVC/PVC 300V POS	855	7-2308-
1471A	18-24P O.A. MAF 300V PLTC	130	7-2324-
1472A	18-36P O.A. MAF PLTC 300V	130	7-2336-
1478	12(1B) FOPV DBL SHLD ETHER	185	10-1000-
1481A	18-36P MAF XLPV SPOS 300V	130	7-3636-
1484A	16-4PR(7B) SHLD(MAF) PVPV 300V POS	19,736	7-2404-
1485A	16-8P(7B) POS PVPV SHLD MAF	6,709	7-2408-
12-1486B	16-12P XLPV MAF POS	262	7-2412-AR
1489A	16-24PR(7B) POS PV-MAF-PV PLTC 300V	1,840	7-2424-
1492A	16-2PR(7B) SHLD(MAF) PVPV SPOS	23,942	7-3702-
1492C	16-2PR SP-OS XL/CPE	805	7-3752-

BELDEN #	DESCRIPTION	QTY	BWC PART
1492C	16-2PR SP-OS XL/CPE	380	7-3702-
1493	16-4P(7B) SPOS PVPV MAF 300V	1,852	7-3704-
1493A	16-4P(7B) SPOS PVPV MAF 300V	32,478	7-3704-
1494A	16-8PR(7B) PVPV MAF SPOS	9,225	7-3708-
1494A	16-8PR(7B) PVPV MAF SPOS	575	7-3708-
1494C	16-8P(7B) PVPV SHLD	3,205	7-3708-
1494T	16-8PR(7T) XLLS SHLD(MAF) SPOS	170	7-3758-
1498A	16-24P (7B) PVPV MAF SPOS 300V	27,140	7-3724-
1498A	16-8P (7B) PVC/PVC MAF 300V SPOS	2,700	7-3708-
1499A	16-36PR(7B) SPOS XL-MAF-PV PLTC 300V	190	7-3736-
1505A	59 RG/U FOPV	1,635	10-59-
1523A	11-1C(1CW) FOPV DBL SHLD RG/U	920	10-11-B
1577A	24-12PR(1B) FEFL N/S PLNM	5,495	14-2407-
1578A	24-12P O.A. MAF CMP	18,800	7-2012-
1581A	24-25PR(1B) FEFE PLNM	500	14-2409-
1583A	24-4PR(1B) POPV IC	1,000	14-3664-C5
1583A	24-4PR(1B) POPV IC	500	14-2404-5E
1585A	24-4PR(1B) TEPV PLNM GRN	22,180	14-3664-C5
1585A	24-4PR(1B) TEPV PLNM	4,500	14-2404-5E
1592A	24-4PR(7B) PVPV CM/MP	2,575	14-3664-5E
1618A	14-1C(1CW) FOPV QWD RG11/U	22,800	10-11-B
1634	22-2PR SP-OS MAF/BRD NON-PLENUM	1,000	7-3502-22
1634A	22-2PR SP-OS MAF/BRD NON-PLENUM	3,150	7-3502-22
1636A	22-2PR SP-OS MAF/BRD PLENUM	2,135	7-3502-22
1642A	26-2PR(7B) DAPV DBL SHLD POS	3,000	7-2002-26
1669A	24-8PR(1B) FEP PLNM	2,000	14-2406-
1694A	6-1C(1B) FOPV DBL SHLD RG/U	1,000	10-6-
1700A	24-4PR(1B) PVPV N/S CM/MP	1,100	14-3664-C5
12-1700R	24-4PR(1B) POPV CM/MP	37	14-3664-AR
12-1702A	24-8P PVPV ALNM	380	14-2406-AR
1752A	24-4PR(7T) POPV CM/MP	216	14-3664-C5
1808A	30-2C(7T) FOPV SPI	485	10-501-2C
1808A	30-2C(7T) FOPV SPI	800	10-501-2C
1826A	22-5C O.A. MAF/BRD WHT PVC	1,090	7-5105-
1855A	RG/U59(1B) FOPV DBL SHLD	8,000	10-59-
12-1872A	23-4PR (1B) PVPV CM/MP	185	14-3664-6A
2039C	16-2C(1B) PVPV MAF FAC	3,580	7-722-SH
2715	8-4C (7B) XLP/PVC 600V	88	6-2604-G
3022G	2-3C (7B) XLP/PVC 600V	289	6-2633-G
3025A	18-2P (7B) SHLD (MAF) PVC/PVC 300V POS	1,280	7-2302-
3031C	18-12C (7B) PVPV MAF	760	7-2771-4

BELDEN #	DESCRIPTION	QTY	BWC PART
3034A	18-16P (7B) SHLD (MAF) PVC/PVC 300V POS	290	7-2316-
3037F	18-2C DATATRAY BLU/WHT DOUBLE SHIELD	362	7-8302-
3047A	16-4TR(7B) STOS (MAF) PVC/PVC 300V	3,820	7-2780-4
3049A	16-8TRI (7B) STOS (MAF) PVC/PVC 300V	394	7-2781-8
3050A	16-16P (7B) SHLD (MAF) PVC/PVC 300V POS	12,575	7-2416-
3051A	16-16P (7B) PVC/PVC MAF SPOS	65,331	7-3716-
3053A	16-16TRI (7B) PVPV MAF STOS	14,115	7-2782-16
3055A	16-24TRI(7B) MAF PVPV STOS 300V	396	7-2784-
3055AE	16-24TRI(7B) MAF PVPV STOS 300V	6,956	7-2784-
3069A	16-12TRI (7B) STOS (MAF) PVC/PVC 300V	819	7-2782-
3069AE	16-12TRI (7B) STOS (MAF) PVC/PVC 300V	10,280	7-2782-
12-3076E	18-2C(7T) SHLD(MAF) POPV	330	7-532-AR
12-3076F	18-2C (7T) PVPV SHLD	530	7-532-AR
3079A	22-2C(1B) PVPV DBL SHLD SAC	415	7-512-1
3080A	14-2C(7B) NYPV SHLD MAF	1,750	6-2052-SH
3082A	MIX-4C (19T) DBL	225	7-3502-
12-3082A	MIX-2P PVPV SPOS ARMORED	108	7-3602-AR
3089A	18-3C (7B) NYPV MAF TC	156	6-2003-18
3090A	16-2C (7B) NYPV MAF 600V	250	6-2002-SH
3090A	16-2C (7B) NYPV MAF 600V	795	6-2002-SH
3090RE	16-2C (7B) NYPV MAF 600V	5,652	6-2002-GG
3091A	16-3C (7B) NYPV MAF	1,790	6-2003-SH
3091C	16-3C(7B) SHLD(MAF) XLPV	470	6-2403-SH
3092A	RG/U 6(1B) FO-MAF-BRD-PV QUAD SHLD	280	10-6-
12-3092A	6-1C(1B) FOPV QWD SHLD RG/U	450	10-6-AR
3106A	22-3C(7T) PVPV DBL SHLD	440	7-513-
12-3107A	22-2PR(7T) PVPVDBL SHLD POS	1,935	7-2102-AR
3130A	20-108C PVPV MAF STOS	145	7-2765-
5000UE	12-2C(19B) PVPV N/S UCC	1,200	7-8602-
5053FE	18-5C(7B) POPV MAF GRY	1,000	7-5305-
5100FE	14-2/C OAS CL3R	4,000	7-557-
5222	16-4C(1B) N/S PV-PV FPLR RED	1,000	7-724-
5102	14-4C(19B) PVPV N/S UCC	1,000	7-8504-
5102UE	14-4C(7B) PVPV N/S UCC	400	7-8504-
5122UL	14-4/C(1) N/S FPLR	500	7-734-
5200UE	16-2C(19B) UCC PVPV	500	7-8402-
5202FE	16-4C(19B) PVPV MAF SAC	690	7-554-
5220	16-2/C(1) OAS FAC	19,930	7-722-
5301UE	18-3C(7B) PVPV N/S UCC	85	7-8303-
5304UE	18-6C N/S CMR	12,500	7-8306-
5320UE	18-2C(1B) PEPV N/S PLNM	600	7-8302-1

BELDEN #	DESCRIPTION	QTY	BWC PART
5322FL	18-4/C(1) OAS FPLR	450	7-714-SH
5342FE	18-3PR(7B) POPV MAF POS	500	7-2303-
5400	20-2C(7B) PVPV N/S UCC	500	7-8202-
5500FE	22-2C(7B) XLPV MAF SAC	425	7-512-
5500UE	22-2C(7B) PVPV N/S UCC	500	7-8102-
5502FE	22-4C(7B) SHLD(MAF) PVPV	1,000	7-514-
5502UE	22-4C(7B) N/S PV-PV WHT	4,000	7-8104-
5504UE	22-6C(7B) POPV N/S UCC	500	7-8106-
5506FE	22-8C (7B) PVPV MAF	1,000	7-5108-
5508FE	22-10/C (7B) PVPV MAF SMCC	500	7-5110-
5509UE	22-12C(7B) PVPV N/S UCC	8,500	7-8112-
5542CE	22-3PR(7B) 1P-S,2P-N/S PV-MAF-PV CMR	500	7-1203-1S
6193	4/0-3C GRD (37B) XLPV TECK 1000V	130	9-659-G
6000UE	12-2C (19B) PVPV N/S	1,000	7-8602-
6001UE	12-3C PVPV PLNM	300	7-8603-
6100UE	14-2C N/S GRY PVC (K2)	400	7-8502-
6101FE	14-3C(19B) PVPV MAF 600V	500	7-733-
6120UL	14-2C(1) N/S PLNM	1,500	7-732-
6139B8	11-1C(1B) FOTE DBL SHLD PLNM	10,706	10-11-PL
6200FE	16-2/C OAS PLENUM	490	7-552-
6220FL	16-2/C(1) OAS FPLP	3,000	7-722-SH
6222	16-4C(1B) PVPV N/S PLNM	390	7-724-
6300UE	18-2C N/S GRY PVC	15,355	7-8302-
6301FE	18-3C(7B) PVSO MAF PLNM	1,000	7-533-
6301UE	18-3C(7B) PVPV N/S PLNM	500	7-8303-
6302UE	18-4C N/S PLENUM	500	7-8304-
6304FE	18-6C O.A.MAF WHT PLENUM	9,880	7-5306-
6304UE	18-6C(7B) PLNM PVPV	4,955	7-8306-
6320FL	18-2C(1B) PVPV MAF PLNM	5,000	7-712-SH
6343FE	18-4PR (7B) POS PVPV MAF 600V	1,010	7-2304-
6400FE	20-2C (7B) XLP/PVC MAF PLNM	8,000	7-522-
6402UE	20-4C(7B) PVPV N/S PLNM	484	7-8204-
6501FE	22-3C(7B) PVPV MAF SAC	500	7-513-
6502UE	22-4C(7B) PVPV N/S PLNM	800	7-8104-
6506UE	22-8C(7B) N/S PV-PV CMP WHT	500	7-8108-
6508UE	22-10C POPV PLNM	1,000	7-8110-
6T00UP	10-2C(65B) PVPV N/S	760	6-2152-
7202A	24-3PR(41B) PVPV DBL SHLD POS	400	7-2003-
734D1	RG/U59(1T) FOPV DBL SHLD	8,000	10-59-
735A2	26-2C(1) 735A SERIES COAX	42,000	10-502-2
735A6	26-6C(1) 735A SERIES COAX	11,960	10-502-6

BELDEN #	DESCRIPTION	QTY	BWC PART
7447AS	10-4C PVPV ROBOT	80	6-1994-
7453A	6-4C PVPV ROBOT	68	6-1996-
7731A	RG/U -1C (1B) FOPV DBL SHLD	980	10-11-B
7811A	24-4P PVSO PLNM	1,000	14-2404-
7840A	22-12P(1) OAS TI/DSI	7,000	7-2112-1
7852A	23-4PR(1B) POPV PLNM	680	14-3664-C6
7854A	24-4PR(1B) POPV CM/MP	3,000	14-3664-C5
7876A	MIX-18(1B) FOPV CM/MP	7,490	14-3664-RG
7896A	MIX-2P STRD SPOS DBL SHLD	360	7-3702-
12-7896A	16-2C,18-2C SPOS MAF/BRD AIA-PVC	1,338	7-3602-AR
7897A	MIX-2PR (19T) DBL GRY	300	8-325-CM
7897A	MIX-2PR (19T) DBL GRY	9,860	7-3502-
7922A	22-4PR(1B) PVPV CM/MP	300	14-3664-5E
7923A	22-4PR (1B) PVPV CM/MP 300V	2,165	14-3664-5E
7935A	24-4P(1B) POLS N/S	740	14-3664-5E
8281F	RG/U59(7B) BRD SHLD	400	10-59-
8102	24-2PR(7T) POPV DBL SHLD PLNM	7,520	7-2002-AR
8103	24-3PR(7T) DBL SHLD PVPV POS	120	7-2003-
8104	24-4PR(7T) SHLD PVPV POS	322	7-2004-
8112	24-12PR(7T) PEPV DBL SHLD POS	308	7-2012-
8132	28-2PR(7T) POPV DBL SHLD POS	490	7-1802-
8164	24-4P PVPV SPOS	70	7-3504-24
8216	RG/U174(7B) POPV BRD SHLD	400	10-174-
8219	RG/U58A(19T) FOPV BRD SHLD	97	10-58-
8227	20-2C POPV TWAX	670	10-600-
8230	20-2C(7B) POLY N/S UCC	1,000	7-8202-
8233	14-1C RG11/U TRIAX	5,055	10-11-TR
8240	RG/U58-1C(1B) POPV BRD SHLD RG/U	160	10-58-
8241	RG/U59(1B) POPV BRD SHLD	1,045	10-59-
8261	11A-1C(7T) POPV BRD SHLD RG/U	515	10-11-A
8277	20-2C POPV TWAX	205	10-600-
8279	RG/U 59 (7B)	130	10-59-
8305	22-5PR(7T) DBL SHLD PVPV POS	225	7-2105-
8345	24-15PR(7T) POPV DBL SHLD POS	320	7-2015-
8424	20-4C(26T) EPHY	66	7-204-
8450	22-2C(1B) POPV MAF SAC	1,500	7-512-1
8450	22-2C(1B) POPV MAF SAC	500	7-512-1
8455	18-2/C, 20-3/C	65	7-103-CP
8455	18-2/C, 20-3/C	120	7-103-CP
8456	22-10C (7T) PVPV	1,591	7-8110-
8457	22-10C N/S CMG	62	7-8112-

BELDEN #	DESCRIPTION	QTY	BWC PART
8466	18-12C(19T) UCC PVPV	130	7-8312-
8471	16-2C (19T) PVPV GRY	470	7-552-
8486	19-2C(1) N/S CM	2,500	7-8202-19
8662	3/4" T	7,400	4-45-
8663	7/32" ID TUBULAR BRD SHLD TC	200	4-40-
8668	11/64" ID TUBULAR BRD SHLD TC	500	4-40-
8719	16-2C(19T) POPV MAF SAC	115	7-552-
8720	14-2C(19T) SHLD PO-MAF-PVC CL2 300V	95	7-557-
12-8723	22-2PR(7T) PVPV MAF SPIC	270	7-3102-AR
8723SB	22-2PR (7T) PPLS MAF	3,000	7-3102-
8751	22-51P 1TC MAF PVPV POS	210	7-2151-1
8761	22-2C MAF POPV SAC	230	7-512-
8769	22019PR(7T) POPV SHLD	700	7-3119-
8777	22-3P MAF POPV SPIC	95	7-3103-
8916	14-1C (42T) PVC N/S AWMTW	500	3-1813-
9057	RG/U59(1B) FOPV TRI SHLD	500	10-59-M
9064	11-1C(1CW) FOPV DBL SHLD RG/U	652	10-11-B
9066	18-1C(1CW) FOPV DBL SHLD RG/U	3,310	10-6-DB
9104	RG/U(1B) PVPV BRD SHLD	700	10-59-
9114	6-1C(1ST) FOPV DBL SHLD RG/U	820	10-6-
9154	20-2C(7T) PVPV MAF SAC	365	7-522-
9168	6-1C FOPV DBL SHLD RG/U	1,700	10-6-
9182	22-2C(19T) FOPV MAF TWAX	600	10-400-
9204	RG/U59(1CW) POPV BRD SHLD	500	10-59-
9207	20-2C TWAX 100-OHM	1,515	10-600-
9228	RG/U62A(1B) POPO BRD SHLD	500	10-62-A
9231	20-1C(1B) PEPV BRD SHLD RG/U	9,935	10-540-
9232	11-1C(19B) POPV DBL SHLD TRIAX	795	10-11-TR
9244	RG/U59(1B) BRD SHLD	1,360	10-59-
9248	RG/U59(1B) DBL SHLD	400	10-6-
9250	18-2C(7MX) POPV DBL SHLD TWAX	14,740	10-625-B
9259	RG/U59(1B) FOPV BRD SHLD	580	10-59-
9262	20-12C(7T) SMCC PVPV BRD SHLD	270	7-5812-
9267	RG/U59(1B) POHY DBL SHLD	2,578	10-59-TR
9268	RG/U62A POPV BRD SHLD	490	10-62-A
9269	RG/U62A(1B) POPV BRD SHLD	566	10-62-A
9275	RG/U -1C (1B) FOPV DBL SHLD	180	10-540-
9292	RG/U -1C (1B) FOPV DBL SHLD	1,040	10-11-
9302	22-2P(1) O.A. MAF CMG	5,665	7-2102-1
9305	22-4P(1) O.A. MAF CMG	180	7-2104-1
9305	22-4P(1) O.A. MAF CMG	78	7-2104-1

BELDEN #	DESCRIPTION	QTY	BWC PART
9316	16-2C(19T) PVPV MAF SAC	11,140	7-552-
9320	20-2C(10T) PVPV MAF SAC	890	7-522-
9342	16-2C (19T) NYPV MAF 600V	64	6-2002-SH
9343	14-2C (41T) NYPV MAF 600V	12,195	6-2052-SH
9360	16-3C(19T) PVPV SHLD	220	7-553-
9451	22-2C(7T) PVPV MAF SAC	800	7-512-
9451SB	22-2C(7T) PPLS SHLD	1,000	7-512-
9457	20-12C N/S GRY PVC	145	7-8212-
9463	20-2C TWAX "BLUE HOSE"	410	10-600-
12-9463	20-2C XLPV TWAX	260	10-600-AR
12-9463	20-2C XLPV TWAX	90	10-590-AR
9488	14-2C (41T) NYPV 600V	5,825	6-2052-FX
9493	18-3C(19T) PVPV N/S UCC	295	7-8303-
9504	24-4PR (7T) SHLD (MAF) PVC/PVC 300V POS	140	7-2004-
9505	24-5PR(7T) SHLD(MAF) PVPV 300V	1,000	7-2005-
9505	24-5PR(7T) SHLD(MAF) PVPV 300V	550	7-2005-
9507	24-7P O.A. MAF CMG	18,500	7-2007-
9533	24-3C (7T) PVC/PVC MAF SAC	500	7-503-
9534	24-4C (7T) PVC/PVC MAF SAC	65	7-504-
9540	24-10C (7T) PVC/PVC BRD CMG	57	7-5610-
9541	24-15C MAF PVPV 300V	80	7-5015-
9554	18-4P MAF PVPV 300V	85	7-2304-
9555	RG/U59-2C(1B) POPV BRD SHLD	1,300	10-59-2C
9562	24-2PR(1T) PVPV N/S PIC	400	7-1002-
9565	18-15P OAS, PLTC, ITC, CMG	6,155	7-2315-
9570	24-10PR(1T) PVPV N/S PIC	1,000	7-1010-
9580	14-2/C(1) N/S FPLR	1,789	7-732-
9581	14-2C (1B) MAF PV/PV RED	390	7-732-SH
9583	12-2C MAF PVPV	1,270	7-792-SH
9609	24-4C(7T) PVPV DBL SHLD SAC	2,000	7-504-2S
9681	24-4PR(7T) PVPV MAF POS	480	7-2004-
9682	24-6PR(7T) PVPV MAF POS	900	7-2006-
9689	22-6PR(1B) FPPE DBL SHLD PIC	490	7-1106-RG
9689	22-6PR(1B) FPPE DBL SHLD PIC	4,210	14-2906-SH
9696	22-2PR(1B) POPV DBL SHLD POS	430	7-2102-1
9696	22-2PR(1B) POPV DBL SHLD POS	280	7-2102-1
9728	24-4PR(7T) POPV MAF SPIC	425	7-2904-
9745	22-3PR(7T) PVCV N/S PIC	1,000	7-1203-
9747	22-12PR(7T) PVPV N/S PIC	975	7-1112-
9750	20-3PR(10T) PVPV N/S PIC	100	7-1303-
9755	20-15PR(7T) PVPV N/S PIC	160	7-1315-

BELDEN #	DESCRIPTION	QTY	BWC PART
9767	22-37P MAF POPV SPIC	105	7-3137-
9784	24-6P MAF PVPV SPIC	255	7-2906-
9794	22-4C(1B) POPV N/S PLNM	1,000	14-3659-
9807	28-5PR(7T) POPV DBL SHLD POS	10,921	7-1805-
9808	28-7PR(7T) POPV DBL SHLD POS	784	7-1807-
9814	28-31PR(7T) POPV DBL SHLD POS	300	7-1831-
9814	28-31PR(7T) POPV DBL SHLD POS	500	7-1831-
9844CM	24-4PR(7T) PVPV DBL SHLD POS	75	7-2004-
9850	RG/U216(7T) POPV DBL SHLD	1,000	10-216-
9861	RG/U212(1SP) POPV BRD SHLD	810	10-212-
9863	25-3PR E/PR SHLD TWAX	1,010	7-2903-25
9883	20-3PR E/PR SHLD HDPE	75	7-3203-
9883	20-3PR E/PR SHLD HDPE	70	7-3203-
9907	RG/U58(19T) FPPV DBL SHLD	1,300	10-58-
9919	20-1C (7T) 300V PVC BLU	375	2-1304-
9923	24-1C (7T) 300V PVC (VARIOUS COLORS)	15,460	2-1302-
9925	24-3C(7T)PVPV DBL SHLD SAC	500	7-503-
9936	24-15PR(7T) POPV DBL SHLD SMCC	900	7-5015-
9938	24-37C POPV SMCC	140	7-5037-
9941	22-5C O.A. MAF/BRD GREY PVC	300	7-5105-
12-9842	24-2PR(7T) POPV DBL SHLD PLNM	5,760	7-2002-AR
9945	22-9C O.A.MAF/BRD GRY	215	7-5109-
9947B	22-15C O.A.MAF/BRD GRY	115	7-5115-
9991	24-6PR(7T) POPV MAF SPIC	350	7-2906-
14936	16-4P (7B) PVC/PVC MAF SPOS	924	7-3704-
14938	16-4P (7B) NY/PV MAF SPOS	335	7-3704-
17005	18-3C(FLEX B) PVC SJT REPL 8' BRN	4	15-6106
17023A	18-3C(42B) HOSPITAL GRADE SJT 10' CORD	30	15-6106
17566	18-3C SVT BLK	7	15-1374
17600	18-3C PVC SJT 3PRONG PLG REPL 6'7" BLK	12	15-6106
21121	20-32C PVPV MAF TCPL 300V	110	17-3216-X
21450	8-2C (7B) XLP/PVC 1000V	320	6-2602-GG
21454	6-3C (7B) XLP/PVC 1000V	527	6-2613-G
23509	16-4PR (7T) SPOS PVC/PVC MAF 300V	190	7-3704-AR
23512	18-12TRI(7T) SHLD(MAF) XLPV 300V STOS	195	7-2772-AR
23522	16-2TRI (7T) STOS PVC/PVC MAF 300V	962	7-2780-AR
23524	18-12PR(7T) XLPV MAF POS	280	7-3612-AR
23524	18-12PR(7T) XLPV MAF POS	315	7-2312-AR
24505	16-2PR(7T) SHLD(MAF) PVPV SPOS	85	7-3702-AR
25504	16-2C(7T) SHLD XLP-MAF-PV GSIA-PV GRY	190	9-52-SH
26510	18-34C(7T) PVC 300V FLT.	50	7-1034-

BELDEN #	DESCRIPTION	QTY	BWC PART
27081A	14-3C(7B) NYPV N/S TC	1,400	6-2053-
27082A	14-4C(7B) NYPV N/S TC	205	6-2054-
27111	12-4C(7B) W/GRD XLPV XLPTC	7,139	6-2504-G
27111C	12-4C(7B) XLPV XLPTC	88	6-2504-
27112A	12-5C N/S PVNY-PV 600V TC	435	6-2105-
27114A	12-7C N/S PVNY-PV 600V TC	375	6-2107-
27116A	12-9C (7B) NYPV N/S TC	820	6-2109-
27116R	12-9C (7T) XLCP	1,065	6-459-
27139C	10-3C (7B) XLP/PVC 600V	170	6-2553-
27143A	10-7C(7B) NYPV N/S TC	350	6-2157-
27331A	16-3C (7B) NYPV N/S TC	690	6-2003-
27339A	16-5C(7B) NYPV N/S TC	800	6-2005-
27340AS	16-9C SHLD PVNY-MAF-PV TC	200	6-2009-SH
27381A	16-40C NYPV TC	175	6-2040-
27627A	16-37C (7B) NYPV 600V	185	6-2037-
27636AS	14-2C SHLD PVNY-PV 600V TC	290	6-2052-SH
27636T	14-2C XLHY	250	6-152-
27641A	12-2C (7B) NYPV TC	7,466	6-2102-
27641	12-2C (7B) NYPV TC	1,370	6-2502-G
27641CU	12-2C (7B) XLP/PVC N/S 600V	32,360	6-2502-G
27148	10-12C(7B) XLHY XLCP MAF	242	6-512-SH
27259	10-4C(7B) AIAPV XLP	290	9-304-G
27263	6-4C (7B) W/GRD XLP AIAPV	65	9-671-G
27265	4-4C (7B) W/GRD XLP AIAPV	220	9-653-4G
27267	2-3C(7B) W/GRD AIAPV	265	9-654-G
27267	2-3C(7B) W/GRD AIAPV	42	9-654-G
27273	12-7C(7B) AIAPV XLP	3,154	9-207-G
27917A	16-2C (7B) NYPV N/S TC	1,730	6-2002-
28081A	14-3C(7B) NYPV N/S TC	200	6-2053-
28081C	14-3C(7B) XLPV XLPTC	3,212	6-2453-
28082A	14-4C(7B) NYPV N/S TC	400	6-2054-
28085C	14-7C(7B) XLPV XLPTC	700	6-2457-
28087A	14-9C(7B) NYPV N/S TC	338	6-2059-
28090C	14-12C(7B) XLPV XLPTC	327	6-2462-
28097A	14-19C(7B) NYPV N/S TC	1,750	6-2069-
28110C	12-3C (7B) XLPV 600V	3,136	6-2503-GG
28110CZ	12-4C (7B) XLPV XLPTC	782	6-2504-
28111A	12-4C(7B) NYPV N/S	1,516	6-2104-
28111C	12-4C (7B) XLPV XLPTC	185	6-2504-
28112A	12-5C N/S PVNY-PV 600V TC	200	6-2105-
28114A	12-7C N/S PVNY-PV 600V TC	880	6-2107-

BELDEN #	DESCRIPTION	QTY	BWC PART
28126C	12-19C (7B) XLP/PVC 600V	85	6-2519-
28139A	10-3C (7B) NY/PV N/S	5,614	6-2153-
28139CZ	10-4C (7B) N/S XLP-PVC 600V TC	536	6-2554-
28140A	8-3C (7B) W/G NY/PV N/S	368	6-2154-
28140C	10-4C(7B) XLPV N/S	106	6-2554-
28148C	10-12C(7B) XL/PV N/S	102	6-2562-
28150AX	10-4C (7B) NY/PV N/S	1,632	6-2203-G
28153C	6-3C (7B) XLP/PVC	1,048	6-2613-G
28159A	2-3C (7B) NYPV N/S 600V	300	6-2268-G
28171C	2/0-3C (19B) XLPV 600V	535	6-2663-G
28177A	4/0-3C(19B) NYPV 600V	444	6-2289-G
283200	16-25C(7B) SHLD NYPV	700	6-2025-SH
28323A	16-7C(7B) NVPV TC	3,095	6-2007-
28324AS	16-25C(7B) SHLD NYPV	1,112	6-2025-SH
28326AS	18-4C (7B) SHLD NYPV MAF TC	230	6-2004-18
28330AS	16-16C(7B) SHLD NYPV	9,876	6-2016-SH
28331A	16-3C (7B) NYPV N/S 600V	2,560	6-2003-
28339A	16-5C(7B) NYPV N/S TC	286	6-2005-
28341AS	16-12C(7B) SHLD NYPV	340	6-2012-SH
286100	16-6C(7B) SHLD(MAF) NYPV	1,562	6-2008-SH
286100	16-8C (7B) SHLD NYPV	300	6-2008-SH
28613A	18-37C(7B) NYPV TC	3,162	6-2037-18
28615AS	16-6C(7B) SHLD(MAF) NYPV	8,020	6-2006-
28616AS	16-8C(7B) SHLD NYPV	1,584	6-2008-SH
28617AS	16-10C(7B) SHLD NYPV	2,600	6-2010-SH
286200	16-20C(7B)NYPV TC	494	6-2037-SH
28625A	16-20C(7B) NYPV	794	6-2020-
28625AS	16-20C(7B) SHLD NYPV	290	6-2020-SH
28625AS	16-20C(7B) SHLD NYPV	2,420	6-2020-SH
28627A5	16-37C (7B) NYPV 600V	158	6-2037-SH
29503	10-4C (105T) XLPV DBL SHLD	550	6-3052-1F
29504	8-4C(133T) VFD XLPV DBL SHLD	27	6-3053-IF
29505	6-4C (133)T XLPV DBL SHLD 1000V VFD	1,831	6-3054-1F
29506	4-4C(133T) XLPV DBL SHLD	6,900	6-3055-1F
29507	2-4C(133T) XLPV DBL SHLD	792	6-3056-1F
12-29522	12-3C(7T) GRDS XL-CTS-PV AIA-PV MC/VFD	830	9-203-G
29522C	12-3C (7B) XLP/PVC TPE 1000V VFD	992	6-3001-G
29522C	12-3C (7B) XLPV 1KV	250	6-3001-1K
29522C	12-3C (7B) XLPV 1KV	4,891	6-2503-1K
29523C	10-3C (7B) XLP/PVC TPE 1000V VFD	4,264	6-3002-G
29525C	6-3C(7B) VFD XLPV 1KV	820	6-3004-1K

BELDEN #	DESCRIPTION	QTY	BWC PART
12-29526	4-3C(7T) GRDS XL-CTS-PV AIA-PV MC/VFD	399	9-653-G
29530	2/0-3C (133T) XLPV 1000V	45	6-3010-1K
12-29530	2/0-3C GDS FLEX XL-CT-PV AIA-PV MC/VFD	305	9-657-G
29531	3/0-3C (133T) XLP/PVC TPE 1000V VFD	79	6-3011-G
12-29531	3/0-3C GDS FLEX XL-CT-PV AIA-PV MC/VFD	150	9-658-G
12-29532	4/0-3C GDS FLEX XL-CT-PV AIA-PV MC/VFD	73	9-659-GF
29532	4/0-3C(133T) VFD XLCP TPE	84	6-3012-G
29532C	4/0-3C (19B) VFD 1KV	236	6-3012-G
295727C	2-3C (7B) XLP/PVC TPE 1000V VFD	284	6-3007-1K
30310	18-12C (7T) PVPV MAF	738	7-2771-4
32410	10-1C (19T) N/S	240	3-1410-
37106	6 FLEX TIN EPR 600V AWM 3340/3374	2,453	2-1460-
37108	8 FLEX TIN EPR 600V AWM 3340/3374	170	2-1459-
37140	4/0 FLEX TIN EPR 600V AWM 3340/3374	1,014	2-1467-
43094	18-1C (1CW) FOPV DBL RG/6U	1,030	10-6-
48111C	12-4C (7B) XLPV XLPTC	460	6-2504-
48116AS	12-9C (7B) NYPV MAF 600V	1,066	6-2109-SH
48145AS	10-9C (7B) NYPV MAF 600V	1,065	6-2159-SH
48149CZ	8-2C (7B) XLP/PVC 600V	690	6-2602-GG
48636CZ	14-3C (7B) XLPV XLPTC	475	6-2453-
48641AZ	12-3C (7B) NYPV N/S TC	1,660	6-2103-
48641CZ	12-3C (7B) XLPV 600V	424	6-2503-
48643CZ	10-3C (7B) N/S XLP-PVC 600V TC	595	6-2553-
57114CU	12-7C (7B) XLP/PVC 600V	1,626	6-2507-G
57117CU	12-10C (7B) XLP/PVC 600V	312	6-2510-G
58087A	14-9C (7B) NYPV N/S TC	4,150	6-2059-
58123A	12-16C (7B) NYPV N/S TC	11,160	6-2116-
58137A	12-30C (7B) NYPV N/S TC	9,021	6-2130-
82248	18-1C (1B) FO/PVC DBL PLNM RG/6	1,000	10-6-
82269	RG/U62(1CW) TEPV BRD SHLD	900	10-62-
82723	22-2PR(7T) HATE MAF PLNM	440	7-3102-
82729	24-2P MAF FETE PLNM	300	7-2002-
82761	22-2C(7T) TETE MAF PLNM	10,310	7-512-
82842	24-2P DBL SHLD PVPV PLNM	3,400	7-2002-
82907	RG/U58-1C(19T) DBL SHLD PLNM	1,485	10-58-A
83010	16-1C (19SP) TFE N/S	73,000	2-2225-
83025	22-1C (7SI) TEF N/S TFE 1000V	3,000	2-2222-
83043	30(7SC) TFE	4,074	2-2222-30
83050	22-1C (19SI) TEF N/S FEP	1,000	2-2206-
83265	RG/U30(7T) FEFE BRD SHLD	8,741	10-178-B
83322	16-2C(19SP) SHLD TETE	225	6-6202-SH

BELDEN #	DESCRIPTION	QTY	BWC PART
83512	24-12C(7T) TETE PLNM	3,375	7-5012-
83515	24-15C(19T) FEFE DBL PLNM	175	7-5015-
83609	20-9C(7T) TETE PLNM	280	7-5209-
83612	20-12C(7T) TETE PLNM	250	7-5212-
83652	18-2C(7T) TETE PLNM	80	7-532-
83654	18-4C(19T) DBL SHLD FEFE	194	7-534-
83662	18-12C FEFE O.A.MAF/BRD	50	7-5312-
83709	16-9C(19T) FEPCC DBL SHLD	120	6-6209-SH
83719	16-19C(19T) TETE FEPCC	532	6-6219-SH
83900JX	20-2C FEFE JX	160	17-326-
83953	16-2C TETE TCPL	200	17-4501-
85107	16-7C(19T) TETE N/S FEPCC	1,925	6-6207-
87117CU	12-10C (7B) XLP/PVC 600V	450	6-2510-G
87775B	22-3PR(7T) MAF SPIC	1,800	7-3103-
88106	24-6PR(7T) FOTE MAF PLNM	215	7-2006-
88241	RG/U59(1CW) TETE BRD SHLD PLNM	270	10-59-
88281	RG/U59(1B) TETE DBL SHLD PLNM	970	10-59-
88723	22-2PR(7T) POPV MAF SPIC	250	7-3102-
88777	22-3PR(7T) TETE MAF PLNM	150	7-3103-
88777	22-3PR(7T) TETE MAF PLNM	195	7-3103-
89120	6-1C(1CW) FOTE DBL SHLD PLNM	600	10-6-
89182	22-2C(7T) FOTE SHLD	130	10-615-
89259	RG/U 59(7B) FO-BRD-TE CMP 200C	140	10-59-
89272	20-2C(7T) TETE BRD SHLD PLNM	40	10-590-
89529	RG/U59(1B) POPV BRD SHLD	500	10-59-
89555	RG/U59-2C(1CW) FEFE BRD SHLD PLNM	400	10-59-2C
89729	24-2P (7T) SPIC MAF	900	7-2902-
89740	18-2C(19T) FEFE 600V	1,000	7-712-
89757	24-7PR(7T) PVTE MAF PLNM	550	7-2907-
89880	12(1B) FOTE QWD ETHER	1,200	10-1000-PL
89892	20-4PR(7T) TETE DBL SHLD ETHER	194	10-980-
89907	58A(19T) FOTE	2,145	10-58-A
100255	2-FIBER OPTICAL CBL	849	10-3002-
138777	22-3PR(7T) PVPV SHLD	1,779	7-3103-AR
225368	8-FIBER OPTICAL CBL	1,390	10-3008-
225414	4-FIBER OPTICAL CBL	1,000	10-3004-
225442	2-FIBER OPTICAL CBL	3,000	10-3002-
226141	1-FIBER OPTICAL CBL	2,200	10-3001-
227201	1-FIBER OPTICAL CBL	1,545	10-3001-
229602	2-FIBER OPTICAL CBL	435	10-3002-
502000	12-2/C(1) N/S FPLR	1,000	7-792-1

BELDEN #	DESCRIPTION	QTY	BWC PART
509400	3/16 (96B) BRD SHLD	2,500	4-48-
509400	3/16 (96B) BRD SHLD	250	4-48-
549945	18-2C+RG/U59(STRD B) FIG8	410	10-59-SP
550684	12-FIBER OPTICAL CBL	1,000	10-3012-PL
550835	1-FIBER OPTICAL CBL	1,425	10-3002-
550851	36-FIBER OPTICAL CBL	3,600	10-3036-
550856	2-FIBER OPTICAL CBL	1,192	10-3002-
550905	6-FIBER OPTCAL CBL	770	10-3006-
580575	22-25PR(1B) POPO CU-TPE SHLD CUP-F	1,000	14-1905-
601622	19-6PR(7B) POPO TPE SHLD CUP	3,935	14-1001-
613948	11-1C(1B) FOTE BRD SHLD PLNM	2,000	10-11-PL
633938	6-1C(1B) FOPV DBL SHLD PLNM	750	10-6-
633948	6-1C(1B) FOPV BRD SHLD PLNM	1,775	10-6-
643948	RG/U59(1B) FOPV BRD SHLD PLNM	500	10-59-
5711704	12-10C (7B) XLP/PVC 600V	250	6-2510-G
A020213	2-2C (7B) W/GRD NYPV 600V	195	6-2268-GG
A03024B	2-3C(7B) NYPV 600V	750	6-2268-G
A03084B	8-3C (7B) W/G NY/PV	431	6-2203-G
A03084R	8-3C (7B) W/G NY/PV	2,496	6-2203-G
A032A4B	2/0-3C (19B) NYPV	802	6-2283-G
A04122	12-4C (7B) NYPV N/S	884	6-2104-
A05084R	8-5C (7B) NYPV 600V	734	6-2205-
APPL CORD	SJT 65' CORDSET	525	15-5309
B9C38IT	6-FIBER OPTCAL CBL	520	10-3006-
BASICS	16-2C (19T) SHLD (MAF) XL/PO	248	7-2324-
BASICS	20-3C PVPV SAC	180	7-523-
BASICS	16-1PR SAC CMG PLTC/ITC	650	7-552-
BASICS	16-4P (7B) NY/PVC MAF SPOS	603	7-3704-
BASICS	18-16PR(7B) NYPV SHLD	5,222	7-3616-
BASICS	18-8PR (7B) NYPV MAF	240	7-3608-
BASICS	18-4PR (7B) NYPV SHLD	4,519	7-3604-
BASICS	18-2P (7B) SHLD (MAF) NY/PVC 600V SPOS	430	7-3602-
BASICS	16-12TRI(7B) NYPV SHLD(MAF) NPLF	160	7-2782-
BASICS	18-8TR(7B) STOS PV-MAF-PV -PV PLTC	260	7-2771-8
BASICS	24PR 16 (7B) NYPV 600V	345	7-2424-
BASICS	12-3C(7B) VFD XLPV 1KV	525	6-3001-1K
BASICS	12-4C(65T) XLPV DBL SHLD	4,094	6-3001-1F
BASICS	18-2C(7B) NYPV MAF 600V	7,040	6-2002-18
31P2012	20-12P(7B) PVPV 300V POS	200	7-2212-
62P1608	16-8P(7B) NYPV SHLD	250	7-3708-
62T1612	16-12TRI (7B) NYPV MAF	216	7-2782-

BELDEN #	DESCRIPTION	QTY	BWC PART
62T1616	16-16TRI (7B) NYPV MAF	454	7-2782-16
62T1812	18-12TRI.ST-OS PVNY-PV 600V TC	790	7-2772-12
9L28050	18-50C(7T) PVC 300V FLT.	65	7-1050-
C02062G	6-2C (7B) XLP/PVC 600V	132	6-2612-G
C5504	14-6C(7B) TECK XLPV	240	9-106-G
C550S	17-7C (7B) XLP/PVC TECK	160	9-107-G
C5528	14-30C(7B) TECK XLPV	95	9-130-G
C5534	12-6C(7B) TECK XLPV	40	9-206-G
C5560	10-2C(7B) TECK XLPV	269	9-302-G
C5566	10-8C(7B) XLPV N/S TECK	55	9-308-G
C5580	10-30C(7B) XLPV N/S TECK	440	9-330-G
C5600	4-2C (7B) TECK XLPV	1,683	9-920-G
C5601	4-3C (7B) XLP/PVC TECK 1000V	478	9-653-G
C5731	12-3C(7B) TECK XLPV 1KV	110	9-203-G
CTC7006	20-12C (26B) PVPV BRD SHLD 600V	275	7-5812-
E82777	22-3PR(7T) TEHA MAF PLNM	800	7-3103-
G128762	20-2/C (7T) POPV SHLD GRY	185	7-522-AR
G138241	RG/U59(1B) POPV BRD SHLD	555	10-59-
G21551	12-3C (7B) XLPV 600V	420	6-2503-G
G23554	18-36PR SP-OS AIA-PVC	250	7-3636-AR
G27246	14-5C(7B) GRD XLP AIA-PVC 600V	185	9-105-G
LIFEGUARD	16-8PR (7T) XLLS SHLD 600V	360	7-3758-
LIFEGUARD	14-7C(7T) XLLS	900	6-157-
LIFEGUARD	14-5C(7T) XLLS	625	6-155-
LIFEGUARD	16-9C XLLS XLZH MAF	175	6-109-SH
LIFEGUARD	16-5C(7T) XLLS XLZH SHLD	755	6-105-SH
LIFEGUARD	16-4C XLLS XLZH MAF	980	6-104-SH
LIFEGUARD	10-4C (7T) N/S XLP-LS 600V TC	322	6-254-
M2034	24-7C(7T) SHLD(BRD) PVPV	930	7-5607-
M5502V6	22-4C(7B) N/S PV-PV CMR GRY	1,000	7-8104-
M6547FE	22-9PR(7B) POPV MAF PLNM	3,000	7-2109-
M8448	22-6C,18-2C(T) N/S PV-PV CMG GRY	720	7-8108-
M8719	16-2C (19T) SHLD (MAF) PO/PVC	150	6-2402-SH
M8768	22-6PR(1T) PVPV MAF SPIC	530	7-3056-
M8777	22-3P(7T) POS PVPV SHLD MAF	845	7-2103-
M9212	11-1C(7T) POPV BRD SHLD RG/U	1,995	10-11-B
M9503	24-3PR(7T) POPV MAF POS	300	7-2003-
P03084B	8-3C(7T) EPCP 1KV	264	6-1103-G1
PT2P101	1-FIBER OPTICAL CBL	1,640	10-3001-
PT2P102	2-FIBER OPTICAL CBL	3,280	10-3002-
T9114	RG/U 6(1CW) FO-MAF-BRD-PV DUOBOND	315	10-6-

BELDEN #	DESCRIPTION	QTY	BWC PART
Y59367	16-12PR(7B) MAF PVPV 300V SPOS	210	7-3712-
Y59822	16-6C(7B) SHLD(MAF) XLPV STOS	105	7-2780-2
Y59824	18-4PR(7B) SHLD(MAF) XLPV SPOS	145	7-3654-
Y59825	18-12C(7B) SHLD(MAF) XLPV STOS	155	7-2771-4
Y59827	18-24C(7B) SHLD(MAF) XLPV STOS	833	7-2771-8
Y60550	16-2C(1) XLPV SHLD(MAF) EX XTCPL	445	17-2601-
Y60553	16-8C(1) XLPV SHLD(MAF) EX XTCPL	250	17-2604-
Y60554	16-8C(1) XLPV SHLD(MAF) KX XTCPL	190	17-4604-
Y60554	16-8C(1) XLPV SHLD(MAF) KX XTCPL	175	17-4604-
Y60555	16-16C(1) XLPV SHLD(MAF) EX XTCPL	485	17-2608-
Y60556	16-16C(1) XLPV SHLD(MAF) KX XTCPL	140	17-4608-
Y60995	16-24PR SPOS XLPV MAF	173	7-3724-AR
Y61172	18-24P (7B) SHLD (MAF) PVC/PVC 300V POS	424	7-2324-
Y61471	18-12P (7B) SHLD (MAF) PVC/PVC 300V POS	2,437	7-2312-
Y61472	18-24P (7B) SHLD (MAF) PVC/PVC 300V POS	6,168	7-2324-
Y61484	16-2C (7B) SHLD (MAF) PVC/PVC 300V SAC	9,000	7-552-
Y61485	16-3C (7B) SHLD (MAF) PVC/PVC 300V SAC	2,250	7-553-
Y61486	16-2P (7B) SHLD (MAF) PVC/PVC 300V POS	1,550	7-2402-
Y62954	16-3C (7T) XLCP	130	6-353-
Y63411	16-2 (7T) PVPV MAF SAC	31,250	7-552-
Y63415	14-24P (7B) PVPV MAF SPOS 300V	25,108	7-3824-
Y63418	14-36P (7B) PVPV MAF SPOS 300V	4,572	7-3836-
Y63422	14-12P (7B) PVPV MAF SPOS 300V	15,788	7-3812-
Y63701	16-4 (1) XLPV KC N/S XTCPL	3,413	17-4602-
Y63896	18-12P(7T) MAF PVPV SPOS	3,775	7-3612-
Y63901	18-8PR (7T) PVPV MAF	1,540	7-3608-
Y63903	18-8TR(7B) STOS PV-MAF-PV -PV PLTC	695	7-2771-8
Y64241	20-8P (7B) SHLD (MAF) PV/PV 300V SPOS	8,762	7-3508-
Y64243	20-16P (7B) SHLD (MAF) PV/PV 300V SPOS	5,540	7-3516-
Y64825	16-9 (7B) NY/PV AIA	270	9-59-SH
Y65554	14-4P(7B) NYPV N/S	2,110	7-1504-
Y67430	16-16TRI (7B) PVPV MAF STOS	1,590	7-2782-16
YC42199	10-3C(7B) NYPV TC	190	6-2153-G
YC45739	18-24P(7T) POS PV-MAF-PV AIA-PVC 300V	478	7-2324-AR
YC45750	16-6P(7T) POS XLPV SHLD MAF	250	7-2406-AR
YC45898	18-36PR(7T) XLPV MAF SPOS	2,388	7-3636-AR
YC48158	18-2C (7T) SHLD (MAF) PVC/PVC 300V SAC	29,710	7-532-
YC48162	18-4PR (7T) SPOS XLP/PVC MAF 300V	7,773	7-3604-
YC49634	16-6PR(7T) SPOS XL-MAF-PV AIA-PVC 600V	128	7-3706-AR
YC49635	16-16PR(7T) XLPV MAF SPOS	2,025	7-3716-AR
YC49666	18-8TR(7B) STOS PV-MAF-PV AIA-PV PLTC	684	7-2771-8A

BELDEN #	DESCRIPTION	QTY	BWC PART
YC49792	8-10C (7B) TECK XLPV	877	9-670-10
YC55510	14-36PR(7B) SHLD(MAF) NYPV SPOS	475	7-3836-
YC55524	16-2C(1) XLPV EX XTCPL	50	17-4601-
YC55577	10-12C(7B) XLHY XLCP	230	6-512-
YC55578	8-12C (7B) XLCP	190	6-560-12
YC55654	14-12PR(7B) SHLD(MAF) NYPV SPOS RED	4,658	7-3812-
YC55654	14-12PR(7B) SHLD(MAF) NYPV SPOS RED	240	7-3812-
YC55656	14-24P(7B) SPOS NYPV SHLD MAF	685	7-3824-
YC55712	22-4C (7T) PVC/PVC UCC	2,300	7-8104-AR
YC55714	18-2C (16T) PVC/PVC AIAPV	2,250	9-2-
YC55846	14-7C(7B) XLP-CPE XLPTC	1,198	6-407-
YC55847	14-9C(7B) XLP-CPE 600V	375	6-409-
YC55855	16-4PR(7B) SPOS XL-MAF-PV TC 600V	100	7-3754-
YC55857	14-15C(7B) XLP-CPE 600V	38	6-415-
YC55926	14-2C(7B) XLP-CPE 600V	1,870	6-402-
YC55928	14-5C(7B) XLHY XLCP	455	6-405-
YM28632	22-4PR(1T) POS PV-MAF-PV WHT CMG	4,000	7-2104-1
YM29750	18-6TRI(7B) MAF PVPV 300V STOS	1,045	7-2771-6
YM29752	18-12TRI.ST-OS PV-PV	610	7-2771-12
YM43933	14-4C FLEX N/S SPEAKER	7,500	7-8504-SV
YM56591	18-15C(7B)NYPV TC	1,230	6-2015-18
YM56595	18-5C PVNY-PV 600V	9,671	6-2005-18
YM56600	16-3C PVNY-PV 600V	8,622	6-2003-
YM56605	18-4C(7T) PV-MAF-TCBRD-PVC PLTC	4,025	7-534-
YM56634	22-8C(7B) SHLD PVNY-MAF-PV PLTC 300V	1,030	7-5108-
YM57812	16-16P (7B) NY/PVC MAF SPOS	650	7-3716-
YM7808	16-8P(7B) NY/PV SHLD SPOS	225	7-3708-
YP4007	26-44C(7T) PVC GRY RBN 300V	5,000	7-834-
YP4101	30-26C(7T) PVC GRY RBN	4,500	7-826-
YQ11471	RG/U 59(7B)BRD,22-2C(T)MAF FEP CL2P	4,820	10-59-SP
YQ28763	20-2C(7T) TETE DBL SHLD PLNM	650	7-522-
YQ28763	20-2C(7T) TETE DBL SHLD PLNM	200	10-590-
YQ39731	20(1B) SHLD FO-BRD-PV CMP WHT	1,000	10-540-
YQ43810	18-3PR(16T) POPV N/S PIC	5,970	7-1403-
YR20870	22-1C(1B) POPV BRD SHLD RG/U	1,715	10-6-A
YR28332	22-4PR(1B) SPIC FO-MAF-PV GRY CM	500	7-3054-
YR28826	20-2C TWAX	9,680	10-590-2P
YR28926	20-2P (7T) PO/PVC DBL 300V TWAX	1,690	10-590-2P
YR29036	RG/U 59(1B) FO-MAF-BRD-PV CL2 MV	330	10-59-
YR29565	20-2C(7T) XLP-MAF-BRAID-PVC CM 300V	5,500	7-522-
YR29565	20-2C(7T) XLP-MAF-BRAID-PVC CM 300V	17,620	10-590-

BELDEN #	DESCRIPTION	QTY	BWC PART
YR40148	24-4PR(1B) (2X2POS) PV-MAF-PV CM/CL2	1,000	14-2404-
YR41531	22-1P,24-1P(T) SPOS PVPV MAF-BRD CL2	3,650	7-3502-
YR43634	24-4PR(1B) PEPV CMP CAT5	2,200	14-3664-C5
YR43648	24-8C(1B) PO-PV CM SILVS FLAT	17,130	14-3018-1
YR43649	24-8C(1B) PO-PV IVY RBN	868	7-838-
YR45287	22-3PR(7T) DBL SHLD PVC 300V POS	670	7-2103-
YR53651	24-6C(1B) PEPV N/S PLNM	1,500	7-8006-1
16E2455	24-FIBER OPTICAL CBL	2,090	10-3024-
M96B612	24-FIBER OPTICAL CBL	970	10-3024-
M97382	2-FIBER OPTICAL CBL	995	10-3002-
M98058T	2-FIBER OPTICAL CBL	1,400	10-3002-
M9B044	4-FIBER OPTICAL CBL	7,960	10-3004-PL
M9W611	24-FIBER OPTICAL CBL	3,590	10-3024-
MCP0606	12-FIBER OPTICAL CBL	4,860	10-3012-
MLS6024	24-FIBER OPTICAL CBL	1,510	10-3024-
YQ43810	18-3PR(16T) POPV N/S PIC	3,000	7-1403-
M9501	24-2C(7T)PVPV DBL SHLD SAC	185	7-502-
28626AS	16-30C(7B) SHLD NYPV	2,806	6-2030-SH
10GX63F	23-4P (1B) PVC/PVC MAF PLNM	86,850	14-3664-P6
105183743	22-25PR(1B) POPO AL-TPE SHLD ALP	430	14-404-
OPTIC	2-FIBER OPTICAL CBL	18,318	10-3002-