

BWC#	Belden#	Description	Quantity
10-3002	100255	2-FIBER OPTICAL CBL	849
17-3208-X	1007A	20-16C(1) PVPV SHLD(MAF) 300V JX TCPL	1,100
17-4208-X	1013A	20-16C(1) PVPV SHLD(MAF) 300V KX TCPL	940
17-4501	1018AE	16-2C PVPV KX	4,354
17-2208	1027A	20-16C PVPV MAF TCPL	380
7- 552	1030A	16-2C(7B) SHLD PVC-MAF-PVC CMG 300V	2,770
7- 553	1031A	16-3C (7B) PVC/PVC MAF 300V SAC	7,020
7- 532	1032A	18-2C (7B) SHLD (MAF) PVC/PVC 300V SAC	425
7- 522	1033R	20-2/C OAS XLP PLTC	215
7-8403	1034R	16-3C(7B) PVPV N/S UCC	1,500
7-3703	1037A	16-3P NYPV MAF SPOS	500
7-3704	1039A	16-4PR(7B) NYPV MAF SPOS	733
7-3754	1039C	16-4PR(7B) XLPV SHLD(MAF) SPOS	360
7-3708	1041A	16-8PR(7B) NYPV MAF SPOS	200
7-3758	1041C	16-8PR(7B) XLPV SHLD(MAF) SPOS	230
7-3712	1042A	16-12PR(7B) NYPV MAF SPOS	55
7-3724	1045A	16-24P NYPV MAF SPOS	236
7-3736	1046A	16-36PR(7B) NYPV MAF SPOS	467
7-3750	1047A	16-50P NYPV MAF SPOS	719
7-3604	1049A	18-4P MAF NYPV SPOS	90
7-3608	1050B	18-8PR SP-OS MAF 600V TC	271
14- 404	105183743	22-25PR(1B) POPO AL-TPE SHLD ALP	430
7-3612	1051A	18-12PR P-OS 600V TC	1,097
7-3616	1052A	18-16P(7B) SPOS NYPV SHLD MAF	276
7-3624	1053A	18-24PR SPOS NY-PV 600V TC	1,300
7-3702	1055A	16-2P NYPV MAF 150V SPOS	290
7-3702	1055C	16-2PR(7B) XLPV MAF SPOS	265
7-2208	1057A	20-8P(7B) POS PVPV SHLD MAF	100
7-2212	1058A	20-12PR(7B) PVPV MAF POS	740
7-2302	1063A	18-2PR(7B) NYPV MAF	920
7-2304	1064A	18-4P(7B) POS NYPV SHLD MAF	120
7-2312	1066A	18-12PR(7B) NYPV MAF POS	300
7-2402	1069A	16-2PR(7B) POS PVNY-MAF-PV TC/NPLF	11,239
7-2404	1070A	16-4P NYPV MAF POS	860
7-2412	1072A	16-12PR O.A.MAF NY-PV TC 600V	324
7-2424	1074RE	16-24PPR(7B) POS NPLF TFN SHLD MAF	520
7-3524	1080A	20-24PR SP-OS MAF	670
7-3536	1081A	20-36P(7B) SPOS PVPV SHLD MAF	936
7-3550	1082A	20-50PR SP-OS MAF 300V 105C	808
7-2761-8	1084A	20-24C (7B) PVPV SHLD MAF 300V	12,078
7-2336	1087A	18-36PR(7B) NYPV MAF POS	505
7-2771-8	1094A	18-8TRI ST-OS XL-CPE	366
7-2781-8	1098A	16-24C NYPV MAF STOS	188
14-3664-P6	10GX63F	23-4P (1B) PVC/PVC MAF PLNM	100,320
17- 464-SH	1116A	16-2C TETE MAF KX	230
6-2003-SH	1119A	16-3C (7B) NYPV BLK MAF 600V	5,574
6-2003-SH	1119B	16-3C MAF NYPV TC	390
7- 532	1120A	18-2/C OAS VNTC	30,000
7- 533	1121A	18-3/C OAS VNTC	55,500
10- 600	1162A	20-2C(7MX) POPV DBL SHLD TWAX	460
14-2404-5E	11700A	24-4PR(1B) PVPV 300V IC	1,190
7- 512-1	1175A	22-2 (1T) PVPV MAF SAC	1,120
10- 6	1189A	6-1C(1CW) FOPV DBL SHLD RG/U	920
7-2412-AR	121486B	16-12P XLPV MAF POS	262
7-3502-26	1215A	26-2P(7B) SPOS FOPV DBL SHLD	900
14-2406-AR	121702A	24-8P PVPV ALNM	380
14-3664-6A	121872A	23-4PR (1B) PVPV CM/MP	185
10- 6	1223A	6-1C(1CW) FOPV DBL SHLD RG/U	490
7-2002	1227A1	24-2PR(1B) PVPV N/S PLNM	3,090
9- 203-G	12-29522	12-3C(7T) GRDS XL-CTS-PV AIA-PV MC/VFD	830
9- 653-G	12-29526	4-3C(7T) GRDS XL-CTS-PV AIA-PV MC/VFD	245

BWC#	Belden#	Description	Quantity
9- 657-G	12-29530	2/0-3C GDS FLEX XL-CT-PV AIA-PV MC/VFD	575
9- 658-G	12-29531	3/0-3C GDS FLEX XL-CT-PV AIA-PV MC/VFD	150
9- 659-G	12-29532	4/0-3C GDS FLEX XL-CT-PV AIA-PV MC/VFD	73
14-2404	1229AI	24-4PR(1B) POPV N/S IC	2,430
7- 532-AR	123076E	18-2C(7T) SHLD(MAF) POPV	860
7-3602-AR	123082A	MIX-2P PVPV SPOS ARMORED	108
10- 6-AR	123092A	6-1C(1B) FOPV QWD SHLD RG/U	450
7-2102-AR	123107A	22-2PR(7T) PVPVDBL SHLD POS	3,335
7-3602-AR	127896A	16-2C,18-2C SPOS MAF/BRD AIA-PVC	1,338
7-3102-AR	128723	22-2PR(7T) PVPV MAF SPIC	270
7- 522-AR	128762	20-2C(7T) SAC POPV SHLD MAF	185
10- 590-AR	129463	20-2C XLPV TWAX	110
10- 600	129463	20-2C(7T) PVPV DBL SHLD TWAX	260
7-2002-AR	129842	24-2PR(7T) POPV DBL SHLD PLNM	4,875
7- 712-1	13205B	18-2C (1B) FAC	2,000
7- 523	1348A	20-3C PVPV SAC	800
7-3702	1361A	16-2PR(7T) MAF POPV SPOS	510
7-1203	138777	22-3PR (7T) PVPV MAF	1,779
10- 502-5	1418B	26-5C(7B) FOPV BRD SHLD	500
7-2012	1424A	24-4P O.A. MAF LO-CAP CM	400
7-2006	1432A	24-6PR(7T) POPV MAF POS	2,000
14-2404	1457A	24-4PR(1B) N/S PLNM	2,450
7-2304	1466A	18-4P (7B) SHLD (MAF) PVC/PVC 300V POS	6,026
7-2308	1467A	18-8P (7B) SHLD (MAF) PVC/PVC 300V POS	1,155
7-2324	1471A	18-24P O.A. MAF 300V PLTC	130
7-2336	1472A	18-36P O.A. MAF PLTC 300V	130
7-3654	1475A	18-4P(7B) XLPV MAF 300V	210
10-1000	1478	12(1B) FOPV DBL SHLD ETHER	185
7-3636	1481A	18-36P MAF XLPV SPOS 300V	130
7-2404	1484A	16-4PR(7B) SHLD(MAF) PVPV 300V POS	19,736
7-2408	1485A	16-8P(7B) POS PVPV SHLD MAF	6,944
14-2404-SH	1485A	24-4PR(1B) PVPV SHLD(MAF) PLNM	1,000
7-2424	1489A	16-24PR(7B) POS PV-MAF-PV PLTC 300V	1,840
7-3702	1492A	16-2PR(7B) SHLD(MAF) PVPV SPOS	25,928
7-3752	1492C	16-2PR SP-OS XL/CPE	805
7-3704	14938	16-4P (7B) NY/PV MAF SPOS	335
7-3704	1493A	16-4P(7B) SPOS PVPV MAF 300V	29,085
7-3708	1494A	16-8PR(7B) PVPV MAF SPOS	9,601
7-3758	1494T	16-8PR(7T) XLLS SHLD(MAF) SPOS	170
7-3708	1498A	16-8P (7B) PVC/PVC MAF 300V SPOS	2,700
7-3724	1498A	16-24P (7B) PVPV MAF SPOS 300V	28,392
7-3736	1499A	16-36PR(7B) SPOS XL-MAF-PV PLTC 300V	50
10- 59	1505A	59 RG/U FOPV	2,035
10- 11-B	1523A	11-1C(1CW) FOPV DBL SHLD RG/U	920
7-2403	1527A	16-3PR(7B) NYPV MAF POS	180
7-2403	1528A	16-3P MAF PVPV POS 300V	240
14-2407	1577A	24-12PR(1B) FEFL N/S PLNM	5,495
7-2012	1578A	24-12P O.A. MAF CMP	18,800
14-2409	1581A	24-25PR(1B) FEFE PLNM	500
14-2404-5E	1583A	24-4PR(1B) POPV IC	500
14-3664-C5	1583A	24-4PR(1B) POPV CM/MP	1,000
14-2404-5E	1585A	24-4PR(1B) TEPV PLNM	4,500
14-3664-C5	1585A	24-4PR(1B) TEPV PLNM	1,090
14-3664-5E	1592A	24-4PR(7B) PVPV CM/MP	2,575
10- 11-B	1618A	14-1C(1CW) FOPV QWD RG11/U	39,060
7-3502-22	1634A	22-2PR SP-OS MAF/BRD NON-PLENUM	3,150
7-3502-22	1636A	22-2PR SP-OS MAF/BRD PLENUM	2,135
7-2002-26	1642A	26-2PR(7B) DAPV DBL SHLD POS	3,000
14-2406	1669A	24-8PR(1B) FEP PLNM	2,000
10- 6	1694A	6-1C(1B) FOPV DBL SHLD RG/U	1,000

BWC#	Belden#	Description	Quantity
15-6106	17005	18-3C(FLEX B) PVC SJT REPL 8' BRN	4
14-3664-C5	1700A	24-4PR(1B) PVPV N/S CM/MP	1,100
15-6106	17023A	18-3C(42B) HOSPITAL GRADE SJT 10' CORD	30
14-3664-C5	1752A	24-4PR(7T) POPV CM/MP	216
15-6106	17600	18-3C PVC SJT 3PRONG PLG REPL 6'7" BLK	12
10- 501-2C	1808A	30-2C(7T) FOPV SPI	1,285
7-5105	1826A	22-5C O.A. MAF/BRD WHT PVC	1,090
10- 59	1855A	RG/U59(1B) FOPV DBL SHLD	8,000
14-3664-C6	1872A	23-4PR(1B) PVPV CM/MP	895
7- 722-SH	2039C	16-2C(1B) PVPV MAF FAC	3,580
17-3216-X	21121	20-32C PVPV MAF TCPL 300V	110
6-2602-GG	21450	8-2C (7B) XLP/PVC 1000V	320
6-2613-G	21454	6-3C (7B) XLP/PVC 1000V	527
6-2503-G	21551	12-3C (7B) XLPV 600V	420
10-3008	225368	8-FIBER OPTICAL CBL	1,390
10-3004	225414	4-FIBER OPTICAL CBL	1,000
10-3002	225442	2-FIBER OPTICAL CBL	3,000
10-3001	226141	1-FIBER OPTICAL CBL	2,200
10-3001	227201	1-FIBER OPTICAL CBL	1,545
10-3002	229602	2-FIBER OPTICAL CBL	435
7-3704-AR	23509	16-4PR (7T) SPOS PVC/PVC MAF 300V	190
7-2772-AR	23512	18-12TRI(7T) SHLD(MAF) XLPV 300V STOS	195
7-2780	23522	16-2TRI (7T) STOS PVC/PVC MAF 300V	962
7-2312-AR	23524	18-12PR(7T) XLPV MAF POS	315
7-3612-AR	23524	18-12P(7T) SPOS PVPV SHLD MAF	280
7-3636-AR	23554	18-36PR SP-OS AIA-PVC	250
7-3702-AR	24505	16-2PR(7T) SHLD(MAF) PVPV SPOS	85
9- 52-SH	25504	16-2C(7T) SHLD XLP-MAF-PV GSIA-PV GRY	190
6-2053	27081A	14-3C(7B) NYPV N/S TC	1,600
6-2054	27082A	14-4C(7B) NYPV N/S TC	1,830
6-2069	27097A	14-19C(7B) NYPV TC	225
6-2504-G	27111	12-4C(7B) W/GRD XLPV XLPTC	13,460
6-2504	27111C	12-4C(7B) XLPV XLPTC	88
6-2105	27112A	12-5C N/S PVNY-PV 600V TC	435
6-2107	27114A	12-7C N/S PVNY-PV 600V TC	375
6-2109	27116A	12-9C (7B) NYPV N/S TC	820
6- 459	27116R	12-9C (7T) XLCP	1,065
6-2157	27143A	10-7C(7B) NYPV N/S TC	350
6- 512-SH	27148	10-12C(7B) XLHY XLCP MAF	392
6-2604-G	2715	8-4C (7B) XLP/PVC 600V	220
9- 304-G	27259	10-4C(7B) AIAPV XLP	290
9- 671-G	27263	6-4C (7B) W/GRD XLP AIAPV	185
9- 653-4G	27265	4-4C (7B) W/GRD XLP AIAPV	220
9- 654-G	27267	2-3C(7B) W/GRD AIAPV	307
9- 207-G	27273	12-7C(7B) AIAPV XLP	244
6-2003	27331A	16-3C (7B) NYPV N/S TC	690
6-2005	27339A	16-5C(7B) NYPV N/S TC	1,086
6-2009-SH	27340AS	16-9C SHLD PVNY-MAF-PV TC	200
6-2040	27381A	16-40C NYPV TC	175
6-2050	27614A	18-50C(7B)NYPV TC	172
6-2037	27627A	16-37C (7B) NYPV 600V	185
6-2052-SH	27636AS	14-2C SHLD PVNY-PV 600V TC	290
6- 152	27636T	14-2C XLHY	250
6-2102	27641A	12-2C (7B) NYPV TC	7,476
6-2502-G	27641CU	12-2C (7B) XLP/PVC N/S 600V	32,818
6-2002	27917A	16-2C (7B) NYPV N/S TC	1,730
6-2453	28081C	14-3C(7B) XLPV XLPTC	3,522
6-2457	28085C	14-7C(7B) XLPV XLPTC	1,260
6-2462	28090C	14-12C(7B) XLPV XLPTC	280
6-2503	28110C	12-3C (7B) XLPV 600V	3,136

BWC#	Belden#	Description	Quantity
6-2504	28110CZ	12-4C (7B) XLPV XLPTC	1,284
6-2504	28111C	12-4C (7B) XLPV XLPTC	185
6-2105	28112A	12-5C N/S PVNY-PV 600V TC	200
6-2519	28126C	12-19C (7B) XLP/PVC 600V	3,360
6-2153	28139A	10-3C (7B) NY/PV N/S	3,360
6-2153-G	28139A	10-3C (7B) NYPV OVAL	666
6-2554	28139CZ	10-4C (7B) N/S XLP-PVC 600V TC	536
6-2155	28141A	10-5C N/S PVNY-PV 600V TC	145
6-2603-G	28150C	8-3C (7B) XLP/PVC 600V	507
6-2613-G	28153C	6-3C (7B) XLP/PVC	916
6-2268-G	28159A	2-3C (7B) NYPV N/S 600V	864
6-2663-G	28171C	2/0-3C (19B) XLPV 600V	535
6-2007	28323A	16-7C(7B) NVPV TC	3,375
6-2004-18	28326AS	18-4C (7B) SHLD NYPV MAF TC	230
6-2003	28331A	16-3C (7B) NYPV N/S 600V	2,560
6-2037	28613A	18-37C(7B) NYPV TC	3,174
6-2020	2862	16-20C(7B)NYPV TC	794
6-3053-IF	29504	8-4C(133T) VFD XLPV DBL SHLD	59
6-3054-1F	29505	6-4C (133)T XLPV DBL SHLD 1000V VFD	2,181
6-2603-1K	29522C	12-3C (7B) XLPV 600V	4,891
6-3001-1K	29522C	12-3C (7B) XLP/PVC TPE 1000V VFD	3,240
6-3003-G	29523C	10-3C (7B) XLPV SHLD	4,264
6-3004-1K	29524	6-3C(7B) VFD XLPV 1KV	980
6-3011-G	29531	3/0-3C (133T) XLP/PVC TPE 1000V VFD	79
6-3012-G	29532C	4/0-3C (19B) VFD 1KV	236
6-3007-1K	295727C	2-3C (7B) XLP/PVC TPE 1000V VFD	284
6-2633-G	3022G	2-3C (7B) XLP/PVC 600V	620
7-2302	3025A	18-2P (7B) SHLD (MAF) PVC/PVC 300V POS	1,626
7-2771-4	30310	18-12C (7T) PVPV MAF	738
7-2771-4	3031C	18-12C (7B) PVPV MAF	4,288
7-2316	3034A	18-16P (7B) SHLD (MAF) PVC/PVC 300V POS	1,740
7-2780-4	3047A	16-4TR(7B) STOS (MAF) PVC/PVC 300V	3,820
7-2781-8	3049A	16-8TRI (7B) STOS (MAF) PVC/PVC 300V	1,170
7-2416	3050A	16-16P (7B) SHLD (MAF) PVC/PVC 300V POS	12,740
7-3716	3051A	16-16P (7B) PVC/PVC MAF SPOS	65,815
7-2782-16	3053A	16-12TRI (7B) PVPV MAF STOS	14,115
7-2784	3055AE	16-24TRI(7B) MAF PVPV STOS 300V	8,751
7-2782	3069AE	16-12TRI (7B) STOS (MAF) PVC/PVC 300V	11,089
7- 512-1	3079A	22-2C(1B) PVPV DBL SHLD SAC	515
6-2052-SH	3080A	14-2C(7B) NYPV SHLD MAF	1,750
7-3502	3082A	MIX-4C (19T) DBL	2,040
6-2003-18	3089A	18-3C (7B) NYPV MAF TC	556
6-2002-SH	3090A	16-2C (7B) NYPV MAF 600V	1,805
6-2002-GG	3090RE	16-2C (7B) NYPV MAF 600V	5,652
6-2003	3091A	16-3C (7B) NYPV MAF	2,090
6-2403-SH	3091C	16-3C(7B) SHLD(MAF) XLPV	470
10- 6	3092A	RG/U 6(1B) FO-MAF-BRD-PV QUAD SHLD	280
7- 513	3106A	22-3C(7T) PVPV DBL SHLD	440
7-2765	3130A	20-108C PVPV MAF STOS	145
7-2212	31P2012	20-12P(7B) PVPV 300V POS	200
3-1410	32410	10-1C (19T) N/S	240
2-1460	37106	6 FLEX TIN EPR 600V AWM 3340/3374	2,553
2-1459	37108	8 FLEX TIN EPR 600V AWM 3340/3374	170
2-1467	37140	4/0 FLEX TIN EPR 600V AWM 3340/3374	1,014
10- 6	43094	18-1C (1CW) FOPV DBL RG/6U	1,030
6-2504	48111C	12-4C (7B) XLPV XLPTC	1,150
6-2109-SH	48116AS	12-9C (7B) NYPV MAF 600V	1,216
6-2159-SH	48145AS	10-9C (7B) NYPV MAF 600V	1,065
6-2602-GG	48149CZ	8-2C (7B) XLP/PVC 600V	1,140
6-2553	48463C	10-3C (7B) N/S XLP-PVC 600V TC	380

BWC#	Belden#	Description	Quantity
6-2453	48636CZ	14-3C (7B) XLPV XLPTC	475
6-2103	48641AZ	12-3C (7B) NYPV N/S TC	1,660
6-2503	48641CZ	12-3C (7B) XLPV 600V	424
6-2553	48643CZ	10-3C (7B) N/S XLP-PVC 600V TC	795
6-2553	48648CZ	10-3C (7B) N/S XLP-PVC 600V TC	478
7-8602	5000UE	12-2C(19B) PVPV N/S UCC	1,200
7- 792-1	5020	12-2/C(1) N/S FPLR	1,000
7-5305	5053FE	18-5C(7B) POPV MAF GRY	1,000
4- 48	5094	3/16 (96B) BRD SHLD	2,750
7- 557	5100FE	14-2/C OAS CL3R	4,000
7-8504	5102	14-4C(19B) PVPV N/S UCC	1,000
7-8504	5102UE	14-4C(7B) PVPV N/S UCC	400
7- 734	5122UL	14-4/C(1) N/S FPLR	500
7-8402	5200UE	16-2C(19B) UCC PVPV	500
7- 554	5202FE	16-4C(19B) PVPV MAF SAC	1,190
7- 722	5220	16-2/C(1) OAS FAC	19,930
7- 722-SH	5220FL	16-2C PVPV MAF FAC	1,000
7- 724	5222	16-4C(1B) N/S PV-PV FPLR RED	1,000
7-8303	5301UE	18-3C(7B) PVPV N/S UCC	585
7-8306	5304UE	18-6C N/S CMR	12,500
7-8302-1	5320UE	18-2C(1B) PEPV N/S PLNM	600
7- 714-SH	5322FL	18-4/C(1) OAS FPLR	450
7-2303	5342FE	18-3PR(7B) POPV MAF POS	500
7-8202	5400	20-2C(7B) PVPV N/S UCC	500
10- 59-SP	549945	18-2C+RG/U59(STRD B) FIG8	410
7- 512	5500FE	22-2C(7B) XLPV MAF SAC	425
7-8102	5500UE	22-2C(7B) PVPV N/S UCC	500
7- 514	5502FE	22-4C(7B) SHLD(MAF) PVPV	1,000
7-8104	5502UE	22-4C(7B) N/S PV-PV WHT	1,000
7-8104	5502UR	22-4C N/S CMR	3,000
7-8106	5504UE	22-6C(7B) POPV N/S UCC	500
10-3012-PL	550684	12-FIBER OPTICAL CBL	1,000
7-5108	5506FE	22-8C (7B) PVPV MAF	1,000
10-3002	550835	1-FIBER OPTICAL CBL	1,425
10-3036	550851	36-FIBER OPTICAL CBL	3,600
10-3002	550856	2-FIBER OPTICAL CBL	1,192
7-5110	5508FE	22-10/C (7B) PVPV MAF SMCC	680
10-3006	550905	6-FIBER OPTICAL CBL	770
7-8112	5509UE	22-12C(7B) PVPV N/S UCC	8,500
7-1203-1S	5542CE	22-3PR(7B) 1P-S,2P-N/S PV-MAF-PV CMR	500
9- 918-G	5583	8-2C (7B) XLP/PVC 1000V TECK	770
6-2507	57114CU	12-7C (7B) XLP/PVC 600V	1,626
6-2510-G	5711704	12-10C (7B) XLP/PVC 600V	250
6-2510-G	57117CU	12-10C (7B) XLP/PVC 600V	762
14-1905	580575	22-25PR(1B) POPO CU-TPE SHLD CUP-F	1,000
6-2059	58087A	14-9C (7B) NYPV N/S TC	4,488
6-2109	58116A	12-9C (7B) NYPV N/S TC	4,595
6-2116	58123A	12-16C (7B) NYPV N/S TC	12,060
6-2130	58137A	12-30C (7B) NYPV N/S TC	8,121
7-8602	6000UE	12-2C (19B) PVPV N/S	1,000
7-8603	6001UE	12-3C PVPV PLNM	300
14-1001	601622	19-6PR(7B) POPO TPE SHLD CUP	3,935
7-8502	6100UE	14-2C N/S GRY PVC (K2)	400
7- 733	6101FE	14-3C(19B) PVPV MAF 600V	1,000
7- 732	6120UL	14-2C(1) N/S PLNM	1,500
10- 11-PL	613948	11-1C(1B) FOTE BRD SHLD PLNM	2,525
10- 11-PL	6139B8	11-1C(1B) FOTE DBL SHLD PLNM	10,706
9- 656-G	6158	1/0-2C (19B) XLP/PVC 1000V TECK	154
9- 659-G	6193	4/0-3C GRD (37B) XLPV TECK 1000V	130
7- 552	6200FE	16-2/C OAS PLENUM	490

BWC#	Belden#	Description	Quantity
7- 722-SH	6220FL	16-2/C(1) OAS FPLP	1,000
7- 724	6222	16-4C(1B) PVPV N/S PLNM	390
7-2782	62T1612	16-12TRI (7B) NYPV MAF	216
7-2782-16	62T1616	16-16TRI (7B) NYPV MAF	454
7-2772-12	62T1812	18-12TRI.ST-OS PVNY-PV 600V TC	790
7-8302	6300UE	18-2C N/S GRY PVC	15,355
7- 533	6301FE	18-3C(7B) PVSO MAF PLNM	1,000
7-8303	6301UE	18-3C(7B) PVPV N/S PLNM	500
7-8304	6302UE	18-4C N/S PLENUM	500
7-5306	6304FE	18-6C O.A.MAF WHT PLENUM	9,880
7-8306	6304UE	18-6C(7B) PLNM PVPV	5,955
7- 712-SH	6320FL	18-2C(1B) PVPV MAF PLNM	5,000
10- 6	633938	6-1C(1B) FOPV DBL SHLD PLNM	750
10- 6	633948	6-1C(1B) FOPV BRD SHLD PLNM	1,775
7-2304	6343FE	18-4PR (7B) POS PVPV MAF 600V	1,010
7- 522	6400FE	20-2C (7B) XLP/PVC MAF PLNM	8,000
7-8204	6402UE	20-4C(7B) PVPV N/S PLNM	484
10- 59	643948	RG/U59(1B) FOPV BRD SHLD PLNM	500
7- 513	6501FE	22-3C(7B) PVPV MAF SAC	500
7-8104	6502UE	22-4C(7B) PVPV N/S PLNM	800
7-5106	6504FE	22-6C O.A.MAF GREY PLENUM	500
7-8108	6506UE	22-8C(7B) N/S PV-PV CMP WHT	500
7-8110	6508UE	22-10C POPV PLNM	1,000
7-2003	7202A	24-3PR(41B) PVPV DBL SHLD POS	400
10- 59	734D1	RG/U59(1T) FOPV DBL SHLD	8,000
10- 502-2	735A2	26-2C(1) 735A SERIES COAX	42,000
10- 502-6	735A6	26-6C(1) 735A SERIES COAX	15,770
6-1994	7447AS	10-4C PVPV ROBOT	80
6-1996	7453A	6-4C PVPV ROBOT	68
10- 11-B	7731A	14-1C(1B) FOPF DBL SHLD RG11/U	980
14-2404	7811A	24-4P PVSO PLNM	1,000
7-2112-1	7840A	22-12P(1) OAS TI/DSI	7,000
14-3664-C6	7852A	23-4PR(1B) POPV PLNM	680
14-3664-C5	7854A	24-4PR(1B) POPV CM/MP	3,000
14-3664-RG	7876A	MIX-18(1B) FOPV CM/MP	7,490
7-3702	7896A	MIX-2P STRD SPOS DBL SHLD	510
7-3502	7897A	MIX-2PR (19T) DBL GRY	9,360
14-3664-5E	7922A	22-4PR(1B) PVPV CM/MP	300
14-3664-5E	7923A	22-4PR (1B) PVPV CM/MP 300V	3,165
14-3664-5E	7935	24-4P(1B) POLS N/S	740
7- 534	7992A	18-4C(7B) POPO MAF SAC	8,000
7-2002-AR	8102	24-2PR(7T) POPV DBL SHLD PLNM	7,520
7-2003	8103	24-3PR(7T) DBL SHLD PVPV POS	120
7-2004	8104	24-4PR(7T) SHLD PVPV POS	322
7-2012	8112	24-12PR(7T) PEPV DBL SHLD POS	335
7-1802	8132	28-2PR(7T) POPV DBL SHLD POS	490
7-3504-24	8164	24-4P PVPV SPOS	100
7-3505-24	8165	24-5P FOPV SPOS	310
10- 174	8216	RG/U174(7B) POPV BRD SHLD	400
10- 58-A	8219	RG/U58A(19T) FOPV BRD SHLD	190
10- 6	82248	18-1C (1B) FO/PVC DBL PLNM RG/6	2,775
10- 62	82269	RG/U62(1CW) TEPV BRD SHLD	900
10- 600	8227	20-2C POPV TWAX	670
7-8202	8230	20-2C(7B) POLY N/S UCC	1,000
10- 11-TR	8233	14-1C RG11/U TRIAX	2,555
10- 58	8240	RG/U58-1C(1B) POPV BRD SHLD RG/U	160
10- 59	8241	RG/U59(1B) POPV BRD SHLD	845
10- 58-A	8259	RG/U58A(19T) POPV BRD SHLD	2,000
10- 11-A	8261	11A-1C(7T) POPV BRD SHLD RG/U	560
7-3102	82723	22-2PR(7T) HATE MAF PLNM	440

BWC#	Belden#	Description	Quantity
7-2002	82729	24-2P MAF FETE PLNM	300
7- 712-SH	82760	18-2C(19T) PVPV 600V	1,000
7- 512	82761	22-2C(7T) TETE MAF PLNM	10,310
10- 600	8277	20-2C POPV TWAX	205
10- 59	8279	RG/U 59 (7B)	130
10- 59	8281F	RG/U59(7B) BRD SHLD	400
10- 58	82907	RG/U58-1C(19T) DBL SHLD PLNM	1,485
2-2225	83010	16-1C (19SP) TFE N/S	73,000
2-2222	83025	22-1C (7SI) TEF N/S TFE 1000V	3,000
2-2222-30	83043	30(7SC) TFE	4,074
7-2105	8305	22-5PR(7T) DBL SHLD PVPV POS	225
2-2206	83050	22-1C (19SI) TEF N/S FEP	1,000
10- 178-B	83265	RG/U30(7T) FEFE BRD SHLD	8,741
6-6202-SH	83322	16-2C(19SP) SHLD TETE	275
7-2015	8345	24-15PR(7T) POPV DBL SHLD POS	420
7-5012	83512	24-12C(7T) TETE PLNM	3,500
7-5015	83515	24-15C(19T) FEFE DBL PLNM	275
7-5209	83609	20-9C(7T) TETE PLNM	280
7-5212	83612	20-12C(7T) TETE PLNM	250
7- 532	83652	18-2C(7T) TETE PLNM	80
7- 534	83654	18-4C(19T) DBL SHLD FEFE	244
7-5312	83662	18-12C FEFE O.A.MAF/BRD	50
6-6209-SH	83709	16-9C(19T) FEPCC DBL SHLD	120
6-6219-SH	83719	16-19C(19T) TETE FEPCC	32
17- 326	83900JX	20-2C FEFE JX	195
17-4501	83953	16-2C TETE TCPL	200
7- 623	8423	20-3C(26T) EPNE BRD SHLD SAC	250
7- 204	8424	20-4C(26T) EPHY	75
7- 612	8441	22-2C(7T) PVPV BRD SHLD SAC	220
7- 512-1	8450	22-2C(1B) POPV MAF SAC	2,000
7- 103-CP	8455	18-2/C, 20-3/C	185
7-8112	8457	22-10C N/S CMG	62
7-8312	8466	18-12C(19T) UCC PVPV	130
7-8202-19	8486	19-2C(1) N/S CM	2,500
6-6207	85107	16-7C(19T) TETE N/S FEPCC	1,925
7-8319	8619	18-19C(16T) PVPV UCC	400
4- 45	8662	3/4" T	7,400
4- 40	8663	7/32" ID TUBULAR BRD SHLD TC	200
4- 40	8668	11/64" ID TUBULAR BRD SHLD TC	500
7- 552	8719	16-2C(19T) POPV MAF SAC	115
7- 557	8720	14-2C(19T) SHLD PO-MAF-PVC CL2 300V	95
7-3103	8723	22-2PR(7T) POPV MAF SPIC	385
7-3102	8723SB	22-2PR (7T) PPLS MAF	3,000
7-1227	8750	22-27PR(7T) PVPV N/S PIC	1,000
7-2151-1	8751	22-51P 1TC MAF PVPV POS	210
7- 512	8761	22-2C MAF POPV SAC	230
7- 533	8770	18-3C (16T) PO/PVC MAF SAC	370
7-3103	8777	22-3P MAF POPV SPIC	95
7-3103	87775B	22-3PR(7T) MAF SPIC	1,800
7-2006	88106	24-6PR(7T) FOTE MAF PLNM	215
10- 59	88241	RG/U59(1CW) TETE BRD SHLD PLNM	270
10- 59	88281	RG/U59(1B) TETE DBL SHLD PLNM	1,335
7-3102	88723	22-2PR(7T) POPV MAF SPIC	250
7-3103	88777	22-3PR(7T) TETE MAF PLNM	335
10- 6	89120	6-1C(1CW) FOTE DBL SHLD PLNM	1,100
3-1813	8916	14-1C (42T) PVC N/S AWMTW	500
10- 59	89259	RG/U 59(7B) FO-BRD-TE CMP 200C	400
10- 590	89272	20-2C(7T) TETE BRD SHLD PLNM	40
10- 59-2C	89555	RG/U59-2C(1CW) FEFE BRD SHLD PLNM	400
7- 552	8971	16-2C (19T) PVPV 600V	470

BWC#	Belden#	Description	Quantity
7-2902	89729	24-2P (7T) SPIC MAF	900
7- 712	89740	18-2C(19T) FEFE 600V	1,000
7-2907	89757	24-7PR(7T) PVTE MAF PLNM	550
10-1000-PL	89880	12(1B) FOTE QWD ETHER	1,200
10- 980	89892	20-4PR(7T) TETE DBL SHLD ETHER	234
10- 58-A	89907	58A(19T) FOTE	2,145
10- 59-M	9057	RG/U59(1B) FOPV TRI SHLD	500
10- 11-B	9064	11-1C(1CW) FOPV DBL SHLD RG/U	652
10- 6-DB	9066	18-1C(1CW) FOPV DBL SHLD RG/U	4,310
10- 59	9104	RG/U(1B) PVPV BRD SHLD	1,700
10- 6	9114	6-1C(1ST) FOPV DBL SHLD RG/U	315
7- 522	9154	20-2C(7T) PVPV MAF SAC	365
10- 6	9168	6-1C FOPV DBL SHLD RG/U	1,700
10- 400	9182	22-2C(19T) FOPV MAF TWAX	1,405
10- 59	9204	RG/U59(1CW) POPV BRD SHLD	500
10- 600	9207	20-2C TWAX 100-OHM	1,645
10- 62-A	9228	RG/U62A(1B) POPO BRD SHLD	1,500
10- 540	9231	20-1C(1B) PEPV BRD SHLD RG/U	9,935
10- 11-TR	9232	11-1C(19B) POPV DBL SHLD TRIAX	295
10- 59	9244	RG/U59(1B) BRD SHLD	680
10- 625-B	9250	18-2C(7MX) POPV DBL SHLD TWAX	14,759
10- 59	9259	RG/U59(1B) FOPV BRD SHLD	680
7-5812	9262	20-12C(7T) SMCC PVPV BRD SHLD	270
10- 59-TR	9267	RG/U59(1B) POHY DBL SHLD	2,578
10- 62-A	9268	RG/U62A POPV BRD SHLD	490
10- 62-A	9269	RG/U62A(1B) POPV BRD SHLD	566
10- 11	9292	RG/U -1C (1B) FOPV DBL SHLD	1,040
7-2102-1	9302	22-2P(1) O.A. MAF CMG	7,085
7-2104-1	9305	22-4P(1) O.A. MAF CMG	258
7- 552	9316	16-2C(19T) PVPV MAF SAC	11,140
7- 522	9320	20-2C(10T) PVPV MAF SAC	890
7-2127-1	9327	22-27PR(1T) PVPV MAF POS	660
6-2002-SH	9342	16-2C (19T) NYPV MAF 600V	64
6-2052-G	9343	14-2C (41T) NYPV MAF 600V	3,915
6-2052-SH	9343	14-2C (41T) NYPV MAF 600V	8,430
7- 512	9451	22-2C(7T) PVPV MAF SAC	800
7-8212	9457	20-12C N/S GRY PVC	145
10- 600	9463	20-2C TWAX "BLUE HOSE"	410
7-8303	9493	18-3C(19T) PVPV N/S UCC	295
7-2004	9504	24-4PR (7T) SHLD (MAF) PVC/PVC 300V POS	140
7-2005	9505	24-5PR(7T) SHLD(MAF) PVPV 300V	960
7-2007	9507	24-7P O.A. MAF CMG	18,500
7- 503	9533	24-3C (7T) PVC/PVC MAF SAC	500
7- 504	9534	24-4C (7T) PVC/PVC MAF SAC	65
7-5607	9540	24-10C (7T) PVC/PVC MAF SMCC	57
7-5015	9541	24-15C MAF PVPV 300V	130
7-2304	9554	18-4P MAF PVPV 300V	85
10- 59-2C	9555	RG/U59-2C(1B) POPV BRD SHLD	1,300
7-1002	9562	24-2PR(1T) PVPV N/S PIC	400
7-2315	9565	18-15P OAS, PLTC, ITC, CMG	6,255
7-1010	9570	24-10PR(1T) PVPV N/S PIC	2,000
7- 732	9580	14-2/C(1) N/S FPLR	1,789
7- 792-SH	9583	12-2C MAF PVPV	1,270
7- 504-2S	9609	24-4C(7T) PVPV DBL SHLD SAC	2,200
7-2004	9681	24-4PR(7T) PVPV MAF POS	480
7-2006	9682	24-6PR(7T) PVPV MAF POS	900
7-1106-RG	9689	22-6PR(1B) FPPE DBL SHLD PIC	490
14-2906-SH	9689	22-6PR(1B) POPV DBL SHLD IC	4,210
7-2102-1	9696	22-2PR(1B) POPV DBL SHLD POS	710
7-2904	9728	24-4PR(7T) POPV MAF SPIC	425

BWC#	Belden#	Description	Quantity
7-1203	9745	22-3PR(7T) PVCV N/S PIC	1,000
7-1112	9747	22-12PR(7T) PVPV N/S PIC	1,000
7-1303	9750	20-3PR(10T) PVPV N/S PIC	100
7-1315	9755	20-15PR(7T) PVPV N/S PIC	160
7-3137	9767	22-37P MAF POPV SPIC	105
7-3312	9776	18-12P MAF POPV SPIC	100
7-2906	9784	24-6P MAF PVPV SPIC	255
14-3659	9794	22-4C(1B) POPV N/S PLNM	1,000
7-1804	9806	28-4PR(7T) POPV DBL SHLD POS	330
7-1805	9807	28-5PR(7T) POPV DBL SHLD POS	10,971
7-1807	9808	28-7PR(7T) POPV DBL SHLD POS	1,000
7-1831	9814	28-31PR(7T) POPV DBL SHLD POS	900
7-2004	9844CM	24-4PR(7T) PVPV DBL SHLD POS	75
10- 216	9850	RG/U216(7T) POPV DBL SHLD	1,000
10- 212	9861	RG/U212(1SP) POPV BRD SHLD	810
7-2903-25	9863	25-3PR E/PR SHLD TWAX	1,010
7-3203	9883	20-3PR E/PR SHLD HDPE	145
10- 58	9907	RG/U58(19T) FPPV DBL SHLD	1,800
2-1315-16	9918	18-1C (16T) 300V PVC (VARIOUS COLORS)	3,305
2-1304	9919	20-1C (7T) 300V PVC BLU	375
2-1302	9923	24-1C (7T) 300V PVC (VARIOUS COLORS)	21,460
7- 503	9925	24-3C(7T)PVPV DBL SHLD SAC	500
7-5015	9936	24-15PR(7T) POPV DBL SHLD SMCC	900
7-5037	9938	24-37C POPV SMCC	140
7-5105	9941	22-5C O.A. MAF/BRD GREY PVC	300
7-5109	9945	22-9C O.A.MAF/BRD GRY	215
7-5115	9947B	22-15C O.A.MAF/BRD GRY	135
7-2906	9991	24-6PR(7T) POPV MAF SPIC	350
6-2268-GG	A020213	2-2C (7B) W/GRD NYPV 600V	245
6-2245-GG	A023A13	3/0-2C (19B) W/GRD NYPV 600V	204
6-2268-G	A03024B	2-3C(7B) NYPV 600V	1,235
6-2268-G	A03024B	2-3C (7B) NYPV BLK 600V	1,235
6-2247-G	A033A4B	3/0-3C (19B)NYPV	989
6-2104	A04122	12-4C (7B) NYPV N/S	884
6-2622-G	C02042G	4-2C (7B) XLP/PVC 600V	1,972
9- 106-G	C5504	14-6C(7B) TECK XLPV	240
9- 107-G	C550S	17-7C (7B) XLP/PVC TECK	160
9- 130-G	C5528	14-30C(7B) TECK XLPV	95
9- 206-G	C5534	12-6C(7B) TECK XLPV	200
9- 302-G	C5560	10-2C(7B) TECK XLPV	269
9- 306-G	C5564	10-6C(7B) TECK XLPV	97
9- 308-G	C5566	10-8C(7B) XLPV N/S TECK	255
9- 330-G	C5580	10-30C(7B) XLPV N/S TECK	440
9- 920-G	C5600	4-2C (7B) TECK XLPV	1,683
9- 653-G	C5601	4-3C (7B) XLP/PVC TECK 1000V	478
9- 203-G	C5731	12-3C(7B) TECK XLPV 1KV	110
7-5812	CTC7006	20-12C (26B) PVPV BRD SHLD 600V	275
6-2058-PR	CY65554	14-4PR(7B) NYPV	2,110
7-3103	E82777	22-3PR(7T) TEHA MAF PLNM	800
10- 59	G138241	RG/U59(1B) POPV BRD SHLD	555
7-2771-4A	G23515	18-4TRI.ST-OS AIA-PVC	535
9- 105-G	G27246	14-5C(7B) GRD XLP AIA-PVC 600V	185
7-5607	M2034	24-7C(7T) SHLD(BRD) PVPV	930
7-8104	M5502V6	22-4C(7B) N/S PV-PV CMR GRY	1,000
7-2109	M6547FE	22-9PR(7B) POPV MAF PLNM	3,000
7-8108	M8448	22-6C,18-2C(T) N/S PV-PV CMG GRY	720
6-2402-SH	M8719	16-2C (19T) SHLD (MAF) PO/PVC	1,280
7-3056	M8768	22-6PR(1T) PVPV MAF SPIC	530
10- 11-B	M9212	11-1C(7T) POPV BRD SHLD RG/U	1,995
7-2003	M9503	24-3PR(7T) POPV MAF POS	300

BWC#	Belden#	Description	Quantity
10-3024	M96B612	24-FIBER OPTICAL CBL	970
10-3002	M97382	2-FIBER OPTICAL CBL	995
10-3002	M98058T	2-FIBER OPTICAL CBL	1,400
10-3004-PL	M9B044	4-FIBER OPTICAL CBL	7,960
10-3024	M9W611	24-FIBER OPTICAL CBL	3,590
10-3012	MCP0606	12-FIBER OPTICAL CBL	4,860
10-3024	MLS6024	24-FIBER OPTICAL CBL	1,510
10-3001	PT2P101	1-FIBER OPTICAL CBL YEL	1,640
10-3002	PT2P102	2-FIBER OPTICAL CBL	3,280
10- 6	T9114	RG/U 6(1CW) FO-MAF-BRD-PV DUOBOND	820
7-3712	Y59367	16-12PR(7B) MAF PVPV 300V SPOS	210
7-2780-2	Y59822	16-6C(7B) SHLD(MAF) XLPV STOS	105
7-3654	Y59824	18-4PR(7B) SHLD(MAF) XLPV SPOS	145
7-2771-4	Y59825	18-12C(7B) SHLD(MAF) XLPV STOS	155
7-2771-8	Y59827	18-24C(7B) SHLD(MAF) XLPV STOS	240
17-2601	Y60550	16-2C(1) XLPV SHLD(MAF) EX XTCPL	445
17-2604	Y60553	16-8C(1) XLPV SHLD(MAF) EX XTCPL	250
17-4604	Y60554	16-8C(1) XLPV SHLD(MAF) KX XTCPL	175
17-2608	Y60555	16-16C(1) XLPV SHLD(MAF) EX XTCPL	485
17-4604	Y60556	16-16C(1) XLPV SHLD(MAF) KX XTCPL	165
7-3724-AR	Y60995	16-24PR SPOS XLPV MAF	173
7-2324	Y61172	18-24P (7B) SHLD (MAF) PVC/PVC 300V POS	930
7-2312	Y61471	18-12P (7B) SHLD (MAF) PVC/PVC 300V POS	7,437
7-2324	Y61472	18-24P (7B) SHLD (MAF) PVC/PVC 300V POS	6,168
7- 552	Y61484	16-2C (7B) SHLD (MAF) PVC/PVC 300V SAC	9,000
7- 553	Y61485	16-3C (7B) SHLD (MAF) PVC/PVC 300V SAC	2,250
7-2402	Y61486	16-2P (7B) SHLD (MAF) PVC/PVC 300V POS	1,550
6- 353-SH	Y62954	16-3C (7T) XLCP	480
7- 552	Y63411	16-2 (7T) PVPV MAF SAC	31,250
7-3824	Y63415	14-24P (7B) PVPV MAF SPOS 300V	24,492
7-3836	Y63418	14-36P (7B) PVPV MAF SPOS 300V	4,572
7-3812	Y63422	14-12P (7B) PVPV MAF SPOS 300V	15,788
17-4602	Y63701	16-4 (1) XLPV KC N/S XTCPL	4,663
7-3612	Y63896	18-12P(7T) MAF PVPV SPOS	3,775
7-3608	Y63901	18-8PR (7T) PVPV MAF	1,540
9- 59-SH	Y64825	16-9C(7B) NYPV MAF BLK	270
6-2153-G	YC42199	10-3C(7B) NYPV TC	190
7-2324-AR	YC45739	18-24P(7T) POS PV-MAF-PV AIA-PVC 300V	478
7-2406-AR	YC45750	16-6P(7T) POS XLPV SHLD MAF	250
7-3636-AR	YC45898	18-36PR(7T) XLPV MAF SPOS	2,388
7- 532	YC48158	18-2C (7T) SHLD (MAF) PVC/PVC 300V SAC	29,710
7-3604	YC48162	18-4PR (7T) SPOS XLP/PVC MAF 300V	7,773
7-3706-AR	YC49634	16-6PR(7T) SPOS XL-MAF-PV AIA-PVC 600V	128
7-3716-AR	YC49635	16-16PR(7T) XLPV MAF SPOS	2,025
7-2771-8A	YC49666	18-8TR(7B) STOS PV-MAF-PV AIA-PV PLTC	684
9- 670-10	YC49792	8-10C (7B) TECK XLPV	877
7-3836	YC55510	14-36PR(7B) SHLD(MAF) NYPV SPOS	680
17-4601	YC55524	16-2C(1) XLPV EX XTCPL	50
6- 512	YC55577	10-12C(7B) XLHY XLCP	230
6- 560-12	YC55578	8-12C (7B) XLCP	190
7-3812	YC55654	14-12PR(7B) SHLD(MAF) NYPV SPOS RED	240
7-8104-AR	YC55712	22-4C (7T) PVC/PVC UCC	2,300
9- 2	YC55714	18-2C (16T) PVC/PVC AIAPV	2,250
6- 407	YC55846	14-7C(7B) XLP-CPE XLPTC	1,358
6- 409	YC55847	14-9C(7B) XLP-CPE 600V	375
7-3754	YC55855	16-4PR(7B) SPOS XL-MAF-PV TC 600V	100
6- 415	YC55857	14-15C(7B) XLP-CPE 600V	38
7-3752	YC55914	16-2P(7B) SPOS XLCP SHLD MAF	380
6- 402	YC55926	14-2C(7B) XLP-CPE 600V	1,870
6- 405	YC55928	14-5C(7B) XLHY XLCP	455

BWC#	Belden#	Description	Quantity
6- 713-G	YC58948	6-3C(7B) XLLS	375
7-2104-1	YM28632	22-4PR(1T) POS PV-MAF-PV WHT CMG	4,000
7-2771-6	YM29750	18-6TRI(7B) MAF PVPV 300V STOS	1,045
7-2771-12	YM29752	18-12TRI.ST-OS PV-PV	610
7-8504-SV	YM43933	14-4C FLEX N/S SPEAKER	7,500
6-2005-18	YM56595	18-5C PVNY-PV 600V	9,671
6-2003	YM56600	16-3C PVNY-PV 600V	8,622
7- 534	YM56605	18-4C(7T) PV-MAF-TCBRD-PVC PLTC	4,025
7-5108	YM56634	22-8C(7B) SHLD PVNY-MAF-PV PLTC 300V	1,030
6-2009-18	YM56693	18-9C PVNY-PV 600V	1,664
7-3716	YM57812	16-16P (7B) NY/PVC MAF SPOS	4,732
7- 834	YP4007	26-44C(7T) PVC GRY RBN 300V	5,000
7- 826	YP4101	30-26C(7T) PVC GRY RBN	4,500
10- 59-SP	YQ11471	RG/U 59(7B)BRD,22-2C(T)MAF FEP CL2P	4,820
7- 522	YQ28763	20-2C(7T) TETE DBL SHLD PLNM	650
10- 590	YQ28763	20-2C (7T) SHLD TE-MAF-BRD-TE CMP 200C	200
10- 540	YQ39731	20(1B) SHLD FO-BRD-PV CMP WHT	1,000
7-1403	YQ43810	18-3PR(16T) POPV N/S PIC	8,970
10- 6-A	YR20870	22-1C(1B) POPV BRD SHLD RG/U	1,530
7-3054	YR28332	22-4PR(1B) SPIC FO-MAF-PV GRY CM	500
10- 590-2P	YR28826	20-2C TWAX	10,180
10- 590-2P	YR28926	20-2P (7T) PO/PVC DBL 300V TWAX	1,690
10- 59	YR29036	RG/U 59(1B) FO-MAF-BRD-PV CL2 MV	330
7- 522	YR29565	20-2C(7T) XLP-MAF-BRAID-PVC CM 300V	5,500
10- 590	YR29565	20-2C(7T) PVPV DBL SHLD TWAX	17,620
7-2005	YR29883	24-5PR(7T) POPV DBL SHLD POS	735
14-2404	YR40148	24-4PR(1B) (2X2POS) PV-MAF-PV CM/CL2	1,000
7-3502	YR41531	22-1P,24-1P(T) SPOS PVPV MAF-BRD CL2	3,650
14-3664-C5	YR43634	24-4PR(1B) PEPV CMP CAT5	2,200
14-3018- 1	YR43648	24-8C(1B) PO-PV CM SILVS FLAT	17,130
7- 838	YR43649	24-8C(1B) PO-PV IVY RBN	868
7-2103	YR45287	22-3PR(7T) DBL SHLD PVCP 300V POS	670
7-8006-1	YR53651	24-6C(1B) PEPV N/S PLNM	1,500
2-1463		1-1C (210T) EPR	95
6- 103		16-3C(7T) XLLS MAF	1,000
6- 104-SH		16-4C XLLS XLZH MAF	372
6- 105-SH		16-5C(7T) XLLS XLZH SHLD	755
6- 109-SH		16-9C XLLS XLZH MAF	175
6- 155		14-5C(7T) XLLS	625
6- 157		14-7C(7T) XLLS	1,050
6- 254		10-4C(7T) XLLS	322
6-1103-G1		8-3C(7T) EPCP 1KV	264
6-2015-18		18-15C(7B)NYPV TC	1,230
6-2203-G		8-3C 1#10G (7B) NY/PV	196
6-2283-G		2/0-3C (19B) NYPV	745
6-2612-G		6-2C (7B) XLP/PVC 600V	132
6-3001-1K		12-3C(7B) VFD XLPV 1KV	525
6-3010-1K		2/0-3C W/GRDS (133T) XLP/PVC TPE VFD	174
6-3012-G		4/0-3C(133T) VFD XLCP TPE	84
7- 502		24-2C (7T) PVPV MAF 300V GRY	185
7- 523		20-3 (7B) PVC/PVC MAF SAC 300V	180
7- 552		16-2C (7B) PVPV MAF 300V	650
7-1034		18-34C(7T) PVC 300V FLT.	50
7-1050		18-50C(7T) PVC 300V FLT.	65
7-2103		22-3P(7T) POS PVPV SHLD MAF	845
7-2424		16-24PR (7B) POS NPLF TFN MAF	460
7-2771-8		18-8TRI(7T) MAF PVPV STOS	1,410
7-2771-8		18-24C(7B) SHLD(MAF) NYPV 150V STOS	260
7-2781-6		16-18C(7T) STOS XLLS SHLD MAF	370
7-2782		16-12TRI(7B) NYPV SHLD(MAF) NPLF	160

BWC#	Belden#	Description	Quantity
7-3608		18-8PR (7B) NYPV MAF	240
7-3704		16-4P (7B) NY/PVC MAF SPOS	135
7-3712		16-12PR(7B) MAF NYPV SPOS	188
7-3758		16-8P (7T) XLLS MAF SPOS	360
7-3824		14-24P(7B) SPOS NYPV SHLD MAF	685
10-3002		2-FIBER OPTICAL CBL	18,318
10-3006		6-FIBER OPTCAL CBL TPE	520
10-3024		24-FIBER OPTICAL CBL	2,090
14-3664-5E		24-4PR(1B) PVPV 300V CM/MP	630
14-3664-AR		24-4PR(1B) POPV CM/MP	37
15-1374		18-3C SVT BLK	7
17-4604		16-8C(1) XLLS SHLD(MAF) KX TCPL	190