



## Belden Inventory

Belden #	Description	QTY Available
1478	12(1B) FOPV DBL SHLD ETHER	185
2651	18-34C(7T) PVC 300V FLT.	50
2715	8-4C (7B) XLP/PVC 600V	88
2832	16-25C(7B) SHLD NYPV	700
2861	16-6C(7B) SHLD(MAF) NYPV	8,020
2861	16-8C (7B) SHLD NYPV	1,562
2862	16-20C(7B)NYPV TC	2,966
2862	16-37C (7B) NYPV 600V	494
5020	12-2/C(1) N/S FPLR	1,000
5094	3/16 (96B) BRD SHLD	2,750
5102	14-4C(19B) PVPV N/S UCC	1,000
5220	16-2/C(1) OAS FAC	19,930
5222	16-4C(1B) N/S PV-PV FPLR RED	1,000
5400	20-2C(7B) PVPV N/S UCC	500
6158	1/0-2C (19B) XLP/PVC 1000V TECK	154
6193	4/0-3C GRD (37B) XLPV TECK 1000V	130
6222	16-4C(1B) PVPV N/S PLNM	390
7935	24-4P(1B) POLS N/S	740
8102	24-2PR(7T) POPV DBL SHLD PLNM	7,520
8103	24-3PR(7T) DBL SHLD PVPV POS	120
8104	24-4PR(7T) SHLD PVPV POS	155
8112	24-12PR(7T) PEPV DBL SHLD POS	308
8132	28-2PR(7T) POPV DBL SHLD POS	490
8164	24-4P PVPV SPOS	70
8216	RG/U174(7B) POPV BRD SHLD	400
8219	RG/U58A(19T) FOPV BRD SHLD	97
8227	20-2C POPV TWAX	670
8230	20-2C(7B) POLY N/S UCC	1,000
8233	14-1C RG11/U TRIAX	5,055
8240	RG/U58-1C(1B) POPV BRD SHLD RG/U	160
8241	RG/U59(1B) POPV BRD SHLD	845
8242	24-2P PVPV DBL SHIELD	3,400
8261	11A-1C(7T) POPV BRD SHLD RG/U	560
8277	20-2C POPV TWAX	205
8279	RG/U 59 (7B)	130

Belden #	Description	QTY Available
8305	22-5PR(7T) DBL SHLD PVPV POS	225
8345	24-15PR(7T) POPV DBL SHLD POS	420
8424	20-4C(26T) EPHY	66
8450	22-2C(1B) POPV MAF SAC	2,000
8455	18-2/C, 20-3/C	185
8456	22-10C (7T) PVPV	1,591
8457	22-10C N/S CMG	62
8466	18-12C(19T) UCC PVPV	130
8486	19-2C(1) N/S CM	2,500
8501	24-2C (7T) PVPV MAF 300V GRY	185
8662	3/4" T	7,400
8663	7/32" ID TUBULAR BRD SHLD TC	200
8668	11/64" ID TUBULAR BRD SHLD TC	500
8719	16-2C(19T) POPV MAF SAC	115
8720	14-2C(19T) SHLD PO-MAF-PVC CL2 300V	95
8750	22-27PR(7T) PVPV N/S PIC	1,000
8751	22-51P 1TC MAF PVPV POS	210
8761	22-2C MAF POPV SAC	230
8769	22019PR(7T) POPV SHLD	700
8770	18-3C (16T) PO/PVC MAF SAC	270
8777	22-3P MAF POPV SPIC	95
8778	22-6PR(7T) POPV SHLD	405
8916	14-1C (42T) PVC N/S AWMTW	500
8971	16-2C (19T) PVPV 600V	470
9057	RG/U59(1B) FOPV TRI SHLD	500
9064	11-1C(1CW) FOPV DBL SHLD RG/U	652
9066	18-1C(1CW) FOPV DBL SHLD RG/U	4,310
9104	RG/U(1B) PVPV BRD SHLD	700
9114	6-1C(1ST) FOPV DBL SHLD RG/U	315
9154	20-2C(7T) PVPV MAF SAC	365
9168	6-1C FOPV DBL SHLD RG/U	1,700
9182	22-2C(19T) FOPV MAF TWAX	905
9204	RG/U59(1CW) POPV BRD SHLD	500
9207	20-2C TWAX 100-OHM	2,020
9228	RG/U62A(1B) POPO BRD SHLD	500
9231	20-1C(1B) PEPV BRD SHLD RG/U	9,935
9232	11-1C(19B) POPV DBL SHLD TRIAX	795
9244	RG/U59(1B) BRD SHLD	1,360
9248	RG/U59(1B) DBL SHLD	400
9250	18-2C(7MX) POPV DBL SHLD TWAX	14,740
9259	RG/U59(1B) FOPV BRD SHLD	580
9262	20-12C(7T) SMCC PVPV BRD SHLD	270
9267	RG/U59(1B) POHY DBL SHLD	2,578

Belden #	Description	QTY Available
9268	RG/U62A POPV BRD SHLD	490
9269	RG/U62A(1B) POPV BRD SHLD	566
9275	RG/U -1C (1B) FOPV DBL SHLD	180
9292	RG/U -1C (1B) FOPV DBL SHLD	1,040
9302	22-2P(1) O.A. MAF CMG	7,085
9305	22-4P(1) O.A. MAF CMG	258
9316	16-2C(19T) PVPV MAF SAC	11,140
9320	20-2C(10T) PVPV MAF SAC	890
9327	22-27PR(1T) PVPV MAF POS	660
9342	16-2C (19T) NYPV MAF 600V	64
9343	14-2C (41T) NYPV MAF 600V	3,765
9343	14-2C (41T) NYPV MAF 600V	8,430
9360	16-3C(19T) PVPV SHLD	220
9451	22-2C(7T) PVPV MAF SAC	800
9457	20-12C N/S GRY PVC	145
9463	20-2C TWAX "BLUE HOSE"	410
9493	18-3C(19T) PVPV N/S UCC	295
9504	24-4PR (7T) SHLD (MAF) PVC/PVC 300V POS	140
9505	24-5PR(7T) SHLD(MAF) PVPV 300V	1,550
9507	24-7P O.A. MAF CMG	18,500
9533	24-3C (7T) PVC/PVC MAF SAC	500
9534	24-4C (7T) PVC/PVC MAF SAC	65
9540	24-10C (7T) PVC/PVC BRD CMG	57
9541	24-15C MAF PVPV 300V	130
9554	18-4P MAF PVPV 300V	85
9555	RG/U59-2C(1B) POPV BRD SHLD	1,300
9562	24-2PR(1T) PVPV N/S PIC	400
9565	18-15P OAS, PLTC, ITC, CMG	6,155
9570	24-10PR(1T) PVPV N/S PIC	1,000
9580	14-2/C(1) N/S FPLR	1,789
9581	14-2C (1B) MAF PV/PV RED	390
9583	12-2C MAF PVPV	1,270
9609	24-4C(7T) PVPV DBL SHLD SAC	2,000
9681	24-4PR(7T) PVPV MAF POS	480
9682	24-6PR(7T) PVPV MAF POS	900
9689	22-6PR(1B) FPPE DBL SHLD PIC	490
9689	22-6PR(1B) POPV DBL SHLD IC	4,210
9696	22-2PR(1B) POPV DBL SHLD POS	710
9728	24-4PR(7T) POPV MAF SPIC	425
9745	22-3PR(7T) PVCV N/S PIC	1,000
9747	22-12PR(7T) PVPV N/S PIC	1,000
9750	20-3PR(10T) PVPV N/S PIC	100
9755	20-15PR(7T) PVPV N/S PIC	160

Belden #	Description	QTY Available
9767	22-37P MAF POPV SPIC	105
9784	24-6P MAF PVPV SPIC	255
9794	22-4C(1B) POPV N/S PLNM	1,000
9807	28-5PR(7T) POPV DBL SHLD POS	10,921
9808	28-7PR(7T) POPV DBL SHLD POS	784
9814	28-31PR(7T) POPV DBL SHLD POS	800
9850	RG/U216(7T) POPV DBL SHLD	1,000
9861	RG/U212(1SP) POPV BRD SHLD	810
9863	25-3PR E/PR SHLD TWAX	1,010
9883	20-3PR E/PR SHLD HDPE	145
9907	RG/U58(19T) FPPV DBL SHLD	1,300
9919	20-1C (7T) 300V PVC BLU	375
9923	24-1C (7T) 300V PVC (VARIOUS COLORS)	15,460
9925	24-3C(7T)PVPV DBL SHLD SAC	500
9936	24-15PR(7T) POPV DBL SHLD SMCC	900
9938	24-37C POPV SMCC	140
9941	22-5C O.A. MAF/BRD GREY PVC	300
9945	22-9C O.A.MAF/BRD GRY	215
9991	24-6PR(7T) POPV MAF SPIC	350
14938	16-4P (7B) NY/PV MAF SPOS	335
17005	18-3C(FLEX B) PVC SJT REPL 8' BRN	4
17566	18-3C SVT BLK	7
17600	18-3C PVC SJT 3PRONG PLG REPL 6'7" BLK	12
21121	20-32C PVPV MAF TCPL 300V	110
21450	8-2C (7B) XLP/PVC 1000V	320
21454	6-3C (7B) XLP/PVC 1000V	527
21551	12-3C (7B) XLPV 600V	420
23509	16-4PR (7T) SPOS PVC/PVC MAF 300V	190
23512	18-12TRI(7T) SHLD(MAF) XLPV 300V STOS	195
23522	16-2TRI (7T) STOS PVC/PVC MAF 300V	962
23524	18-12PR(7T) XLPV MAF POS	315
23524	18-12P(7T) SPOS PVPV SHLD MAF	280
23554	18-36PR SP-OS AIA-PVC	250
24505	16-2PR(7T) SHLD(MAF) PVPV SPOS	85
25504	16-2C(7T) SHLD XLP-MAF-PV GSIA-PV GRY	190
27111	12-4C(7B) W/GRD XLPV XLPTC	13,460
27148	10-12C(7B) XLHY XLCP MAF	242
27259	10-4C(7B) AIAPV XLP	290
27263	6-4C (7B) W/GRD XLP AIAPV	65
27265	4-4C (7B) W/GRD XLP AIAPV	220
27267	2-3C(7B) W/GRD AIAPV	307
27273	12-7C(7B) AIAPV XLP	3,154
29503	10-4C (105T) XLPV DBL SHLD	600

Belden #	Description	QTY Available
29504	8-4C(133T) VFD XLPV DBL SHLD	27
29504	8-4C(133T) GRDS XL-BRD-PV AIA-NJ	2,010
29505	6-4C (133)T XLPV DBL SHLD 1000V VFD	1,831
29506	4-4C(133T) XLPV DBL SHLD	6,900
29507	2-4C(133T) XLPV DBL SHLD	792
29530	2/0-3C W/GRDS (133T) XLP/PVC TPE VFD	45
29531	3/0-3C (133T) XLP/PVC TPE 1000V VFD	79
29532	4/0-3C(133T) VFD XLCP TPE	84
30310	18-12C (7T) PVPV MAF	738
32410	10-1C (19T) N/S	240
37106	6 FLEX TIN EPR 600V AWM 3340/3374	2,453
37108	8 FLEX TIN EPR 600V AWM 3340/3374	170
37140	4/0 FLEX TIN EPR 600V AWM 3340/3374	1,014
43094	18-1C (1CW) FOPV DBL RG/6U	1,030
82248	18-1C (1B) FO/PVC DBL PLNM RG/6	1,000
82269	RG/U62(1CW) TEPV BRD SHLD	900
82723	22-2PR(7T) HATE MAF PLNM	440
82729	24-2P MAF FETE PLNM	300
82760	18-2C(19T) PVPV 600V	1,000
82761	22-2C(7T) TETE MAF PLNM	10,310
82907	RG/U58-1C(19T) DBL SHLD PLNM	1,485
83010	16-1C (19SP) TFE N/S	73,000
83025	22-1C (7SI) TEF N/S TFE 1000V	3,000
83043	30(7SC) TFE	4,074
83050	22-1C (19SI) TEF N/S FEP	1,000
83265	RG/U30(7T) FEFE BRD SHLD	8,741
83322	16-2C(19SP) SHLD TETE	225
83512	24-12C(7T) TETE PLNM	3,400
83515	24-15C(19T) FEFE DBL PLNM	275
83609	20-9C(7T) TETE PLNM	280
83612	20-12C(7T) TETE PLNM	250
83652	18-2C(7T) TETE PLNM	80
83654	18-4C(19T) DBL SHLD FEFE	244
83662	18-12C FEFE O.A.MAF/BRD	50
83709	16-9C(19T) FEPCC DBL SHLD	120
83719	16-19C(19T) TETE FEPCC	32
83953	16-2C TETE TCPL	200
85107	16-7C(19T) TETE N/S FEPCC	1,925
88106	24-6PR(7T) FOTE MAF PLNM	215
88241	RG/U59(1CW) TETE BRD SHLD PLNM	270
88281	RG/U59(1B) TETE DBL SHLD PLNM	970
88723	22-2PR(7T) POPV MAF SPIC	250
88777	22-3PR(7T) TETE MAF PLNM	345

Belden #	Description	QTY Available
89120	6-1C(1CW) FOTE DBL SHLD PLNM	600
89182	22-2C(7T) FOTE SHLD	130
89259	RG/U 59(7B) FO-BRD-TE CMP 200C	140
89272	20-2C(7T) TETE BRD SHLD PLNM	40
89555	RG/U59-2C(1CW) FEFE BRD SHLD PLNM	400
89729	24-2P (7T) SPIC MAF	900
89740	18-2C(19T) FEFE 600V	1,000
89757	24-7PR(7T) PVTE MAF PLNM	550
89880	12(1B) FOTE QWD ETHER	1,200
89892	20-4PR(7T) TETE DBL SHLD ETHER	194
89907	58A(19T) FOTE	1,295
100255	2-FIBER OPTICAL CBL	849
128723	22-2PR(7T) PVPV MAF SPIC	270
128762	20-2C(7T) SAC POPV SHLD MAF	185
129463	20-2C XLPV TWAX	260
129463	20-2C(7T) PVPV DBL SHLD TWAX	90
129842	24-2PR(7T) POPV DBL SHLD PLNM	5,760
138777	22-3PR(7T) PVPV SHLD	1,779
225368	8-FIBER OPTICAL CBL	1,390
225414	4-FIBER OPTICAL CBL	1,000
225442	2-FIBER OPTICAL CBL	3,000
226141	1-FIBER OPTICAL CBL	2,200
227201	1-FIBER OPTICAL CBL	1,545
229602	2-FIBER OPTICAL CBL	435
549945	18-2C+RG/U59(STRD B) FIG8	410
550684	12-FIBER OPTICAL CBL	1,000
550835	1-FIBER OPTICAL CBL	1,425
550851	36-FIBER OPTICAL CBL	3,600
550856	2-FIBER OPTICAL CBL	1,192
550905	6-FIBER OPTICAL CBL	770
580575	22-25PR(1B) POPO CU-TPE SHLD CUP-F	1,000
601622	19-6PR(7B) POPO TPE SHLD CUP	2,425
613948	11-1C(1B) FOTE BRD SHLD PLNM	2,000
633938	6-1C(1B) FOPV DBL SHLD PLNM	750
633948	6-1C(1B) FOPV BRD SHLD PLNM	1,775
643948	RG/U59(1B) FOPV BRD SHLD PLNM	500
5711704	12-10C (7B) XLP/PVC 600V	250
105183743	22-25PR(1B) POPO AL-TPE SHLD ALP	430
1#10G	8-3C (7B) NY/PV	196
1007A	20-16C(1) PVPV SHLD(MAF) 300V JX TCPL	1,100
1013A	20-16C(1) PVPV SHLD(MAF) 300V KX TCPL	940
1027A	20-16C PVPV MAF TCPL	380
1030A	16-2C(7B) SHLD PVC-MAF-PVC CMG 300V	630

Belden #	Description	QTY Available
1030A	16-2C(7B) PVPV SHLD	740
1031A	16-3C (7B) PVC/PVC MAF 300V SAC	4,850
1032A	18-2C (7B) SHLD (MAF) PVC/PVC 300V SAC	72
1033R	20-2/C OAS XLP PLTC	215
1034R	16-3C(7B) PVPV N/S UCC	1,500
1039A	16-4PR(7B) NYPV MAF SPOS	1,286
1039C	16-4PR(7B) XLPV SHLD(MAF) SPOS	360
1041A	16-8PR(7B) NYPV MAF SPOS	390
1042A	16-12PR(7B) NYPV MAF SPOS	55
1045A	16-24P NYPV MAF SPOS	136
1046A	16-36PR(7B) NYPV MAF SPOS	265
1047A	16-50P NYPV MAF SPOS	719
1049C	18-4PR(7B) XLPV SHLD	1,573
1050B	18-8PR SP-OS MAF 600V TC	228
1051A	18-12PR P-OS 600V TC	1,240
1052A	18-16P(7B) SPOS NYPV SHLD MAF	276
1053A	18-24PR SPOS NY-PV 600V TC	1,300
1055A	16-2P NYPV MAF 150V SPOS	290
1055C	16-2PR(7B) XLPV MAF SPOS	265
1055R	16-2P(7B) NYPV SHLD	220
1057A	20-8P(7B) POS PVPV SHLD MAF	100
1058A	20-12PR(7B) PVPV MAF POS	640
1063A	18-2PR(7B) NYPV MAF	390
1064A	18-4P(7B) POS NYPV SHLD MAF	120
1066A	18-12PR(7B) NYPV MAF POS	300
1069A	16-2PR(7B) POS PVNY-MAF-PV TC/NPLF	11,239
1070A	16-4P NYPV MAF POS	860
1072A	16-12PR O.A.MAF NY-PV TC 600V	324
1074RE	16-24PPR(7B) POS NPLF TFN SHLD MAF	520
1080A	20-24PR SP-OS MAF	460
1081A	20-36P(7B) SPOS PVPV SHLD MAF	936
1082A	20-50PR SP-OS MAF 300V 105C	600
1084A	20-24C (7B) PVPV SHLD MAF 300V	8,585
1087A	18-36PR(7B) NYPV MAF POS	505
1098A	16-24C NYPV MAF STOS	188
10GX63F	23-4P (1B) PVC/PVC MAF PLNM	91,350
1116A	16-2C TETE MAF KX	230
1119A	16-3C (7B) NYPV BLK MAF 600V	5,184
1119B	16-3C MAF NYPV TC	390
1120A	18-2/C OAS VNTC	28,750
1121A	18-3/C OAS VNTC	54,500
1162A	20-2C(7MX) POPV DBL SHLD TWAX	460
11700A	24-4PR(1B) PVPV 300V IC	1,190

Belden #	Description	QTY Available
11700A	24-4PR(1B) PVPV 300V CM/MP	630
1175A	22-2 (1T) PVPV MAF SAC	1,120
1189A	6-1C(1CW) FOPV DBL SHLD RG/U	920
121486B	16-12P XLPV MAF POS	262
1215A	26-2P(7B) SPOS FOPV DBL SHLD	900
121700R	24-4PR(1B) POPV CM/MP	37
121702A	24-8P PVPV ALNM	380
121872A	23-4PR (1B) PVPV CM/MP	185
1223A	6-1C(1CW) FOPV DBL SHLD RG/U	400
1227A1	24-2PR(1B) PVPV N/S PLNM	3,090
12-29522	12-3C(7T) GRDS XL-CTS-PV AIA-PV MC/VFD	830
12-29526	4-3C(7T) GRDS XL-CTS-PV AIA-PV MC/VFD	245
12-29530	2/0-3C GDS FLEX XL-CT-PV AIA-PV MC/VFD	305
12-29531	3/0-3C GDS FLEX XL-CT-PV AIA-PV MC/VFD	150
12-29532	4/0-3C GDS FLEX XL-CT-PV AIA-PV MC/VFD	73
1229AI	24-4PR(1B) POPV N/S IC	2,230
123076E	18-2C(7T) SHLD(MAF) POPV	530
123082A	MIX-2P PVPV SPOS ARMORED	108
123092A	6-1C(1B) FOPV QWD SHLD RG/U	450
123107A	22-2PR(7T) PVPVDBL SHLD POS	1,935
127896A	16-2C,18-2C SPOS MAF/BRD AIA-PVC	1,338
1319SB	23-4P(1B) POLS	1,000
13205B	18-2C (1B) FAC	2,000
1348A	20-3C PVPV SAC	800
1352A	23-4P(1B) PVPV	3,350
1361A	16-2PR(7T) MAF POPV SPOS	556
1418B	26-5C(7B) FOPV BRD SHLD	500
1432A	24-6PR(7T) POPV MAF POS	2,000
1457A	24-4PR(1B) N/S PLNM	2,450
1466A	18-4P (7B) SHLD (MAF) PVC/PVC 300V POS	1,415
1467A	18-8P (7B) SHLD (MAF) PVC/PVC 300V POS	1,155
1471A	18-24P O.A. MAF 300V PLTC	130
1472A	18-36P O.A. MAF PLTC 300V	130
1481A	18-36P MAF XLPV SPOS 300V	130
1484A	16-4PR(7B) SHLD(MAF) PVPV 300V POS	19,736
1485A	16-8P(7B) POS PVPV SHLD MAF	6,709
1485A	24-4PR(1B) PVPV SHLD(MAF) PLNM	1,000
1489A	16-24PR(7B) POS PV-MAF-PV PLTC 300V	1,840
1492A	16-2PR(7B) SHLD(MAF) PVPV SPOS	25,372
1492C	16-2PR SP-OS XL/CPE	805
1493A	16-4P(7B) SPOS PVPV MAF 300V	35,399
1494A	16-8PR(7B) PVPV MAF SPOS	10,025
1494C	16-8P(7B) PVPV SHLD	3,205



Belden #	Description	QTY Available
1494T	16-8PR(7T) XLLS SHLD(MAF) SPOS	170
1498A	16-8P (7B) PVC/PVC MAF 300V SPOS	2,700
1498A	16-24P (7B) PVPV MAF SPOS 300V	27,140
1499A	16-36PR(7B) SPOS XL-MAF-PV PLTC 300V	190
1505A	59 RG/U FOPV	1,635
1523A	11-1C(1CW) FOPV DBL SHLD RG/U	920
1577A	24-12PR(1B) FEFL N/S PLNM	5,495
1578A	24-12P O.A. MAF CMP	18,800
1581A	24-25PR(1B) FEFE PLNM	500
1583A	24-4PR(1B) POPV IC	500
1583A	24-4PR(1B) POPV CM/MP	1,000
1585A	24-4PR(1B) TEPV PLNM	4,500
1585A	24-4PR(1B) TEPV PLNM GRN	20,000
1585A	24-4PR(1B) TEPV PLNM BLUE	1,090
1592A	24-4PR(7B) PVPV CM/MP	2,575
1618A	14-1C(1CW) FOPV QWD RG11/U	30,140
1634A	22-2PR SP-OS MAF/BRD NON-PLENUM	4,150
1636A	22-2PR SP-OS MAF/BRD PLENUM	2,135
1642A	26-2PR(7B) DAPV DBL SHLD POS	3,000
1669A	24-8PR(1B) FEP PLNM	2,000
1694A	6-1C(1B) FOPV DBL SHLD RG/U	1,000
16E2455	24-FIBER OPTICAL CBL	2,090
1700A	24-4PR(1B) PVPV N/S CM/MP	1,100
17023A	18-3C(42B) HOSPITAL GRADE SJT 10' CORD	30
1752A	24-4PR(7T) POPV CM/MP	216
1808A	30-2C(7T) FOPV SPI	1,285
1826A	22-5C O.A. MAF/BRD WHT PVC	1,090
1855A	RG/U59(1B) FOPV DBL SHLD	8,000
2039C	16-2C(1B) PVPV MAF FAC	3,580
27081A	14-3C(7B) NYPV N/S TC	1,600
27082A	14-4C(7B) NYPV N/S TC	605
27097A	14-19C(7B) NYPV TC	1,750
27111C	12-4C(7B) XLPV XLPTC	88
27112A	12-5C N/S PVNY-PV 600V TC	435
27114A	12-7C N/S PVNY-PV 600V TC	375
27116A	12-9C (7B) NYPV N/S TC	820
27116R	12-9C (7T) XLCP	1,065
27143A	10-7C(7B) NYPV N/S TC	350
27331A	16-3C (7B) NYPV N/S TC	690
27339A	16-5C(7B) NYPV N/S TC	800
27340AS	16-9C SHLD PVNY-MAF-PV TC	200
27381A	16-40C NYPV TC	175
27627A	16-37C (7B) NYPV 600V	185

Belden #	Description	QTY Available
27636AS	14-2C SHLD PVNY-PV 600V TC	290
27636T	14-2C XLHY	250
27641A	12-2C (7B) NYPV TC	7,476
27641CU	12-2C (7B) XLP/PVC N/S 600V	34,230
27917A	16-2C (7B) NYPV N/S TC	1,730
28081C	14-3C(7B) XLPV XLPTC	3,212
28085C	14-7C(7B) XLPV XLPTC	700
28090C	14-12C(7B) XLPV XLPTC	327
28110C	12-3C (7B) XLPV 600V	3,136
28110CZ	12-4C (7B) XLPV XLPTC	782
28111A	12-4C(7B) NYPV N/S	1,516
28111C	12-4C (7B) XLPV XLPTC	185
28112A	12-5C N/S PVNY-PV 600V TC	200
28126C	12-19C (7B) XLP/PVC 600V	595
28139A	10-3C (7B) NY/PV N/S	3,360
28139A	10-3C (7B) NYPV OVAL	666
28139CZ	10-4C (7B) N/S XLP-PVC 600V TC	536
28140C	10-4C(7B) XLPV N/S	106
28141A	10-5C N/S PVNY-PV 600V TC	145
28148C	10-12C(7B) XL/PV N/S	102
28153C	6-3C (7B) XLP/PVC	1,048
28159A	2-3C (7B) NYPV N/S 600V	450
28171C	2/0-3C (19B) XLPV 600V	535
28323A	16-7C(7B) NYPV TC	3,375
28324AS	16-25C(7B) SHLD NYPV	2,616
28326AS	18-4C (7B) SHLD NYPV MAF TC	230
28330AS	16-16C(7B) SHLD NYPV	9,876
28331A	16-3C (7B) NYPV N/S 600V	2,560
28339A	16-5C(7B) NYPV N/S TC	286
28341AS	16-12C(7B) SHLD NYPV	340
28613A	18-37C(7B) NYPV TC	3,174
28616AS	16-8C(7B) SHLD NYPV	1,584
28616AS	16-8C(7B) SHLD NYPV	300
28617AS	16-10C(7B) SHLD NYPV	2,600
28625AS	16-20C(7B) SHLD NYPV	538
28626AS	16-30C(7B) SHLD NYPV	2,806
28627A5	16-37C (7B) NYPV 600V	158
29522C	12-3C (7B) XLPV 1KV	4,891
29522C	12-3C (7B) XLP/PVC TPE 1000V VFD	3,240
29523C	10-3C (7B) XLP/PVC TPE 1000V VFD	4,264
29525C	6-3C(7B) VFD XLPV 1KV	820
29532C	4/0-3C (19B) VFD 1KV	236
295727C	2-3C (7B) XLP/PVC TPE 1000V VFD	284

Belden #	Description	QTY Available
3022G	2-3C (7B) XLP/PVC 600V	620
3025A	18-2P (7B) SHLD (MAF) PVC/PVC 300V POS	1,396
3031A	16-16PR(7T) XLPV MAF SPOS	2,020
3031C	18-12C (7B) PVPV MAF	3,788
3034A	18-16P (7B) SHLD (MAF) PVC/PVC 300V POS	290
3037F	18-2C DATATRAY BLU/WHT DOUBLE SHIELD	362
3047A	16-4TR(7B) STOS (MAF) PVC/PVC 300V	3,820
3049A	16-8TRI (7B) STOS (MAF) PVC/PVC 300V	394
3050A	16-16P (7B) SHLD (MAF) PVC/PVC 300V POS	12,740
3051A	16-16P (7B) PVC/PVC MAF SPOS	63,311
3053A	16-12TRI (7B) PVPV MAF STOS	14,115
3055AE	16-24TRI(7B) MAF PVPV STOS 300V	7,352
3069AE	16-12TRI (7B) STOS (MAF) PVC/PVC 300V	11,099
3079A	22-2C(1B) PVPV DBL SHLD SAC	515
3080A	14-2C(7B) NYPV SHLD MAF	1,750
3082A	MIX-4C (19T) DBL	225
3089A	18-3C (7B) NYPV MAF TC	156
3090A	16-2C (7B) NYPV MAF 600V	1,555
3090RE	16-2C (7B) NYPV MAF 600V	5,652
3091A	16-3C (7B) NYPV MAF	1,790
3091C	16-3C(7B) SHLD(MAF) XLPV	470
3092A	RG/U 6(1B) FO-MAF-BRD-PV QUAD SHLD	280
3106A	22-3C(7T) PVPV DBL SHLD	440
3130A	20-108C PVPV MAF STOS	145
31P2012	20-12P(7B) PVPV 300V POS	200
33P2050	20-50PR(7B) PVPV SHLD	248
48111C	12-4C (7B) XLPV XLPTC	460
48116AS	12-9C (7B) NYPV MAF 600V	1,066
48145AS	10-9C (7B) NYPV MAF 600V	1,065
48149CZ	8-2C (7B) XLP/PVC 600V	690
48636CZ	14-3C (7B) XLPV XLPTC	475
48641AZ	12-3C (7B) NYPV N/S TC	1,660
48641CZ	12-3C (7B) XLPV 600V	424
48643CZ	10-3C (7B) N/S XLP-PVC 600V TC	255
5000UE	12-2C(19B) PVPV N/S UCC	1,200
5053FE	18-5C(7B) POPV MAF GRY	1,000
5100FE	14-2/C OAS CL3R	4,000
5102UE	14-4C(7B) PVPV N/S UCC	400
5122UL	14-4/C(1) N/S FPLR	500
5200UE	16-2C(19B) UCC PVPV	500
5202FE	16-4C(19B) PVPV MAF SAC	1,190
5301UE	18-3C(7B) PVPV N/S UCC	85
5304UE	18-6C N/S CMR	12,500

Belden #	Description	QTY Available
5320UE	18-2C(1B) PEPV N/S PLNM	600
5322FL	18-4/C(1) OAS FPLR	450
5342FE	18-3PR(7B) POPV MAF POS	500
5500FE	22-2C(7B) XLPV MAF SAC	425
5500UE	22-2C(7B) PVPV N/S UCC	500
5502FE	22-4C(7B) SHLD(MAF) PVPV	1,000
5502UE	22-4C(7B) N/S PV-PV WHT	4,000
5504FE	22-6C O.A.MAF GREY PLENUM	1,000
5504UE	22-6C(7B) POPV N/S UCC	500
5506FE	22-8C (7B) PVPV MAF	1,000
5508FE	22-10/C (7B) PVPV MAF SMCC	500
5509UE	22-12C(7B) PVPV N/S UCC	8,500
5542CE	22-3PR(7B) 1P-S,2P-N/S PV-MAF-PV CMR	500
57114CU	12-7C (7B) XLP/PVC 600V	1,626
57117CU	12-10C (7B) XLP/PVC 600V	562
58087A	14-9C (7B) NYPV N/S TC	4,488
58123A	12-16C (7B) NYPV N/S TC	12,060
58137A	12-30C (7B) NYPV N/S TC	8,121
6000UE	12-2C (19B) PVPV N/S	1,000
6001UE	12-3C PVPV PLNM	300
6100UE	14-2C N/S GRY PVC (K2)	400
6101FE	14-3C(19B) PVPV MAF 600V	1,000
6120UL	14-2C(1) N/S PLNM	1,500
6139B8	11-1C(1B) FOTE DBL SHLD PLNM	10,706
6200FE	16-2/C OAS PLENUM	490
6220FL	16-2/C(1) OAS FPLP	3,000
62P1608	16-8P(7B) NYPV SHLD	250
62T1612	16-12TRI (7B) NYPV MAF	216
62T1616	16-16TRI (7B) NYPV MAF	454
62T1812	18-12TRI.ST-OS PVNY-PV 600V TC	790
6300UE	18-2C N/S GRY PVC	15,355
6301FE	18-3C(7B) PVSO MAF PLNM	1,000
6301UE	18-3C(7B) PVPV N/S PLNM	500
6302UE	18-4C N/S PLENUM	500
6304FE	18-6C O.A.MAF WHT PLENUM	9,880
6304UE	18-6C(7B) PLNM PVPV	4,955
6320FL	18-2C(1B) PVPV MAF PLNM	5,000
6343FE	18-4PR (7B) POS PVPV MAF 600V	1,010
6400FE	20-2C (7B) XLP/PVC MAF PLNM	8,000
6402UE	20-4C(7B) PVPV N/S PLNM	484
6501FE	22-3C(7B) PVPV MAF SAC	500
6502UE	22-4C(7B) PVPV N/S PLNM	800
6506UE	22-8C(7B) N/S PV-PV CMP WHT	500

Belden #	Description	QTY Available
6508UE	22-10C POPV PLNM	1,000
6T00UP	10-2C(65B) PVPV N/S	760
7202A	24-3PR(41B) PVPV DBL SHLD POS	400
734D1	RG/U59(1T) FOPV DBL SHLD	8,000
735A2	26-2C(1) 735A SERIES COAX	42,000
735A6	26-6C(1) 735A SERIES COAX	11,960
7447AS	10-4C PVPV ROBOT	80
7453A	6-4C PVPV ROBOT	68
7811A	24-4P PVSO PLNM	1,000
7840A	22-12P(1) OAS TI/DSI	7,000
7852A	23-4PR(1B) POPV PLNM	680
7854A	24-4PR(1B) POPV CM/MP	3,000
7876A	MIX-18(1B) FOPV CM/MP	7,490
7896A	MIX-2P STRD SPOS DBL SHLD	510
7897A	MIX-2PR (19T) DBL GRY	9,860
7897A	MIX-2P(19T) NYPV	300
7922A	22-4PR(1B) PVPV CM/MP	300
7923A	22-4PR (1B) PVPV CM/MP 300V	2,165
7992A	18-4C(7B) POPO MAF SAC	8,000
8281F	RG/U59(7B) BRD SHLD	400
83900JX	20-2C FEFE JX	160
87117CU	12-10C (7B) XLP/PVC 600V	450
8723SB	22-2PR (7T) PPLS MAF	3,000
87775B	22-3PR(7T) MAF SPIC	1,800
9451SB	22-2C(7T) PPLS SHLD	1,000
9844CM	24-4PR(7T) PVPV DBL SHLD POS	75
9947B	22-15C O.A.MAF/BRD GRY	115
9L28050	18-50C(7T) PVC 300V FLT.	65
A020213	2-2C (7B) W/GRD NYPV 600V	245
A03024B	2-3C(7B) NYPV 600V	750
A032A4B	2/0-3C (19B) NYPV	802
A04122	12-4C (7B) NYPV N/S	884
APPL CORD	SJT 65' CORDSET	525
B9C38IT	6-FIBER OPTCAL CBL TPE	520
BASICS	18-24P O.A. MAF NYPV PLTC	248
BASICS	18-2C(7B) NYPV MAF 600V	10,040
BASICS	12-3C(7B) VFD XLPV 1KV	775
BASICS	12-4C(65T) XLPV DBL SHLD	4,094
BASICS	20-3 (7B) PVC/PVC MAF SAC 300V	180
BASICS	16-2C (7B) PVPV MAF 300V	650
BASICS	16-24PR (7B) POS NPLF TFN MAF	460
BASICS	18-8TRI(7T) MAF PVPV STOS	695
BASICS	18-24C(7B) SHLD(MAF) NYPV 150V STOS	260

Belden #	Description	QTY Available
BASICS	16-12TRI(7B) NYPV SHLD(MAF) NPLF	160
BASICS	18-2PR(7B) NYPV MAF	430
BASICS	18-4PR(7B) NYPV SHLD	895
BASICS	18-4PR (7B) NYPV SHLD	3,624
BASICS	18-8PR (7B) NYPV MAF	240
BASICS	18-16PR(7B) NYPV SHLD	5,222
BASICS	16-4P (7B) NY/PVC MAF SPOS	325
BASICS	16-12PR(7B) MAF NYPV SPOS	710
C02062G	6-2C (7B) XLP/PVC 600V	132
C5504	14-6C(7B) TECK XLPV	240
C550S	17-7C (7B) XLP/PVC TECK	160
C5528	14-30C(7B) TECK XLPV	95
C5534	12-6C(7B) TECK XLPV	40
C5560	10-2C(7B) TECK XLPV	269
C5566	10-8C(7B) XLPV N/S TECK	55
C5580	10-30C(7B) XLPV N/S TECK	440
C5600	4-2C (7B) TECK XLPV	1,683
C5601	4-3C (7B) XLP/PVC TECK 1000V	478
C5731	12-3C(7B) TECK XLPV 1KV	110
CTC7006	20-12C (26B) PVPV BRD SHLD 600V	275
E646067M	16-37C (7B) NYPV 600V	4,130
E82777	22-3PR(7T) TEHA MAF PLNM	800
E89259	RG/U59(7B) BRD SHLD	500
G138241	RG/U59(1B) POPV BRD SHLD	555
G23515	18-4TRI.ST-OS AIA-PVC	250
G27246	14-5C(7B) GRD XLP AIA-PVC 600V	185
LIFEGUARD	16-4C XLLS XLZH MAF	372
LIFEGUARD	16-5C(7T) XLLS XLZH SHLD	755
LIFEGUARD	16-9C XLLS XLZH MAF	175
LIFEGUARD	14-5C(7T) XLLS	625
LIFEGUARD	14-7C(7T) XLLS	900
LIFEGUARD	10-4C(7T) XLLS	322
LIFEGUARD	16-18C(7T) STOS XLLS SHLD MAF	370
LIFEGUARD	16-8P (7T) XLLS MAF SPOS	360
M2034	24-7C(7T) SHLD(BRD) PVPV	930
M5502V6	22-4C(7B) N/S PV-PV CMR GRY	1,000
M6547FE	22-9PR(7B) POPV MAF PLNM	3,000
M8448	22-6C,18-2C(T) N/S PV-PV CMG GRY	720
M8719	16-2C (19T) SHLD (MAF) PO/PVC	150
M8768	22-6PR(1T) PVPV MAF SPIC	530
M8777	22-3P(7T) POS PVPV SHLD MAF	845
M9212	11-1C(7T) POPV BRD SHLD RG/U	1,995
M9503	24-3PR(7T) POPV MAF POS	300

Belden #	Description	QTY Available
M96B612	24-FIBER OPTICAL CBL	970
M97382	2-FIBER OPTICAL CBL	995
M98058T	2-FIBER OPTICAL CBL	1,400
M9B044	4-FIBER OPTICAL CBL	7,960
M9W611	24-FIBER OPTICAL CBL	3,590
MCP0606	12-FIBER OPTICAL CBL	4,860
MLS6024	24-FIBER OPTICAL CBL	1,510
P03084B	8-3C(7T) EPCP 1KV	264
PT2P102	2-FIBER OPTICAL CBL	3,280
T9114	RG/U 6(1CW) FO-MAF-BRD-PV DUOBOND	315
TRAY OPTIC	2-FIBER OPTICAL CBL	18,318
Y59367	16-12PR(7B) MAF PVPV 300V SPOS	210
Y59822	16-6C(7B) SHLD(MAF) XLPV STOS	105
Y59824	18-4PR(7B) SHLD(MAF) XLPV SPOS	145
Y59825	18-12C(7B) SHLD(MAF) XLPV STOS	155
Y59827	18-24C(7B) SHLD(MAF) XLPV STOS	833
Y60550	16-2C(1) XLPV SHLD(MAF) EX XTCPL	445
Y60553	16-8C(1) XLPV SHLD(MAF) EX XTCPL	250
Y60554	16-8C(1) XLPV SHLD(MAF) KX XTCPL	190
Y60555	16-16C(1) XLPV SHLD(MAF) EX XTCPL	485
Y60556	16-16C(1) XLPV SHLD(MAF) KX XTCPL	175
Y60995	16-24PR SPOS XLPV MAF	173
Y61172	18-24P (7B) SHLD (MAF) PVC/PVC 300V POS	424
Y61471	18-12P (7B) SHLD (MAF) PVC/PVC 300V POS	7,437
Y61472	18-24P (7B) SHLD (MAF) PVC/PVC 300V POS	6,168
Y61484	16-2C (7B) SHLD (MAF) PVC/PVC 300V SAC	9,000
Y61485	16-3C (7B) SHLD (MAF) PVC/PVC 300V SAC	2,250
Y61486	16-2P (7B) SHLD (MAF) PVC/PVC 300V POS	1,550
Y62954	16-3C (7T) XLCP	130
Y63411	16-2 (7T) PVPV MAF SAC	31,250
Y63415	14-24P (7B) PVPV MAF SPOS 300V	25,108
Y63418	14-36P (7B) PVPV MAF SPOS 300V	4,572
Y63422	14-12P (7B) PVPV MAF SPOS 300V	20,446
Y63701	16-4 (1) XLPV KC N/S XTCPL	3,413
Y63896	18-12P(7T) MAF PVPV SPOS	3,775
Y63901	18-8PR (7T) PVPV MAF	1,540
Y64825	16-9 (7B) NY/PV AIA	270
Y64825	16-9C(7B) NYPV MAF BLK	270
Y65554	14-4P(7B) NYPV N/S	2,110
YC42199	10-3C(7B) NYPV TC	190
YC45739	18-24P(7T) POS PV-MAF-PV AIA-PVC 300V	478
YC45750	16-6P(7T) POS XLPV SHLD MAF	250
YC45898	18-36PR(7T) XLPV MAF SPOS	2,388

Belden #	Description	QTY Available
YC48158	18-2C (7T) SHLD (MAF) PVC/PVC 300V SAC	29,710
YC48162	18-4PR (7T) SPOS XLP/PVC MAF 300V	7,773
YC49634	16-6PR(7T) SPOS XL-MAF-PV AIA-PVC 600V	128
YC49635	16-16PR(7T) XLPV MAF SPOS	2,025
YC49666	18-8TR(7B) STOS PV-MAF-PV AIA-PV PLTC	684
YC49792	8-10C (7B) TECK XLPV	877
YC55510	14-36PR(7B) SHLD(MAF) NYPV SPOS	475
YC55524	16-2C(1) XLPV EX XTCPL	50
YC55577	10-12C(7B) XLHY XLCP	230
YC55578	8-12C (7B) XLCP	190
YC55654	14-12PR(7B) SHLD(MAF) NYPV SPOS RED	240
YC55656	14-24P(7B) SPOS NYPV SHLD MAF	685
YC55712	22-4C (7T) PVC/PVC UCC	2,300
YC55714	18-2C (16T) PVC/PVC AIAPV	2,250
YC55846	14-7C(7B) XLP-CPE XLPTC	1,198
YC55847	14-9C(7B) XLP-CPE 600V	375
YC55855	16-4PR(7B) SPOS XL-MAF-PV TC 600V	100
YC55857	14-15C(7B) XLP-CPE 600V	38
YC55926	14-2C(7B) XLP-CPE 600V	1,870
YC55928	14-5C(7B) XLHY XLCP	455
YM 56591	18-15C(7B)NYPV TC	1,230
YM28632	22-4PR(1T) POS PV-MAF-PV WHT CMG	4,000
YM29750	18-6TRI(7B) MAF PVPV 300V STOS	1,045
YM29752	18-12TRI.ST-OS PV-PV	610
YM43933	14-4C FLEX N/S SPEAKER	7,500
YM56595	18-5C PVNY-PV 600V	9,671
YM56600	16-3C PVNY-PV 600V	8,622
YM56605	18-4C(7T) PV-MAF-TCBRD-PVC PLTC	4,025
YM56634	22-8C(7B) SHLD PVNY-MAF-PV PLTC 300V	1,030
YM57812	16-16P (7B) NY/PVC MAF SPOS	4,732
YP4007	26-44C(7T) PVC GRY RBN 300V	5,000
YP4101	30-26C(7T) PVC GRY RBN	4,500
YQ11471	RG/U 59(7B)BRD,22-2C(T)MAF FEP CL2P	4,820
YQ28763	20-2C(7T) TETE DBL SHLD PLNM	650
YQ28763	20-2 PLNM TE-TE DBL SHIELD	200
YQ39731	20(1B) SHLD FO-BRD-PV CMP WHT	1,000
YQ43810	18-3PR(16T) POPV N/S PIC	8,970
YR20870	22-1C(1B) POPV BRD SHLD RG/U	1,715
YR28332	22-4PR(1B) SPIC FO-MAF-PV GRY CM	500
YR28826	20-2C TWAX	9,680
YR28926	20-2P (7T) PO/PVC DBL 300V TWAX	1,690
YR29036	RG/U 59(1B) FO-MAF-BRD-PV CL2 MV	330
YR29565	20-2C(7T) XLP-MAF-BRAID-PVC CM 300V	5,500



Belden #	Description	QTY Available
YR29565	20-2C(7T) PVPV DBL SHLD TWAX	17,620
YR40148	24-4PR(1B) (2X2POS) PV-MAF-PV CM/CL2	1,000
YR41531	22-1P,24-1P(T) SPOS PVPV MAF-BRD CL2	3,650
YR43634	24-4PR(1B) PEPV CMP CAT5	2,200
YR43648	24-8C(1B) PO-PV CM SILVS FLAT	17,130
YR43649	24-8C(1B) PO-PV IVY RBN	868
YR45287	22-3PR(7T) DBL SHLD PVCP 300V POS	670
YR53651	24-6C(1B) PEPV N/S PLNM	1,500