

**Belden Inventory**

<b>BELDEN #</b>	<b>BWC #</b>	<b>DESCRIPTION</b>	<b>TOTAL QUANTITY (FT)</b>
1007A	17-3208-X	20-16C(1) PVPV SHLD(MAF) 300V JX TCPL	1,100
1013A	17-4208-X	20-16C(1) PVPV SHLD(MAF) 300V KX TCPL	940
1027A	17-2208-	20-16C PVPV MAF TCPL	380
1030A	7-552-	16-2C(7B) SHLD PVC-MAF-PVC CMG 300V	740
1030A	7-552-	16-2C(7B) PVPV SHLD	630
1031A	7-553-	16-3C (7B) PVC/PVC MAF 300V SAC	3,680
1032A	7-532-	18-2C (7B) SHLD (MAF) PVC/PVC 300V SAC	72
1033R	7-522-	20-2/C OAS XLP PLTC	215
1034R	7-8403-	16-3C(7B) PVPV N/S UCC	1,500
1039A	7-3704-	16-4PR(7B) NYPV MAF SPOS	1,078
1039C	7-3754-	16-4PR(7B) XLPV SHLD(MAF) SPOS	360
1041A	7-3708-	16-8PR(7B) NYPV MAF SPOS	200
1042A	7-3712-	16-12PR(7B) NYPV MAF SPOS	55
1045A	7-3724-	16-24P NYPV MAF SPOS	136
1046A	7-3736-	16-36PR(7B) NYPV MAF SPOS	63
1047A	7-3750-	16-50P NYPV MAF SPOS	719
1049C	7-3604-	18-4PR(7B) XLPV SHLD	470
1050B	7-3608-	18-8PR SP-OS MAF 600V TC	228
1052A	7-3616-	18-16P(7B) SPOS NYPV SHLD MAF	178
1053A	7-3624-	18-24PR SPOS NY-PV 600V TC	1,100
1055A	7-3702-	16-2P NYPV MAF 150V SPOS	290
1055C	7-3702-	16-2PR(7B) XLPV MAF SPOS	265
1055R	7-3702-	16-2P(7B) NYPV SHLD	220
1063A	7-2302-	18-2PR(7B) NYPV MAF	110
1066A	7-2312-	18-12PR(7B) NYPV MAF POS	300
1069A	7-2402-	16-2PR(7B) POS PVNY-MAF-PV TC/NPLF	11,239
1070A	7-2404-	16-4P NYPV MAF POS	860
1072A	7-2412-	16-12PR O.A.MAF NY-PV TC 600V	324
1074RE	7-2424-	16-24PPR(7B) POS NPLF TFN SHLD MAF	520
1080A	7-3524-	20-24PR SP-OS MAF	396
1081A	7-3536-	20-36P(7B) SPOS PVPV SHLD MAF	936
1082A	7-3550-	20-50PR SP-OS MAF 300V 105C	355
1084A	7-2761- 8	20-24C (7B) PVPV SHLD MAF 300V	6,280
1087A	7-2336-	18-36PR(7B) NYPV MAF POS	505
1098A	7-2781- 8	16-24C NYPV MAF STOS	188

BELDEN #	BWC #	DESCRIPTION	TOTAL QUANTITY (FT)
1116A	17-464-SH	16-2C TETE MAF KX	230
1119A	6-2003-SH	16-3C (7B) NYPV BLK MAF 600V	3,719
1119B	6-2003-SH	16-3C MAF NYPV TC	390
1120A	7-532-	18-2/C OAS VNTC	25,115
1121A	7-533-	18-3/C OAS VNTC	52,950
1162A	10-600-	20-2C(7MX) POPV DBL SHLD TWAX	460
1175A	7-512- 1	22-2 (1T) PVPV MAF SAC	1,120
1189A	10-6-	6-1C(1CW) FOPV DBL SHLD RG/U	920
1215A	7-3502-26	26-2P(7B) SPOS FOPV DBL SHLD	900
1223A	10-6-	6-1C(1CW) FOPV DBL SHLD RG/U	490
1227A1	7-2002-	24-2PR(1B) PVPV N/S PLNM	3,090
1229AI	14-2404-	24-4PR(1B) POPV N/S IC	1,800
1334A	7-532-	18-2C (7T) DBL SHLD PVC/PVC BLUE	2,620
1348A	7-523-	20-3C PVPV SAC	550
1352A	14-3664-P6	23-4P(1B) PVPV	3,350
1418B	10-502- 5	26-5C(7B) FOPV BRD SHLD	500
1423A	7-2006-	24-6PR(7T) PVPV MAF POS	2,000
1457A	14-2404-	24-4PR(1B) N/S PLNM	2,450
1458A	14-2404-SH	24-4PR(1B) PVPV SHLD(MAF) PLNM	1,000
1466A	7-2304-	18-4P (7B) SHLD (MAF) PVC/PVC 300V POS	1,415
1467A	7-2308-	18-8P (7B) SHLD (MAF) PVC/PVC 300V POS	855
1471A	7-2324-	18-24P O.A. MAF 300V PLTC	130
1472A	7-2336-	18-36P O.A. MAF PLTC 300V	130
1478	10-1000-	12(1B) FOPV DBL SHLD ETHER	185
1481A	7-3636-	18-36P MAF XLPV SPOS 300V	130
1484A	7-2404-	16-4PR(7B) SHLD(MAF) PVPV 300V POS	19,386
1485A	7-2408-	16-8P(7B) POS PVPV SHLD MAF	6,709
1489A	7-2424-	16-24PR(7B) POS PV-MAF-PV PLTC 300V	1,840
1492A	7-3702-	16-2PR(7B) SHLD(MAF) PVPV SPOS	23,817
1492C	7-3702-	16-2PR SP-OS XL/CPE	380
1492C	7-3752-	16-2PR SP-OS XL/CPE	805
1493	7-3704-	16-4P (7B) PV/PV MAF PLTC	1,852
1493A	7-3704-	16-4P(7B) SPOS PVPV MAF 300V	31,984
1494A	7-3708-	16-8PR(7B) PVPV MAF SPOS	9,800
1494C	7-3708-	16-8P(7B) PVPV SHLD	2,193
1494T	7-3758-	16-8PR(7T) XLLS SHLD(MAF) SPOS	170
1498A	7-3708-	16-24P (7B) PVPV MAF SPOS 300V	29,750
1499A	7-3736-	16-36PR(7B) SPOS XL-MAF-PV PLTC 300V	190
1505A	10-59-	59 RG/U FOPV	1,635
1523A	10-11-B	11-1C(1CW) FOPV DBL SHLD RG/U	920
1577A	14-2407-	24-12PR(1B) FEFL N/S PLNM	5,495

BELDEN #	BWC #	DESCRIPTION	TOTAL QUANTITY (FT)
1578A	7-2012-	24-12P O.A. MAF CMP	18,800
1581A	14-2409-	24-25PR(1B) FEFE PLNM	500
1585A	14-2404-5E	24-4PR(1B) TEPV PLNM	5,000
1585A	14-3664-C5	24-4PR(1B) TEPV PLNM	21,090
1592A	14-3664-5E	24-4PR(7B) PVPV CM/MP	2,575
1618A	10-11-B	14-1C(1CW) FOPV QWD RG11/U	1,160
1634	7-3502-22	22-2PR (1B) SP-OS MAF/BRD	1,000
1634A	7-3502-22	22-2PR SP-OS MAF/BRD NON-PLENUM	5,285
1636A	7-3502-22	22-2PR SP-OS MAF/BRD PLENUM	2,135
1642A	7-2002-26	26-2PR(7B) DAPV DBL SHLD POS	3,000
1669A	14-2406-	24-8PR(1B) FEP PLNM	2,000
1694A	10-6-	6-1C(1B) FOPV DBL SHLD RG/U	1,000
1700A	14-3664-C5	24-4PR(1B) PVPV N/S CM/MP	1,100
1752A	14-3664-C5	24-4PR(7T) POPV CM/MP	216
1808A	10-501-2C	30-2C(7T) FOPV SPI	1,285
1855A	10-59-	RG/U59(1B) FOPV DBL SHLD	8,000
2039C	7-722-SH	16-2C(1B) PVPV MAF FAC	3,580
2651	7-1034-	18-34C(7T) PVC 300V FLT.	50
2715	6-2604-G	8-4C (7B) XLP/PVC 600V	88
2832	6-2025-SH	16-25C(7B) SHLD NYPV	450
2861	6-2008-SH	16-8C (7B) SHLD NYPV	1,562
3022G	6-2633-G	2-3C (7B) XLP/PVC 600V	289
3025A	7-2302-	18-2P (7B) SHLD (MAF) PVC/PVC 300V POS	1,280
3031C	7-2771- 4	18-12C (7B) PVPV MAF	760
3034A	7-2316-	18-16P (7B) SHLD (MAF) PVC/PVC 300V POS	290
3037F	7-8302-	18-2C N/S BLU PVC	362
3047A	7-2780- 4	16-4TR(7B) STOS (MAF) PVC/PVC 300V	3,820
3049A	7-2781- 8	16-8TRI (7B) STOS (MAF) PVC/PVC 300V	394
3050A	7-2416-	16-16P (7B) SHLD (MAF) PVC/PVC 300V POS	12,740
3051A	7-3716-	16-16P (7B) PVC/PVC MAF SPOS	65,331
3053A	7-2782-16	16-12TRI (7B) PVPV MAF STOS	14,115
3055AE	7-2784-	16-24TRI(7B) MAF PVPV STOS 300V	7,352
3069AE	7-2782-	16-12TRI (7B) STOS (MAF) PVC/PVC 300V	11,099
3079A	7-512- 1	22-2C(1B) PVPV DBL SHLD SAC	415
3080A	6-2052-SH	14-2C(7B) NYPV SHLD MAF	1,750
3082A	7-3502-	MIX-4C (19T) DBL	200
3090A	6-2002-SH	16-2C (7B) NYPV MAF 600V	1,045
3090RE	6-2002-GG	16-2C (7B) NYPV MAF 600V	5,652
3091A	6-2003-SH	16-3C (7B) NYPV MAF	1,740
3091C	6-2403-SH	16-3C(7B) SHLD(MAF) XLPV	470
3092A	10-6-	6-1C(1B) FOPV QWD SHLD RG/U	280

BELDEN #	BWC #	DESCRIPTION	TOTAL QUANTITY (FT)
3130A	7-2765-	20-108C PVPV MAF STOS	145
5000UE	7-8602-	12-2C(19B) PVPV N/S UCC	1,200
5020	7-792- 1	12-2/C(1) N/S FPLR	1,000
5053FE	7-5305-	18-5C(7B) POPV MAF GRY	1,000
5094	4-48-	3/16 (96B) BRD SHLD	2,750
5100FE	7-557-	14-2/C OAS CL3R	4,000
5102	7-8504-	14-4C(19B) PVPV N/S UCC	1,000
5102UE	7-8504-	14-4C(7B) PVPV N/S UCC	400
5200UE	7-8402-	16-2C(19B) UCC PVPV	500
5202FE	7-554-	16-4C(19B) PVPV MAF SAC	690
5220	7-722-	16-2/C(1) OAS FAC	19,930
5222	7-724-	16-4C(1B) N/S PV-PV FPLR RED	1,000
5301UE	7-8303-	18-3C(7B) PVPV N/S UCC	85
5304UE	7-8306-	18-6C N/S CMR	12,500
5320UE	7-8302- 1	18-2C(1B) PEPV N/S PLNM	600
5322FL	7-714-SH	18-4/C(1) OAS FPLR	450
5342FE	7-2303-	18-3PR(7B) POPV MAF POS	500
5400	7-8202-	20-2C(7B) PVPV N/S UCC	500
5500FE	7-512-	22-2C(7B) XLPV MAF SAC	425
5500UE	7-8102-	22-2C(7B) PVPV N/S UCC	500
5502FE	7-514-	22-4C(7B) SHLD(MAF) PVPV	1,000
5502UE	7-8104-	22-4C(7B) N/S PV-PV WHT	4,000
5504FE	7-5106-	22-6C(7B) PVPV MAF NEW GEN	1,000
5504UE	7-8106-	22-6C(7B) POPV N/S UCC	500
5506FE	7-5108-	22-8C (7B) PVPV MAF	1,000
5508FE	7-5110-	22-10/C (7B) PVPV MAF SMCC	500
5509UE	7-8112-	22-12C(7B) PVPV N/S UCC	8,500
5542CE	7-1203-1S	22-3PR(7B) 1P-S,2P-N/S PV-MAF-PV CMR	500
6000UE	7-8602-	12-2C (19B) PVPV N/S	1,000
6001UE	7-8603-	12-3C PVPV PLNM	300
6100UE	7-8502-	14-2C N/S GRY PVC (K2)	400
6120UL	7-732-	14-2C(1) N/S PLNM	1,500
6139B8	10-11-PL	11-1C(1B) FOTE DBL SHLD PLNM	10,706
6158	9-656-2C	1/0-2C (19B) XLP/PVC 1000V TECK	154
6193	9-659-G	4/0-3C GRD (37B) XLPV TECK 1000V	130
6200FE	7-552-	16-2/C OAS PLENUM	490
6220FL	7-722-SH	16-2/C(1) OAS FPLP	3,000
6222	7-724-	16-4C(1B) PVPV N/S PLNM	390
6300UE	7-8302-	18-2C N/S GRY PVC	12,355
6301FE	7-533-	18-3C(7B) PVSO MAF PLNM	1,000
6301UE	7-8303-	18-3C(7B) PVPV N/S PLNM	500

BELDEN #	BWC #	DESCRIPTION	TOTAL QUANTITY (FT)
6302UE	7-8304-	18-4C N/S PLENUM	500
6304FE	7-5306-	18-6C O.A.MAF WHT PLENUM	9,880
6304UE	7-8306-	18-6C(7B) PLNM PVPV	3,975
6320FL	7-712-SH	18-2C(1B) PVPV MAF PLNM	5,000
6343FE	7-2304-	18-4PR (7B) POS PVPV MAF 600V	1,010
6400FE	7-522-	20-2C (7B) XLP/PVC MAF PLNM	8,000
6402UE	7-8204-	20-4C(7B) PVPV N/S PLNM	484
6501FE	7-513-	22-3C(7B) PVPV MAF SAC	500
6502UE	7-8104-	22-4C(7B) PVPV N/S PLNM	800
6506UE	7-8108-	22-8C(7B) N/S PV-PV CMP WHT	500
6508UE	7-8110-	22-10C POPV PLNM	1,000
7202A	7-2003-	24-3PR(41B) PVPV DBL SHLD POS	400
7447AS	6-1994-	10-4C PVPV ROBOT	80
7453A	6-1996-	6-4C PVPV ROBOT	68
7731A	10-11-B	14-1C(1B) FOPF DBL SHLD RG11/U	980
7811A	14-2404-	24-4P PVSO PLNM	1,000
7840A	7-2112- 1	22-12P(1) OAS TI/DSI	7,000
7854A	14-3664-C5	24-4PR(1B) POPV CM/MP	4,000
7876A	14-3664-RG	MIX-18(1B) FOPV CM/MP	7,490
7896A	7-3702-	MIX-2P STRD SPOS DBL SHLD	335
7897A	7-3502-	MIX-2PR (19T) DBL GRY	9,860
7897A	8-325-CM	MIX-2P(19T) NYPV	300
7922A	14-3664-5E	22-4PR(1B) PVPV CM/MP	3,205
7923A	14-3664-5E	24-4PR(1B) PVPV CM/MP	2,165
8102	7-2002-AR	24-2PR(7T) POPV DBL SHLD PLNM	7,520
8103	7-2003-	24-3PR(7T) DBL SHLD PVPV POS	120
8104	7-2004-	24-4PR(7T) SHLD PVPV POS	272
8112	7-2012-	24-12PR(7T) PEPV DBL SHLD POS	308
8132	7-1802-	28-2PR(7T) POPV DBL SHLD POS	490
8164	7-3504-24	24-4P PVPV SPOS	70
8216	10-174-	RG/U174(7B) POPV BRD SHLD	400
8219	10-58-	RG/U58A(19T) FOPV BRD SHLD	97
8227	10-600-	20-2C POPV TWAX	875
8230	7-8202-	20-2C(7B) POLY N/S UCC	1,000
8233	10-11-B	14-1C RG11/U TRIAX	5,055
8240	10-58-	RG/U58-1C(1B) POPV BRD SHLD RG/U	160
8241	10-59-	RG/U59(1B) POPV BRD SHLD	1,045
8261	10-11-A	11A-1C(7T) POPV BRD SHLD RG/U	273
8277	10-600-	20-2C POPV TWAX	205
8279	10-59-	RG/U 59 (7B)	130
8281F	10-59-	RG/U59(7B) BRD SHLD	400

BELDEN #	BWC #	DESCRIPTION	TOTAL QUANTITY (FT)
8305	7-2105-	22-5PR(7T) DBL SHLD PVPV POS	225
8345	7-2015-	24-15PR(7T) POPV DBL SHLD POS	295
8450	7-512- 1	22-2C(1B) POPV MAF SAC	2,000
8455	7-103-CP	18-2/C, 20-3/C	185
8456	7-8110-	22-10C (7T) PVPV	1,591
8457	7-8112-	22-10C N/S CMG	62
8466	7-8312-	18-12C(19T) UCC PVPV	130
8471	7-552-	16-2C (19T) PVPV 600V	470
8486	7-8202-19	19-2C(1) N/S CM	2,500
8501	7-502-	24-2C (7T) PVPV MAF 300V GRY	185
8662	4-45-	3/4" T	7,400
8663	4-42-	7/32" ID TUBULAR BRD SHLD TC	1,200
8668	4-40-	11/64" ID TUBULAR BRD SHLD TC	250
8719	7-552-	16-2C(19T) POPV MAF SAC	115
8720	7-557-	14-2C(19T) SHLD PO-MAF-PVC CL2 300V	95
8723SB	7-3102-	22-2PR (7T) PPLS MAF	3,000
8751	7-2151- 1	22-51P 1TC MAF PVPV POS	210
8761	7-512-	22-2C MAF POPV SAC	220
8769	7-3119-	22-19PR(7T) POPV SHLD	700
8772	7-523-	20-3 (7T) POPVC MAF	74
87775B	7-3103-	22-3PR(7T) MAF SPIC	1,800
8916	3-1813-	14-1C (42T) PVC N/S AWMTW	500
9057	10-59-M	RG/U59(1B) FOPV TRI SHLD	500
9064	10-11-B	11-1C(1CW) FOPV DBL SHLD RG/U	652
9066	10-6-DB	18-1C(1CW) FOPV DBL SHLD RG/U	3,310
9104	10-59-	RG/U(1B) PVPV BRD SHLD	700
9114	10-6-	6-1C(1ST) FOPV DBL SHLD RG/U	820
9154	7-522-	20-2C(7T) PVPV MAF SAC	365
9168	10-6-	6-1C FOPV DBL SHLD RG/U	1,700
9182	10-400-	22-2C(19T) FOPV MAF TWAX	1,175
9204	10-59-	RG/U59(1CW) POPV BRD SHLD	500
9207	10-600-	20-2C TWAX 100-OHM	1,360
9228	10-62-A	RG/U62A(1B) POPO BRD SHLD	500
9231EQ	10-540-	20-1C(1B) PEPV BRD SHLD RG/U	9,935
9232	10-11-	11-1C(19B) POPV DBL SHLD TRIAX	795
9244	10-59-	RG/U59(1B) BRD SHLD	680
9248	10-6-	6-1C(1B) FOPV SHLD RG/U	400
9250	10-625-B	18-2C(7MX) POPV DBL SHLD TWAX	14,350
9259	10-59-	RG/U 59(7B) FO-BRD-TE CMP 200C	580
9262	7-5812-	20-12C(7T) SMCC PVPV BRD SHLD	270
9267	10-59-TR	RG/U59(1B) POHY DBL SHLD	2,578

BELDEN #	BWC #	DESCRIPTION	TOTAL QUANTITY (FT)
9268	10-62-A	RG/U62A POPV BRD SHLD	490
9269	10-62-A	RG/U62A(1B) POPV BRD SHLD	566
9275	10-540-	20(1B) SHLD FO-BRD-PV CMP BLK	180
9292	10-11-	RG/U -1C (1B) FOPV DBL SHLD	1,040
9302	7-2102- 1	22-2P(1) O.A. MAF CMG	5,665
9305	7-2104- 1	22-4P(1) O.A. MAF CMG	258
9316	7-552-	16-2C(19T) PVPV MAF SAC	11,140
9320	7-522-	20-2C(10T) PVPV MAF SAC	890
9342	6-2002-SH	16-2C (19T) NYPV MAF 600V	64
9343	6-2052-GS	14-2C (41T) NYPV MAF 600V	3,765
9343	6-2052-SH	14-2C (41T) NYPV MAF 600V	8,430
9360	7-553-	16-3C(19T) PVPV SHLD	220
9451	7-512-	22-2C(7T) PVPV MAF SAC	800
9451SB	7-512-	22-2C(7T) PPLS SHLD	1,000
9463	10-590-	20-2C(7T) PVPV DBL SHLD TWAX	500
9463	10-600-	20-2C TWAX "BLUE HOSE"	410
9488	6-2052-	14-2C (41T) NYPV N/S 600V	600
9488	6-2052-FX	14-2C (41T) NYPV N/S 600V	5,225
9493	7-8303-	18-3C(19T) PVPV N/S UCC	295
9504	7-2004-	24-4PR (7T) SHLD (MAF) PVC/PVC 300V POS	140
9505	7-2005-	24-5PR(7T) SHLD(MAF) PVPV 300V	1,550
9507	7-2007-	24-7P O.A. MAF CMG	18,500
9533	7-503-	24-3C (7T) PVC/PVC MAF SAC	500
9534	7-504-	24-4C (7T) PVC/PVC MAF SAC	65
9540	7-5610-	24-10C (7T) PVC/PVC MAF SMCC	57
9541	7-5015-	24-15C MAF PVPV 300V	80
9554	7-2304-	18-4P MAF PVPV 300V	85
9555	10-59-2C	RG/U59-2C(1B) POPV BRD SHLD	1,300
9562	7-1002-	24-2PR(1T) PVPV N/S PIC	400
9565	7-2315-	18-15P OAS, PLTC, ITC, CMG	6,020
9570	7-1010-	24-10PR(1T) PVPV N/S PIC	1,000
9580	7-732-	14-2/C(1) N/S FPLR	1,789
9581	7-732-SH	14-2/C(1) MAF SHLD FPLR	390
9583	7-792-SH	12-2C MAF PVPV	1,270
9609	7-504-2S	24-4C(7T) PVPV DBL SHLD SAC	2,000
9681	7-2004-	24-4PR(7T) PVPV MAF POS	480
9682	7-2006-	24-6PR(7T) PVPV MAF POS	900
9689	7-1106-RG	22-6PR(1B) FPPE DBL SHLD PIC	490
9689	14-2906-SH	22-6PR(1B) POPV DBL SHLD IC	4,210
9696	7-2102- 1	22-2PR(1B) POPV DBL SHLD POS	710
9728	7-2904-	24-4PR(7T) POPV MAF SPIC	425

BELDEN #	BWC #	DESCRIPTION	TOTAL QUANTITY (FT)
9745	7-1203-	22-3PR(7T) PVCV N/S PIC	1,000
9747	7-1112-	22-12PR(7T) PVPV N/S PIC	975
9750	7-1303-	20-3PR(10T) PVPV N/S PIC	100
9767	7-3137-	22-37P MAF POPV SPIC	105
9784	7-2906-	24-6P MAF PVPV SPIC	255
9794	14-3659-	22-4C(1B) POPV N/S PLNM	1,000
9807	7-1805-	28-5PR(7T) POPV DBL SHLD POS	10,921
9814	7-1831-	28-31PR(7T) POPV DBL SHLD POS	800
9844CM	7-2004-	24-4PR(7T) PVPV DBL SHLD POS	75
9850	10-216-	RG/U216(7T) POPV DBL SHLD	1,000
9861	10-212-	RG/U212(1SP) POPV BRD SHLD	810
9863	7-2903-25	25-3PR E/PR SHLD TWAX	1,010
9883	7-3203-	20-3PR E/PR SHLD HDPE	145
9907	10-58-	RG/U58(19T) FPPV DBL SHLD	1,300
9925	7-503-	24-3C(7T)PVPV DBL SHLD SAC	500
9936	7-5015-	24-15PR(7T) POPV DBL SHLD SMCC	800
9938	7-5037-	24-37C POPV SMCC	140
9945	7-5109-	22-9C O.A.MAF/BRD GRY	125
9947B	7-5115-	22-15C O.A.MAF/BRD GRY	115
9991	7-2906-	24-6PR(7T) POPV MAF SPIC	300
11700A	14-2404-5E	24-4PR(1B) PVPV 300V IC	1,190
11700A	14-3664-5E	24-4PR(1B) PVPV 300V CM/MP	630
13205B	7-712- 1	18-2C (1B) FAC	2,000
14936	7-3704-	16-4P (7B) PV/PV MAF PLTC	924
17005	15-6106-	18-3C(FLEX B) PVC SJT REPL 8' BRN	4
17023A	15-6106-	18-3C(42B) HOSPITAL GRADE SJT 10' CORD	30
17566	15-1374-	18-3C SVT BLK	7
17600	15-6106-	18-3C PVC SJT 3PRONG PLG REPL 6'7" BLK	12
21450	6-2602-GG	8-2C (7B)+ GRN GRD XLP/PVC 1000V	320
21454	6-2613-G	6-3C (7B) XLP/PVC 1000V	527
21551	6-2503-G	12-3C (7B) W/G XLPV 600V	420
23509	7-3704-AR	16-4PR (7T) SPOS PVC/PVC MAF 300V	190
23512	7-2772-AR	18-12TRI(7T) SHLD(MAF) XLPV 300V STOS	195
23522	7-2780-AR	16-2TRI (7T) STOS PVC/PVC MAF 300V	962
23524	7-2312-AR	18-12PR(7T) XLPV MAF POS	315
23524	7-3612-AR	18-12P(7T) SPOS PVPV SHLD MAF	280
24505	7-3702-AR	16-2PR(7T) SHLD(MAF) PVPV SPOS	85
25504	9-52-SH	16-2C(7T) SHLD XLP-MAF-PV GSIA-PV GRY	190
27081A	6-2053-	14-3C(7B) NYPV N/S TC	1,400
27082A	6-2054-	14-4C(7B) NYPV N/S TC	205
27111	6-2504-G	12-4C(7B) W/GRD XLPV XLPTC	6,629



BELDEN #	BWC #	DESCRIPTION	TOTAL QUANTITY (FT)
27111C	6-2504-	12-4C(7B) XLPV XLPTC	88
27112A	6-2105-	12-5C N/S PVNY-PV 600V TC	435
27114A	6-2107-	12-7C N/S PVNY-PV 600V TC	375
27116A	6-2109-	12-9C (7B) NYPV N/S TC	820
27139C	6-2553-	10-3C(7B) XLP/PVC	170
27143A	6-2157-	10-7C(7B) NYPV N/S TC	350
27148	6-512-SH	10-12C(7B) XLCP MAF	242
27259	9-304-G	10-4C(7B) AIAPV XLP	290
27263	9-671-G	6-4C (7B) W/GRD XLP AIAPV	65
27265	9-653-4G	4-4C (7B) W/GRD XLP AIAPV	220
27267	9-654-G	2-3C(7B) W/GRD AIAPV	307
27273	9-207-G	12-7C(7B) AIAPV XLP	3,154
27331A	6-2003-	16-3C (7B) NYPV N/S TC	690
27339A	6-2005-	16-5C(7B) NYPV N/S TC	800
27340AS	6-2009-SH	16-9C SHLD PVNY-MAF-PV TC	200
27381A	6-2040-	16-40C NYPV TC	175
27627A	6-2037-	16-37C (7B) NYPV 600V	185
27636AS	6-2052-SH	14-2C (7B) NYPV MAF 600V	290
27636T	6-152-	14-2C XLHY	250
27641	6-2502-G	12-2C (7B) W/G XLP/PVC N/S 600V	1,370
27641A	6-2102-	12-2C (7B) NYPV TC	7,466
27641CU	6-2502-G	12-2C (7B) W/G XLP/PVC N/S 600V	920
27917A	6-2002-	16-2C (7B) NYPV N/S TC	1,730
28081A	6-2053-	14-3C(7B) NYPV N/S TC	200
28081C	6-2453-	14-3C(7B) XLPV XLPTC	200
28081C	6-2453-	14-3C(7B) XLPV XLPTC	3,012
28082A	6-2054-	14-4C(7B) NYPV N/S TC	400
28085C	6-2457-	14-7C(7B) XLPV XLPTC	700
28087A	6-2059-	14-9C (7B) NYPV N/S TC	338
28090C	6-2462-	14-12C(7B) XLPV XLPTC	280
28097A	6-2069-	14-19C (7B) NYPV N/S TC	1,750
28110C	6-2503-	12-3C (7B) XLPV 600V	1,562
28110C	6-2503-GG	12-3C (7B) XLPV 600V	1,574
28110CZ	6-2504-	12-4C (7B) XLPV XLPTC	782
28111A	6-2104-	12-4C(7B) NYPV N/S	1,516
28111C	6-2504-	12-4C (7B) XLPV XLPTC	185
28112A	6-2105-	12-5C N/S PVNY-PV 600V TC	200
28114A	6-2107-	12-7C N/S PVNY-PV 600V TC	880
28126C	6-2519-	12-19C (7B) XLP/PVC 600V	85
28139A	6-2153-	10-3C (7B) NY/PV N/S	4,026
28139CZ	6-2554-	10-4C (7B) N/S XLP-PVC 600V TC	536

BELDEN #	BWC #	DESCRIPTION	TOTAL QUANTITY (FT)
28140A	6-2154-	10-4C(7B) NYPV TC	368
28140C	6-2554-	10-4C(7B) XLPV N/S	106
28148C	6-2562-	10-12C(7B) XL/PV N/S	102
28150AX	6-2203-	8-3C(7B) NYPV N/S TC	1,632
28153C	6-2613-G	6-3C (7B) XLP/PVC	1,048
28155C	6-2622-G	2C #4 W/#4 GND 600V TC-ER	1,194
28159A	6-2268-G	2-3C (7B) NYPV N/S 600V	100
28159Q	6-2633-G	3/C #2 W/GND	1,970
28161C	6-2643-G	1AWG 3C W/GRND 600V	1,288
28168C	6-2653-G	1/0 3C W/GRND 600V	438
28171C	6-2663-G	2/0-3C (19B) XLPV 600V	535
28177C	6-2683-G	4/0 3C W/GRND 600V	2,311
28323A	6-2007-	16-7C(7B) NYPV TC	3,375
28326AS	6-2004-18	18-4C (7B) SHLD NYPV MAF TC	230
28330AS	6-2016-SH	16-16C(7B) SHLD NYPV	9,876
28331A	6-2003-	16-3C (7B) NYPV N/S 600V	2,560
28339A	6-2005-	16-5C(7B) NYPV N/S TC	286
28341AS	6-2012-SH	16-12C(7B) SHLD NYPV	340
28615AS	6-2006-	16-6C(7B) NYPV MAF TC	8,020
28616AS	6-2008-SH	16-8C(7B) SHLD NYPV	1,884
28617AS	6-2010-SH	16-10C(7B) SHLD NYPV	2,600
28625A	6-2020-	16-20C(7B) N/S NYPV	794
28625AS	6-2020-SH	16-20C(7B) SHLD NYPV	2,822
28626AS	6-2030-SH	16-30C(7B) SHLD NYPV	1,800
28627A5	6-2037-SH	16-37C (7B) NYPV 600V	4,265
29503	6-3052-1F	10-4C (105T) XLPV DBL SHLD	50
29504	6-3053-IF	8-4C(133T) VFD XLPV DBL SHLD	27
29505	6-3054-1F	6-4C (133)T XLPV DBL SHLD 1000V VFD	1,588
29506	6-3055-1F	4-4C(133T) XLPV DBL SHLD	6,600
29507	6-3056-1F	2-4C(133T) XLPV DBL SHLD	705
29522C	6-3001-G	12-3C(7B) VFD XLPV 1KV	4,211
29522C	6-2503-1K	12-3C (7B) XLPV 600V	4,891
29522C	6-3001-1K	12-3C(7B) VFD XLPV 1KV	675
29525C	6-3004-1K	6-3C(7B) VFD XLPV 1KV	550
29530	6-3010-1K	2/0-3C W/GRDS (133T) XLP/PVC TPE VFD	25
29531	6-3011-G	3/0-3C (133T) XLP/PVC TPE 1000V VFD	79
29532	6-3012-G	4/0-3C(133T) VFD XLCP TPE	84
29532C	6-3012-G	4/0-3C (19B) VFD 1KV	236
32410	3-1410-	10-1C (19T) N/S	240
37106	2-1460-	6 FLEX TIN EPR 600V AWM 3340/3374	2,453
37108	2-1459-	8 FLEX TIN EPR 600V AWM 3340/3374	170

BELDEN #	BWC #	DESCRIPTION	TOTAL QUANTITY (FT)
37140	2-1467-	4/0 FLEX TIN EPR 600V AWM 3340/3374	14
43094	10-6-	18-1C (1CW) FOPV DBL RG/6U	1,030
48111C	6-2504-	12-4C (7B) XLPV XLPTC	460
48116AS	6-2109-SH	12-9C (7B) NYPV MAF 600V	666
48145AS	6-2159-SH	10-9C (7B) NYPV MAF 600V	1,065
48149CZ	6-2602-GG	8-2C (7B)+ GRN GRD XLP/PVC 1000V	690
48636CZ	6-2453-	14-3C (7B) XLPV XLPTC	475
48641AZ	6-2103-	12-3C (7B) NYPV TC	1,660
48641CZ	6-2503-	12-3C (7B) XLPV 600V	424
48643AZ	6-2553-	10-3C (7B) N/S VNTC 600V TC	1,660
48643CZ	6-2553-	10-3C(7B) XLP/PVC	595
57114CU	6-2507-G	12-7C (7B) XLP/PVC 600V	1,626
57117CU	6-2510-G	12-10C (7B) W/G XLP/PVC 600V	312
58087A	6-2059-	14-9C (7B) NYPV N/S TC	4,150
58123A	6-2116-	12-16C (7B) NYPV N/S TC	12,060
58137A	6-2130-	12-30C (7B) NYPV N/S TC	8,121
82248	10-6-	18-1C (1B) FO/PVC DBL PLNM RG/6	1,000
82269	10-62-	RG/U62(1CW) TEPV BRD SHLD	900
82723	7-3102-	22-2PR(7T) HATE MAF PLNM	440
82729	7-2002-	24-2P MAF FETE PLNM	300
82761	7-512-	22-2C(7T) TETE MAF PLNM	10,310
82842	7-2002-	24-2PR(7T) PVPV DBL SHLD	3,400
82907	10-58-	RG/U58-1C(19T) DBL SHLD PLNM	1,485
83010	2-2225-	16-1C (19SP) TFE N/S	72,000
83025	2-2222-	22-1C (7SI) TEF N/S TFE 1000V	3,000
83043	2-2222-30	30(7SC) TFE	2,130
83050	2-2206-	22-1C (19SI) TEF N/S FEP	1,000
83265	10-178-B	RG/U30(7T) FEFE BRD SHLD	8,741
83322	6-6202-SH	16-2C(19SP) SHLD TETE	225
83512	7-5012-	24-12C(7T) TETE PLNM	3,375
83515	7-5015-	24-15C(19T) FEFE DBL PLNM	175
83609	7-5209-	20-9C(7T) TETE PLNM	280
83612	6-6179-12	20-12C(7T) TETE PLNM	305
83612	7-5212-	20-12C(7T) TETE PLNM	250
83652	7-532-	18-2C(7T) TETE PLNM	80
83654	7-534-	18-4C(19T) DBL SHLD FEFE	194
83662	7-5312-	18-12C (19T) FEFE O.A.MAF/BRD	50
83709	6-6209-SH	16-9C(19T) FEPCC DBL SHLD	120
83719	6-6219-SH	16-19C(19T) TETE FEPCC	532
83900JX	17-326-	20-2C FEFE JX	160
83953	17-4501-	16-2C TETE TCPL	200

BELDEN #	BWC #	DESCRIPTION	TOTAL QUANTITY (FT)
85107	6-6207-	16-7C(19T) TETE N/S FEPCC	1,925
87117CU	6-2510-G	12-10C (7B) W/G XLP/PVC 600V	450
88106	7-2006-	24-6PR(7T) FOTE MAF PLNM	160
88241	10-59-	RG/U59(1CW) TETE BRD SHLD PLNM	245
88281	10-59-	RG/U59(1B) TETE DBL SHLD PLNM	970
88723	7-3102-	22-2PR(7T) POPV MAF SPIC	690
88777	7-3103-	22-3PR(7T) TETE MAF PLNM	440
89120	10-6-	6-1C(1CW) FOTE DBL SHLD PLNM	600
89182	10-615-	22-2C(7T) FOTE SHLD	130
89259	10-59-	RG/U59(1CW) TETE BRD SHLD	640
89272	10-590-	20-2C(7T) TETE BRD SHLD PLNM	40
89555	10-59-2C	RG/U59-2C(1CW) FEFE BRD SHLD PLNM	400
89729	7-2902-	24-2P (7T) SPIC MAF	800
89757	7-2907-	24-7PR(7T) PVTE MAF PLNM	550
89880	10-1000-PL	12(1B) FOTE QWD ETHER	1,200
89907	10-58-A	58A(19T) FOTE	2,145
100255	10-3002-	2-FIBER OPTICAL CBL	849
121486B	7-2412-AR	16-12P XLPV MAF POS	262
121700R	14-3664-AR	24-4PR(1B) POPV CM/MP	37
121702A	14-2406-AR	24-8P PVPV ALNM	380
121872A	14-3664-6A	23-4PR (1B) PVPV CM/MP	185
123076E	7-532-AR	18-2C(7T) SHLD(MAF) POPV ORG	330
123076F	7-532-AR	18-2C(7T) SHLD(MAF) POPV BLK	530
123082A	07-3602-AR	MIX-2P PVPV SPOS ARMORED	108
123092A	10-6-AR	6-1C(1B) FOPV QWD SHLD RG/U	450
127896A	7-3602-AR	16-2C,18-2C SPOS MAF/BRD AIA-PVC	1,446
128723	7-3102-AR	22-2PR(7T) PVPV MAF SPIC	270
129463	10-590-AR	20-2C XLPV TWAX	90
129463	10-600-AR	20-2C(7T) PVPV DBL SHLD TWAX	260
129842	7-2002-AR	24-2PR(7T) POPV DBL SHLD PLNM	5,760
138777	7-3103-AR	22-3PR (7T) PVPV MAF	1,779
225368	10-3008-	8-FIBER OPTICAL CBL	1,390
225414	10-3004-	4-FIBER OPTICAL CBL	1,000
225442	10-3002-	2-FIBER OPTICAL CBL	3,000
226141	10-3001-	1-FIBER OPTICAL CBL	2,200
227201	10-3001-	1-FIBER OPTICAL CBL	1,545
229602	10-3002-	2-FIBER OPTICAL CBL	435
295727C	6-3007-1K	2-3C (7B) XLP/PVC TPE 1000V VFD	284
549945	10-59-SP	18-2C+RG/U59(STRD B) FIG8	410
550684	10-3012-PL	12-FIBER OPTICAL CBL	1,000
550835	10-3002-	1-FIBER OPTICAL CBL	1,425

BELDEN #	BWC #	DESCRIPTION	TOTAL QUANTITY (FT)
550851	10-3036-	36-FIBER OPTICAL CBL	3,600
550856	10-3002-	2-FIBER OPTICAL CBL	1,192
550905	10-3006-	6-FIBER OPTCAL CBL	770
601622	14-1001-	19-6PR(7B) POPO TPE SHLD CUP	2,425
613948	10-11-PL	11-1C(1B) FOTE BRD SHLD PLNM	1,925
62T1608	7-2781-8	4TR 16 AWG STOS 600V	2,020
633948	10-6-	6-1C(1B) FOPV BRD SHLD PLNM	2,065
643948	10-59-	RG/U59(1B) FOPV BRD SHLD PLNM	500
5711704	6-2510-G	12-10C (7B) XLP/PVC 600V	250
105183743	14-404-	22-25PR(1B) POPO AL-TPE SHLD ALP	430
10GX63F	14-3664-P6	23-4P (1B) PVC/PVC MAF PLNM	86,850
12-29522	9-203-G	12-3C(7T) GRDS XL-CTS-PV AIA-PV MC/VFD	830
12-29526	9-653-G	4-3C(7T) GRDS XL-CTS-PV AIA-PV MC/VFD	245
12-29530	9-657-G	2/0-3C GDS FLEX XL-CT-PV AIA-PV MC/VFD	305
12-29531	9-658-G	3/0-3C GDS FLEX XL-CT-PV AIA-PV MC/VFD	150
12-29532	9-659-GF	4/0-3C GDS FLEX XL-CT-PV AIA-PV MC/VFD	73
123107A	7-2102-AR	22-2PR(7T) PVPVDBL SHLD POS	1,228
1319SB	14-3664-C6	23-4P(1B) POLS	1,000
16E2455	10-3024-	24-FIBER OPTICAL CBL	2,090
27116R	6-459-	12-9C (7T) XLCP	1,065
28613A L2	6-2037-18	18-37C(7B) NYPV TC	2,662
31P2012	7-2212-	20-12P(7B) PVPV 300V POS	200
32P2004	7-3504	4PR 20GA BLU JKT	6,630
32P2036	7-3536	36PR 20GA BLU JKT	16,320
32P1604	7-3704	4PR 16 AWG 300V PLTC	12,926
580575	14-1905-	22-25PR(1B) POPO CU-TPE SHLD CUP-F	1,000
62P1608	7-3708-	16-8P(7B) NYPV SHLD	250
62T1612	7-2782-	16-12TRI (7B) NYPV MAF	216
62T1616	7-2782-16	16-16TRI (7B) NYPV MAF	454
62T1812	7-2772-12	18-12TRI.ST-OS PVNY-PV 600V TC	790
6T00UP	6-2152-	10-2C(65B) PVPV N/S	760
734D1	10-59-	RG/U59(1T) FOPV DBL SHLD	8,000
735A2	10-502- 2	26-2C(1) 735A SERIES COAX	41,000
735A6	10-502- 6	26-6C(1) 735A SERIES COAX	8,760
9923-009	2-1302-	24-1C (7T) 300V PVC (VARIOUS COLORS)	15,835
9L28050	7-1050-	18-50C(7T) PVC 300V FLT.	65
A020213	6-2268-GG	2-2C (7B) W/GRD NYPV 600V	195
A03024B	6-2268-G	2-3C(7B) NYPV 600V	175
A03084B	6-2203-G	8-3C(7B) W/G NYPV N/S TC	431
A03084R	6-2203-	8-3C(7B) NYPV N/S TC	2,496
A032A4B	6-2283-G	2/0-3C (19B) NYPV	802

BELDEN #	BWC #	DESCRIPTION	TOTAL QUANTITY (FT)
A04122	6-2104-	12-4C (7B) NYPV N/S	884
A05084R	6-2205-	8-5C(7B) W/G NYPV N/S TC	484
B9C38IT	10-3006-	6-FIBER OPTCAL CBL TPE	520
BASICS	6-2002-18	18-2C (7B) NYPV MAF TC	7,040
BASICS	6-3001-1F	12-4C(65T) XLPV DBL SHLD	4,094
BASICS	7-2324-	18-24P (7B) SHLD (MAF) VNTC POS	248
BASICS	7-2424-	16-24PR (7B) POS NPLF TFN MAF	345
BASICS	7-2771- 8	18-8TRI(7B) MAF NYPV STOS	260
BASICS	7-2782-	16-12TRI(7B) NYPV SHLD(MAF) NPLF	160
BASICS	7-3602-	18-2PR(7B) NYPV MAF	430
BASICS	7-3604-	18-4PR(7B) NYPV SHLD	4,469
BASICS	7-3608-	18-8PR (7B) NYPV MAF	240
BASICS	7-3616-	18-16PR(7B) NYPV SHLD	5,222
BASICS	7-3704-	16-4P (7B) NY/PVC MAF SPOS	135
BASICS	7-3712-	16-12PR(7B) MAF NYPV SPOS	188
BASICS	7-3712-	16-12PR(7B) MAF NYPV SPOS	280
BASICS	7-523-	20-3 (7B) PVC/PVC MAF SAC 300V	180
BASICS	7-552-	16-2C (7B) PVPV MAF 300V	650
BASICS	7-552-	16-2C(7B) PVPV SHLD 300V	2,470
C02062G	6-2612-G	6-2C (7B) XLP/PVC 600V	82
C5500	9-102-G	14-2C(7B) GRD XLP TECK HL 600V	270
C5504	9-106-G	14-6C(7B) TECK XLPV	240
C550S	9-107-G	17-7C (7B) XLP/PVC TECK	160
C5528	9-130-G	14-30C(7B) TECK XLPV	95
C5534	9-206-G	12-6C(7B) TECK XLPV	40
C5560	9-302-G	10-2C(7B) TECK XLPV	269
C5566	9-308-G	10-8C(7B) XLPV N/S TECK	55
C5580	9-330-G	10-30C(7B) XLPV N/S TECK	325
C5600	9-920-G	4-2C (7B) TECK XLPV	1,357
C5601	9-653-G	4-3C (7B) XLP/PVC TECK 1000V	390
C5731	9-203-G	12-3C(7B) TECK XLPV 1KV	110
CH78719	15-1370-	18-3 APPL CORD	396
CTC7006	7-5812-	20-12C (26B) PVPV BRD SHLD 600V	275
CP14044Q	7-3454	4PR 14 AWG 600V TC-ER XL	1,284
E1826A	7-5105-	22-5C(7B) POPV DBL SHLD	1,090
E82777	7-3103-	22-3PR(7T) TEHA MAF PLNM	765
G128762	7-522-AR	20-2C(7T) SAC POPV SHLD MAF AIA	185
G138241	10-59-	RG/U59(1B) POPV BRD SHLD	555
G23554	7-3636-AR	18-36P MAF PVPV SPOS 300V	250
G27246	9-105-G	14-5C(7B) GRD XLP AIA-PVC 600V	185
LIFEGUARD	6-104-SH	16-4C XLLS XLZH MAF	980

BELDEN #	BWC #	DESCRIPTION	TOTAL QUANTITY (FT)
LIFEGUARD	6-105-SH	16-5C(7T) XLLS XLZH SHLD	755
LIFEGUARD	6-109-SH	16-9C XLLS XLZH MAF	175
LIFEGUARD	6-155-	14-5C(7T) XLLS	625
LIFEGUARD	6-157-	14-7C(7T) XLLS	900
LIFEGUARD	6-254-	10-4C(7T) XLLS	322
LIFEGUARD	7-3758-	16-8P (7T) XLLS MAF SPOS	360
LIFEGUARD	17-4604-	16-4PR SPOS KX LS	190
M5502V6	7-8104-	22-4C(7B) N/S PV-PV CMR GRY	1,000
M6547FE	7-2109-	22-9PR(7B) POPV MAF PLNM	2,000
M8448	7-8108-	22-6/C CMG PVPV GRY	470
M8719	6-2402-SH	16-2C (19T) SHLD (MAF) PO/PVC	1,150
M8768	7-3056-	22-6PR(1T) PVPV MAF SPIC	530
M8777	7-2103-	22-3P(7T) POS PVPV SHLD MAF	300
M9212	10-11-B	11-1C(7T) POPV BRD SHLD RG/U	1,995
M9503	7-2003-	24-3PR(7T) POPV MAF POS	300
M96B612	10-3024-	24-FIBER OPTICAL CBL	970
M97382	10-3002-	2-FIBER OPTICAL CBL	995
M98058T	10-3002-	2-FIBER OPTICAL CBL	1,400
M9B044	10-3004-PL	4-FIBER OPTICAL CBL	7,960
M9W611	10-3024-	24-FIBER OPTICAL CBL	3,590
MCP0606	10-3012-	12-FIBER OPTICAL CBL	4,860
MLS6024	10-3024-	24-FIBER OPTICAL CBL	1,510
P03084B	6-1103-G1	8-3C(7T) EPCP 1KV	264
PT2P101	10-3001-	1-FIBER OPTICAL CBL YEL	1,640
PT2P102	10-3002-	2-FIBER OPTICAL CBL	3,280
SSM2034	7-5607-	24-7C (7T) PVPV BRD SHLD	930
T9114	10-6-	RG/U 6(1CW) FO-MAF-BRD-PV DUOBOND	315
OPTIC	10-3002-	2-FIBER OPTICAL CBL	18,318
Y59367	7-3712-	16-12PR(7B) MAF PVPV 300V SPOS	210
Y59822	7-2780- 2	16-6C(7B) SHLD(MAF) XLPV STOS	105
Y59825	7-2771- 4	18-12C(7B) SHLD(MAF) XLPV STOS	155
Y59827	7-2771- 8	18-24C(7B) SHLD(MAF) XLPV STOS	833
Y60550	17-2601-	16-2C(1) XLPV SHLD(MAF) EX XTCPL	445
Y60553	17-2604-	16-8C(1) XLPV SHLD(MAF) EX XTCPL	735
Y60554	17-4604-	16-8C(1) XLPV SHLD(MAF) KX XTCPL	175
Y60555	17-2608	16-16C(1) XLPV SHLD(MAF) EX XTCPL	485
Y60556	17-4608-	16-16C(1) XLPV SHLD(MAF) EX XTCPL	140
Y60995	7-3724-AR	16-24PR SPOS XLPV MAF	173
Y61471	7-2312-	18-12P (7B) SHLD (MAF) PVC/PVC 300V POS	2,437
Y61472	7-2324-	18-24P (7B) SHLD (MAF) PVC/PVC 300V POS	6,840
Y61484	7-552-	16-2C (7B) SHLD (MAF) PVC/PVC 300V SAC	9,000

BELDEN #	BWC #	DESCRIPTION	TOTAL QUANTITY (FT)
Y61485	7-553-	16-3C (7B) SHLD (MAF) PVC/PVC 300V SAC	2,250
Y61486	7-2402-	16-2P (7B) SHLD (MAF) PVC/PVC 300V POS	1,550
Y62954	6-353-	16-3C (7T) XLCP	130
Y63411	7-552-	16-2 (7T) PVPV MAF SAC	31,250
Y63415	7-3824-	14-24P (7B) PVPV MAF SPOS 300V	25,108
Y63418	7-3836-	14-36P (7B) PVPV MAF SPOS 300V	4,572
Y63422	7-3812-	14-12P (7B) PVPV MAF SPOS 300V	15,788
Y63701	17-4602-	16-4 (1) XLPV KC N/S XTCPL	2,913
Y63896	7-3612-	18-12P(7T) MAF PVPV SPOS	3,775
Y63901	7-3608-	18-8PR (7T) PVPV MAF	1,540
Y63903	7-2771- 8	18-24C(7T) SHLD(MAF) PVPV PLTC	695
Y64243	7-3516-	24-16P PVPV SPOS PLTC 300V	4,440
Y64825	9-59-SH	16-9C(7B) NYPV MAF BLK	270
Y65554	7-1504-	14-4P(7B) NYPV N/S	2,110
Y67430	7-2782-16	16-16TRI (7B) PVPV MAF PLTC	1,590
YC42199	6-2153-G	10-3C(7B) NYPV TC	190
YC45739	7-2324-AR	18-24P(7T) POS PV-MAF-PV AIA-PVC 300V	478
YC45750	7-2406-AR	16-6P(7T) POS XLPV SHLD MAF	250
YC45898	7-3636-AR	18-36PR(7T) XLPV MAF SPOS	2,388
YC48158	7-532-	18-2C (7T) SHLD (MAF) PVC/PVC 300V SAC	29,710
YC48162	7-3604-	18-4PR (7T) SPOS XLP/PVC MAF 300V	7,773
YC49634	7-3706-AR	16-6PR(7T) SPOS XL-MAF-PV AIA-PVC 600V	128
YC49635	7-3716-AR	16-16PR(7T) XLPV MAF SPOS	2,025
YC49666	7-2771-8A	18-8TR(7B) STOS PV-MAF-PV AIA-PV PLTC	443
YC49792	9-670-10	8-10C (7B) TECK XLPV	877
YC55510	7-3836-	14-36PR(7B) SHLD(MAF) NYPV SPOS	475
YC55524	17-4601-	16-2C(1) XLPV EX XTCPL	50
YC55577	6-512-	10-12C(7B) XLHY XLCP	100
YC55578	6-560-12	8-12C (7B) XLCP	190
YC55654	7-3812-	14-12PR(7B) SHLD(MAF) NYPV SPOS RED	4,898
YC55656	7-3824-	14-24P(7B) SPOS NYPV SHLD MAF	685
YC55712	7-8104-AR	22-4C (7T) PVC/PVC UCC	2,300
YC55714	9-2-	18-2C (16T) PVC/PVC AIAPV	2,250
YC55846	6-407-	14-7C(7B) XLP-CPE XLPTC	1,198
YC55847	6-409-	14-9C(7B) XLP-CPE 600V	375
YC55853	6-512-	10-12C(7B) XLCP	130
YC55855	7-3754-	16-4PR(7B) SPOS XL-MAF-PV TC 600V	100
YC55857	6-415-	14-15C(7B) XLP-CPE 600V	38
YC55926	6-402-	14-2C(7B) XLP-CPE 600V	1,870
YC55928	6-405-	14-5C(7B) XLHY XLCP	455
YM 56591	6-2015-18	18-15C(7B)NYPV TC	1,230



BELDEN #	BWC #	DESCRIPTION	TOTAL QUANTITY (FT)
YM28632	7-2104- 1	22-4PR(1T) POS PV-MAF-PV WHT CMG	4,000
YM29750	7-2771- 6	18-6TRI(7B) MAF PVPV 300V STOS	1,045
YM29752	7-2771-12	18-12TRI.ST-OS PV-PV	610
YM43933	7-8504-SV	14-4C FLEX N/S SPEAKER	7,500
YM56591	6-2015-18	18-15C(7B) NYPV N/S TC	1,230
YM56595	6-2005-18	18-5C PVNY-PV 600V	9,671
YM56600	6-2003-	16-3C PVNY-PV 600V	8,622
YM56605	7-534-	18-4C(7T) PV-MAF-TCBRD-PVC PLTC	4,025
YM56634	7-5108-	22-8C(7B) SHLD PVNY-MAF-PV PLTC 300V	1,030
YM57812	7-3716-	16-16P (7B) NY/PVC MAF SPOS	650
YM7808	7-3708-	16-8PR(7B) NYPV MAF SPOS	225
YP4007	7-834-	26-44C(7T) PVC GRY RBN 300V	5,000
YP4101	7-826-	30-26C(7T) PVC GRY RBN	4,500
YQ11471	10-59-SP	RG/U 59(7B)BRD,22-2C(T)MAF FEP CL2P	4,820
YQ28763	7-522-	20-2C(7T) TETE DBL SHLD PLNM	870
YQ39731	10-540-	20(1B) SHLD FO-BRD-PV CMP WHT	1,000
YQ43810	7-1403-	18-3PR(16T) POPV N/S PIC	8,970
YR20870	10-6-A	22-1C(1B) POPV BRD SHLD RG/U	1,715
YR28332	7-3054-	22-4PR(1B) SPIC FO-MAF-PV GRY CM	500
YR28826	10-0590-2P	20-2C TWAX	10,180
YR28926	10-590-	20-2C(7T) PVPV DBL SHLD TWAX	11,370
YR29036	10-59-	RG/U 59(1B) FO-MAF-BRD-PV CL2 MV	330
YR29565	7-522-	20-2C(7T) XLP-MAF-BRAID-PVC CM 300V	5,500
YR29565	10-590-	20-2C(7T) PVPV DBL SHLD TWAX	17,620
YR40148	14-2404-	24-4PR(1B) (2X2POS) PV-MAF-PV CM/CL2	1,000
YR41531	7-3502-	22-1P,24-1P(T) SPOS PVPV MAF-BRD CL2	3,650
YR43634	14-3664-C5	24-4PR(1B) PEPV CMP CAT5	2,200
YR43648	14-3018- 1	24-8C(1B) PO-PV CM SILVS FLAT	17,130
YR43649	7-838-	24-8C(1B) PO-PV IVY RBN	868
YR45287	7-2103-	22-3PR(7T) DBL SHLD PVCP 300V POS	670
YR53651	7-8006- 1	24-6C(1B) PEPV N/S PLNM	1,500